

MER4600L

- 5.3 Cu. Ft
- 5 Elements 1-9"/6", 2-9", 1-6"
- 9"/6" Dual-Choice™ Element
- Steam Clean
- Warming Center
- Delay Bake setting
- Variable Broil
- · Ceramic Glass Cooktop



MER4800P

- 5.3 Cu. Ft
- 5 Elements 1-9"/6", 1-9", 3-6"
- 9"/6" Dual-Choice™ Element
- Steam Clean
- Warming Center
- Variable Broil
- + Fingerprint resistant stainless finish



MER6600F

- 5 Elements 1-9"/6", 1-9", 3-6"
- 9"/6" Dual-Choice™ Element
- + Precision Cooking™ System
- + Power™ Element
- + High Temp Self Clean
- + 10-Year Limited Warranty*



MER7700L

- 5 Elements 1-9"/6", 2-9", 1-6"
- 9"/6" Dual-Choice™ Element
- + Air Fry Mode
- + Dishwasher-Safe Air Fry Basket
- + Fan Convection Cooking
- + Hidden Bake Element
- + 10-Year Limited Warranty*

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's ranges lineup.

MES8800FZ BRAND

M = Maytag

MES8800FZ PLATFORM

E = Electric

MES8800FZ

R = Freestanding range

T = Double oven freestanding range

S = Slide-in range

MES 8800 FZ SUITE LEVEL

The higher the number the more features.

MES8800 FZ
YEAR OF LAUNCH

F = 2016 L = 2021 P = 2023

MES8800FZ

W = White

B = Black

S = Stainless Steel

Z = Fingerprint Resistant Stainless Steel



MER8800F

- + 6.4 Cu. ft.
- 5 Elements 1-12"/6", 1-10", 3-6"
- 12"/6" Dual-Choice™ Element
- + Max Capacity Rack
- + Aqualift® Self Clean
- + True Convection with Third Element
- + Power Preheat
- + Auto Convect Conversion
- + 10-Year Limited Warranty*



MET8800F

- + 6.7 Cu. ft.
- 2.5 Cu. ft. (upper) | 4.2 Cu. ft. (lower)
- 5 Elements 1-12"/9"/6", 1-10", 2-8"
- Max Capacity Rack
- Precision Cooking[™] System
- True Convection with Third Element
- Auto Convect Conversion
- Power Preheat
- Power[™] Element
- + 10-Year Limited Warranty*



MES8800P

- 6.4 Cu. ft.
- 5 Elements 1-9"/6", 1-10", 3-6"
- + Air Fry Mode
- + Dishwasher-Safe Air Fry Basket
- True Convection with Third Element
- Auto Convect Conversion
- Power Preheat
- + 10-Year Limited Warranty
- + FIT system limited guarantee
- + ADA Compliant

+ Indicates Step-Up Feature

*Visit maytag.com for limited warranty details

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's ranges lineup.



M = Maytag

MES8800FZ PLATFORM

E = Electric

MES8800FZ

R = Freestanding range

T = Double oven freestanding range

S = Slide-in range

MES 8800 FZ SUITE LEVEL

The higher the number the more features.

MES8800FZ YEAR OF LAUNCH

F = 2016 L = 2021 P = 2023

MES8800FZ

W = White

B = Black

S = Stainless Steel

Z = Fingerprint Resistant Stainless Steel

ELECTRIC RANGES









RANGES MODELS	MER4600L	MER4800P	MER6600F	MER7700L
AVAILABLE COLORS	S	Z	W, B, Z	Z
ADA COMPLIANT				
CAPACITY (CU. FT.)	5.3	5.3	5.3	5.3
NUMBER OF ELEMENTS	5	5	5	5
FINGERPRINT RESISTANT STAINLESS STEEL		•	•	•
10-YEAR LIMITED PARTS WARRANTY ON COOKTOP, ELEMENTS AND CAVITY*	•	•	•	•
FEATURES				
AUTO CONVECT CONVERSION				
BRIDGE ELEMENT				
9"/6" DUAL-CHOICE™ ELEMENT	•	•	•	
DISHWASHER-SAFE AIR FRY BASKET				•
DISPLAY COLOR	Blue	Blue	Amber	Blue
FAN CONVECTION				•
HEATING ELEMENT INDICATOR	•	•	•	•
HIDDEN BAKE ELEMENT		•	•	•
HOT SURFACE INDICATOR	•	•	•	•
POWER ON INDICATOR	•	•	•	•
SURFACE MATERIAL	Ceramic Glass	Ceramic Glass	Ceramic Glass	Ceramic Glass
MODES/SETTINGS				
AIR FRY				•
BAKE	•	•	•	•
BROIL	•	•	•	•
CLOCK	•	•	•	•
CONTROL LOCK	•	•	•	•
CONVECTION MODES				•
DELAY START/BAKE	•	•	•	•
KEEP WARM / WARM HOLD	•	•	•	•
ROAST				•
SABBATH MODE	•	•	•	•
START/STOP TIME	•			•
TIMER	•	•		•
OVEN COOKING	Thermal	Thermal	Thermal	Thermal Upper Convection Lower
OVEN CLEANING	Steam Clean	Steam Clean	High Temp Self Clean	Self-Cleaning
PRECISION COOKING™ SYSTEM			•	•
POWER™ ELEMENT			•	•
POWER PREHEAT				•
TRUE CONVECTION WITH THIRD ELEMENT				•
VARIABLE BROIL	•	•	•	•
WARMING CENTER	•	•		
DIMENSIONS				
HEIGHT	47-7/8"	47-7/8"	46-7/8"	47-7/8"
WIDTH	29-7/8"	29-7/8"	29-7/8"	29-7/8"
DEPTH	27-3/4"	27-3/4"	27-3/4"	27-3/4"

^{*}For complete details, visit maytag.com/fitsystemlimitedguarantee. **Visit maytag.com for warranty details. ®/TM © 2022 Maytag. All rights reserved.

ELECTRIC RANGES







RANGES MODELS	MER8800F	MET8800F	MES8800P
AVAILABLE COLORS	Z	Z	Z
ADA COMPLIANT			
CAPACITY (CU. FT.)	6.4	2.5 upper 4.2 lower	6.4
NUMBER OF ELEMENTS	5	5	5
FINGERPRINT RESISTANT STAINLESS STEEL			
FIT SYSTEM GUARANTEE*			
10-YEAR LIMITED PARTS WARRANTY ON COOKTOP, ELEMENTS AND CAVITY*			
FEATURES			
AUTO CONVECT CONVERSION			
BRIDGE ELEMENT			
9"/6" DUAL-CHOICE™ ELEMENT			
DISHWASER SAFE AIR FRY BASKET			
DISPLAY COLOR	Amber	Amber	Amber
FAN CONVECTION			
HEATING ELEMENT INDICATOR			
HIDDEN BAKE ELEMENT		•	•
HOT SURFACE INDICATOR			
POWER ON INDICATOR	•		
SURFACE MATERIAL	Ceramic Glass	Ceramic Glass	Ceramic Glass
MODES/SETTINGS			
AIR FRY			
BAKE			
BROIL			
CLOCK	•	•	
CONTROL LOCK	•		
CONVECTION MODES			
DELAY START/BAKE	•	•	
KEEP WARM / WARM HOLD			
ROAST			
SABBATH MODE			
START/STOP TIME			
TIMER			
WARM ZONE			
MAX CAPACITY RACK			
OVEN COOKING	Convection	Thermal Upper Convection Lower	Convection
OVEN CLEANING	AquaLift® Self-Clean	Self-Cleaning	AquaLift® Self-Clean
PRECISION COOKING™ SYSTEM		•	•
POWER™ ELEMENT			
POWER PREHEAT			
TRUE CONVECTION WITH THIRD ELEMENT			•
VARIABLE BROIL			
WARMING CENTER			
DIMENSIONS			
HEIGHT	47-7/8"	47-1/8"	36"
WIDTH	29-7/8"	29-15/16"	29-7/8"
DEPTH	27-3/4"	28-1/2"	28-7/8"
		· ··-	=

^{*}For complete details, visit maytag.com/fitsystemlimitedguarantee. **Visit maytag.com for warranty details. ®/™ © 2022 Maytag. All rights reserved.



MGR6600P

- 5.0 Cu. ft.
- 5 Burners 2-15K, 1-9.5K, 1-8K, 1-5K BTU
- High Temp Self Clean
- Edge-to-Edge Cast-Iron Grates
- Variable Broil
- Simmer Burner
- Keep Warm[™] Setting
- + 10-Year Limited Warranty*



MGR7700L

- 5 Burners 2-15K, 1-15K, 1-8K, 1-5K BTU
- + Air Fry Mode
- + Dishwasher-Safe Air Fry Basket
- + Fan Convection Cooking
- + Hidden Bake Element
- Delay Bake Setting
- + 10-Year Limited Warranty*



MGR8800F

- 5.8 Cu. ft.
- 5 Burners 1-18K, 1-15K, 1-9.5K, 1-8K, 1-5K BTU
- + Aqualift® Self Clean
- + Max Capacity Rack
- + Power Preheat
- + Power™ Burner
- + True Convection with Third Element
- + Auto Convect Conversion
- + 10-Year Limited Warranty*

MGT8800F

- + 6.0 Cu. ft.
- 5 Burners 1-7.3K, 1-16K, 2-5K, 1-10K BTU
- 2.1 Cu. ft. (upper) | 3.9 Cu. ft. (lower)
- + Precision Cooking™ System
- + 10-Year Limited Warranty*

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's ranges lineup.

MGS8800FZ BRAND

M = Maytag

MGS8800FZ PLATFORM

G = Gas

MGS8800FZ
CONFIGURATION

R = Freestanding range

T = Double oven freestanding range

S = Slide-in range

MGS 8800 FZ
SUITE LEVEL

The higher the number the more features.

MGS8800FZ YEAR OF LAUNCH

F = 2016

P = 2023

L = 2021

MGS8800FZ

W = White

B = Black

Z = Fingerprint Resistant Stainless Steel

+ Indicates Step-Up Feature



MGS8800P

- 5.8 Cu. ft.
- 5 Burners 1-19K, 1-15K, 1-9.2K, 1-8K, 1-5K BTU
- + Air Fry Mode
- + Dishwasher-safe Air Fry basket
- + 19,000-BTU Power™ Burner
- + 10-Year Limited Warranty*
- + ADA Compliant

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's ranges lineup.

MGS8800FZ BRAND

M = Maytag

MGS8800FZ PLATFORM

G = Gas

MGS8800FZ CONFIGURATION

R = Freestanding range

T = Double oven freestanding range

S = Slide-in range

MGS 8800 FZ
SUITE LEVEL

The higher the number the more features.

MGS8800FZ YEAR OF LAUNCH

F = 2016 L = 2021

MGS8800FZ

W = White

B = Black

Z = Fingerprint Resistant Stainless Steel

+ Indicates Step-Up Feature

GAS RANGES











RANGES MODELS	MGR6600P	MGR7700L	MGR8800F	MGT8800F	MGS8800P
AVAILABLE COLORS	Z	Z	Z	Z	Z
ADA COMPLIANT					
CAPACITY (CU. FT.)	5.0	5.0	5.8	2.1 upper 3.9 lower	5.8
NUMBER OF BURNERS	5	5	5	5	5
FINGERPRINT RESISTANT STAINLESS STEEL					
FIT SYSTEM GUARANTEE*					
10-YEAR LIMITED PARTS WARRANTY ON COOKTOP, ELEMENTS AND CAVITY*					•
FEATURES					
AUTO CONVECT CONVERSION					•
DISHWASHER-SAFE AIR FRY BASKET					
DISPLAY COLOR	Amber	Blue	Amber	Amber	Amber
EDGE-TO-EDGE CAST-IRON GRATES					
FAN CONVECTION			•		
GRIDDLE	Optional	Optional	Included	Integrated	Optional
HEATING ELEMENT INDICATOR					
HIDDEN BAKE ELEMENT					
POWER ON INDICATOR					
SURFACE MATERIAL	Porcelain Coated Steel	Porcelain Coated Steel	Porcelain Coated Steel	Porcelain Coated Steel	Porcelain Coated Steel
MODES/SETTINGS					
AIR FRY					
BAKE					
BROIL					
CLOCK					
CONTROL LOCK					
CONVECTION MODES					•
DELAY START/BAKE					
KEEP WARM / WARM HOLD					
ROAST					
SABBATH MODE					
START/STOP TIME					
TIMER					
MAX CAPACITY RACK					
OVEN COOKING	Thermal	Convection	Convection	Thermal Upper Convection Lower	Convection
OVEN CLEANING	High Temp Self Clean	High Temp Self Clean	AquaLift® Self-Clean	Self-Cleaning	AquaLift® Self-Clean
OVAL BURNER	•	•	•		•
PRECISION COOKING™ SYSTEM					
POWER™ BURNER					
POWER PREHEAT					
SIMMER BURNER					
TRUE CONVECTION WITH THIRD ELEMENT					
VARIABLE BROIL					
DIMENSIONS					
HEIGHT	46-7/8"	47-7/8"	47-7/8"	47-1/8"	36"
WIDTH	29-7/8"	29-7/8"	29-7/8"	29-15/16"	29-7/8"
DEPTH	27-7/8"	27-7/8"	27-7/8"	28-1/2"	28-7/8"

^{*}For complete details, visit maytag.com/fitsystemlimitedguarantee. **Visit maytag.com for warranty details. ®/™ © 2022 Maytag. All rights reserved.