



®

JENNAIR®

VENTILATION

# AGENDA



## UPDRAFT VENTILATION

Canopy Style

Professional Style

CustomHood Liners

Microwave Hoods

## DOWNDRAFT VENTILATION

Telescoping

## WARRANTY COVERAGE

## QUALIFYING FOR CURATE



ISLAND MOUNT & WALL MOUNT  
CANOPY HOODS

# PYRAMID STYLE LUSTRE STAINLESS

Available in 36" Island Mount & 30"/36" Wall Mount



## PYRAMID STYLE

Lustre stainless steel featuring glass touch controls



## PERIMETRIC EXTRACTION

Handles the high heat and cooking power of cooktops up to 78K BTUs



## 600 CFM MOTOR CLASS

3 Fan Speeds + Auto & Booster

# PERIMETRIC EXTRACTION



## A MORE FOCUSED APPROACH TO VENTILATION

Perimeter vents concentrate the airflow in much the same way a vacuum cleaner's crevice attachment does to improve suction.

## SLEEK DESIGN

Perimetric panel provides a sleek design with a smooth surface that is easy to clean

## QUIET OPERATION

The perimetric cover keeps ventilation quiet, reflecting noise from the blower motor back up into the ventilation hood.

## EFFICIENT AIR CAPTURE

Air accelerates as it is pulled toward the narrow slots around the perimeter cover, increasing the ventilation hood's efficiency and broadening the capture area.

# MODERN T-SHAPE STAINLESS STEEL

Available in 36" Island Mount & 30"/36" Wall Mount



## MODERN T-SHAPE

Stainless Steel Finish with tactile controls and a low profile design



## LED STRIP LIGHTING

Brightly illuminates the cooktop surface below



## 585 CFM MOTOR CLASS

3 Fan Speeds + Booster  
90K BTU Threshold

30" JVW0330LS features  
390 CFM Motor, 62K BTU Threshold

# RECIRCULATING LUSTRE STAINLESS

Available in 30" / 36" Wall Mount



## LUSTRE STAINLESS

Stainless steel featuring glass touch controls designed in a modern T-Shape



## RECIRCULATING


Cylindric charcoal filter removes 97% of odors and 90% of grease before air returns to your kitchen.



## 550 CFM MOTOR CLASS

68K BTU Threshold  
3 Fan Speeds + Timed Fan & Quiet Fan

# CANOPY STYLE HOOD PLAN TO SELL



## PYRAMID STYLE LUSTRE STAINLESS

## MODERN T-SHAPED STAINLESS STEEL

## RECIRCULATING LUSTRE STAINLESS

Island Mount

Wall Mount

Island Mount

Wall Mount

Wall Mount

Wall Mount

36" **JXI8536HS**

30" **JXW8530HS**  
36" **JXW8536HS**

36" **JVI0636LS**

30" **JVW0630LS**  
36" **JVW0636LS**

30" **JVW0330LS**

30" **JVR0430HS**  
36" **JVR0436HS**

600 CFM Motor Class  
78K BTU Threshold

585 CFM Motor Class  
90K BTU Threshold

390 CFM Motor Class  
62K BTU Threshold

550 CFM Motor Class  
68K BTU Threshold

Perimetric Extraction

Perimetric Extraction

Recirculating

3 Fan Speeds + Auto & Booster

3 Fan Speeds + Booster

3 Fan Speeds + Quiet



UNDER-CABINET & WALL MOUNT  
**PRO-STYLE HOODS**

# PRO-STYLE LOW PROFILE UNDER-CABINET

Available in 30" / 36"



600 CFM MOTOR CLASS  
VELOCITY BLOWER

4 Distinct Fan speeds to clear smoke, odors and steam from the kitchen

PRECISION KNOB CONTROLS

Fine tune ventilation with ease so airflow matches your evening's flow.



3 1/4 " x 10 " RECTANGULAR  
EXTERIOR VENTING

Allows ductwork to extend through an outer wall or the roof of a home

# PRO-STYLE WALL-MOUNTED HOODS

Available in 30" / 36" / 48"



## VELOCITY BLOWER

600 CFM 30" & 36" - 1200 CFM 48"

4 Distinct Fan speeds to clear smoke, odors and steam from the kitchen

## FOOD WARMING LAMPS

Inspired by restaurant kitchens, keep food warm until ready to serve



## 10" ROUND EXTERIOR VENTING

Large-diameter venting that enables quiet airflow and effective performance

# RESTAURANT - INSPIRED FOOD WARMING LAMPS

**KEEP FOOD WARM UNTIL  
READY TO SERVE**

Warming lamps can be used in combination with the Pro-Style® backsplash or custom backsplash with two shelves



# PRO-STYLE HOOD PLAN TO SELL



LOW PROFILE UNDER CABINET		WALL MOUNTED		
30" JXU9130HP	36" JXU9136HP	30" JXW9030HP	36" JXW9036HP	48" JXW9048HP
600 CFM Motor Class		600 CFM Motor Class		1200 CFM Motor Class
Precision Knobs with 4 Fan Speeds		Precision Knobs with 4 Fan Speeds		
2 Level Halogen Lighting		2 Level Halogen Lighting + Warming Lamps		
3 1/4" x 10" Rectangular Exterior Venting		10-Inch Round Exterior Venting		



CUSTOM

HOOD LINERS

# 36" CUSTOM HOOD LINER



600 or 1200 CFM  
IN-LINE BLOWER

Blower Motor Sold Separately.  
3 Fan Speeds


PRECISION KNOB  
CONTROLS

Designed to meet the demands of  
high-heat gas burners below

STAINLESS STEEL  
BAFFLE FILTERS

Help remove the grease and odors of  
high-heat cooking.

# 48" UNBRANDED HOOD LINER



600 or 1200 CFM  
IN-LINE BLOWER

Blower Motor Sold Separately.  
3 Fan Speeds


HALOGEN TASK  
LIGHTING

Designed to meet the demands of  
high-heat gas burners below

10" ROUND  
EXTERIOR VENTING

Large diameter venting enables quiet  
air flow and effective performance

# CUSTOM HOOD LINER PLAN TO SELL



**36" CUSTOM HOOD LINER**

**JXL6536HSS**

Precision Knob Controls

**48" CUSTOM HOOD LINER  
(UNBRANDED)**

**UXL6048YSS**

Slide Controls

Option of **600 CFM** or **1200 CFM** In-Line Blower, sold separately

2-Level Halogen Lighting

10-Inch Round Exterior Venting



JENNAIR®  
FLUSH OVEN HOOD  
COMBINATIONS


# FLUSH INTEGRATED DESIGN



Flush design blends seamlessly into 12 3/4 inch deep cabinets for a clean, finished look

# FLUSH INTEGRATED DESIGN

ENABLED BY HIDDEN VENT



## HIDDEN VENT

**Automatically opens and closes** during microwave cooking and vent hood operation.



## 400 CFM HOOD MOTOR

**Adjustable low, medium or high-speed settings** effectively remove smoke, grease and odors from your cooking surface.

# FLUSH INTEGRATED DESIGN

**75% MORE USABLE COOKING SURFACE\***

Ask your customers about the dishes they expect to fit in this  
Oven Hood Combination.

## **DEMONSTRATE ON YOUR SALES FLOOR:**

Though the capacity of this OHC appears small at 1.1 cubic feet, it offers 75% more usable cooking surface than previous models due to its turntable free design. Prop with a 13x9 inch baking dish on your sales floor to demonstrate usable capacity.




# HOW IT WORKS




## CONVECTION

Convection Fan circulates heat from **1400 Watt Convection Element**




## BROIL

Calrod element delivers top-down browning with **1500 Watt Broil power**



## MICROWAVE

Turntable Free Microwave Cooking circulates **900 Watts Microwave Energy**



## TOAST



## PROBE HOUSING



Meat Probe, Wire Rack, Toasting Pan & Air Fry Basket

# 7-in-1 OVEN COOKING MODES

A wide array of cooking modes help you match the method to your menu



**1**  
AIR FRY  
Black and Stainless Models



**2**  
CONVECT BAKE  
Stainless Steel Model Only



**3**  
CONVECT ROAST  
Black and Stainless (+Probe SS Model)



**4**  
TOAST  
Stainless Steel Model Only



**5**  
BROIL  
Black and Stainless Models



**6**  
KEEP WARM  
Black and Stainless Models



**7**  
MICROWAVE  
Black and Stainless Models

# JENNAIR OVEN HOOD MODELS



MODEL	JMHF730RBL	JMHF930RSS
Capacity	1.1 Cu Ft w/ Turntable Free Design	
Interior Design	Obsidian Interior with CleanRelease Coating	Stainless Steel Interior
Ventilation	400 CFM with Hidden Vent	
Cooking Power	900 Watt Microwave, 1400 Watt Convection, 1500 Watt Broil	
Cooking Probe	NO	YES
Smart Appliance	YES	



Telescoping

**DOWNDRAFT**

# TELESCOPING DOWNDRAFT



## 14-INCH RISE

Extends 14 inches from the countertop to quickly capture Smoke, Steam and Grease

## REVERSIBLE MOTOR BOX

Can be positioned to face the front or back of cabinetry for flexible installation

## 600 CFM BLOWER

High performance downdraft extraction with 4 fan speeds

## 6" ROUND EXTERIOR VENTING

# JENNAIR VENTILATION WARRANTY COVERAGE

## JENNAIR VENTILATION OFFERS 2-YEARS OF WARRANTY PROTECTION

An additional year of warranty is added to appliances installed by a Certified Installer

<b>JENN-AIR®</b> <b>MAJOR APPLIANCE</b> <b>LIMITED WARRANTY</b> Applies to products purchased on or after April 1, 2015	ATTACH YOUR RECEIPT HERE. PROOF OF PURCHASE IS REQUIRED TO OBTAIN WARRANTY SERVICE. Please have the following information available when you call the Customer eExperience Center: <ul style="list-style-type: none"> <li>■ Name, address and telephone number</li> <li>■ Model number and serial number</li> <li>■ A clear, detailed description of the problem</li> <li>■ Proof of purchase including dealer or retailer name and address</li> </ul>
--	---

**IF YOU NEED SERVICE:**

- Before contacting us to arrange service, please determine whether your product requires repair. Some questions can be addressed without service. Please take a few minutes to review the Troubleshooting or Problem Solver section of the Use and Care Guide, scan the QR code on the right to access additional resources, or visit <https://jennair.custhelp.com>.
- All warranty service is provided exclusively by our authorized Jenn-Air Service Providers. In the U.S. and Canada, direct all requests for warranty service to:  
**Jenn-Air Customer eExperience Center**  
**1-800-JENNAIR (1-800-536-6247)**  
<https://jennair.custhelp.com>

If outside the 50 United States or Canada, contact your authorized Jenn-Air dealer to determine whether another warranty applies.



### TWO YEAR LIMITED WARRANTY

WHAT IS COVERED	WHAT IS NOT COVERED
<p>For two years from the date of purchase, when this major appliance is installed, operated and maintained according to instructions attached to or furnished with the product, Jenn-Air brand of Whirlpool Corporation or Whirlpool Canada LP (hereafter "Jenn-Air") will pay for Factory Specified Replacement Parts and repair labor to correct defects in materials or workmanship that existed when this major appliance was purchased, or at its sole discretion replace the product. In the event of product replacement, your appliance will be warranted for the remaining term of the original unit's warranty period.</p> <p><b>YOUR SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR AS PROVIDED HEREIN.</b> Service must be provided by a Jenn-Air designated service company. This limited warranty is valid only in the United States or Canada and applies only when the major appliance is used in the country in which it was purchased. This limited warranty is effective from the date of original consumer purchase. Proof of original purchase date is required to obtain service under this limited warranty.</p>	<ol style="list-style-type: none"> <li>Commercial, non-residential, multiple-family use, or use inconsistent with published user, operator or installation instructions.</li> <li>In-home instruction on how to use your product.</li> <li>Service to correct improper product maintenance or installation, installation not in accordance with electrical or plumbing codes or correction of household electrical or plumbing (i.e. house wiring, fuses or water inlet hoses).</li> <li>Consumable parts (i.e. light bulbs, batteries, air or water filters, preservation solutions, etc.).</li> <li>Defects or damage caused by the use of non-genuine Jenn-Air parts or accessories.</li> <li>Conversion of products from natural gas or L.P. gas.</li> <li>Damage from accident, misuse, abuse, fire, floods, acts of God or use with products not approved by Jenn-Air.</li> <li>Repairs to parts or systems to correct product damage or defects caused by unauthorized service, alteration or modification of the appliance.</li> <li>Cosmetic damage including scratches, dents, chips, and other damage to the appliance finishes unless such damage results from defects in materials and workmanship and is reported to Jenn-Air within 30 days.</li> <li>Discoloration, rust or oxidation of surfaces resulting from caustic or corrosive environments including but not limited to high salt concentrations, high moisture or humidity or exposure to chemicals.</li> <li>Food or medicine loss due to product failure.</li> <li>Pick-up or delivery. This product is intended for in-home repair.</li> <li>Travel or transportation expenses for service in remote locations where an authorized Jenn-Air servicer is not available.</li> <li>Removal or reinstallation of inaccessible appliances or built-in fixtures (i.e. trim, decorative panels, flooring, cabinetry, islands, countertops, drywall, etc.) that interferes with servicing, removal or replacement of the product.</li> <li>Service or parts for appliances with original model/serial numbers removed, altered or not easily determined.</li> </ol> <p><b>The cost of repair or replacement under these excluded circumstances shall be borne by the customer.</b></p>

**DISCLAIMER OF IMPLIED WARRANTIES**  
 IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO ONE YEAR OR THE SHORTEST PERIOD ALLOWED BY LAW. Some states and provinces do not allow limitations on the duration of implied warranties of merchantability or fitness, so this limitation may not apply to you. This warranty gives you specific legal rights, and you also may have other rights that vary from state to state or province to province.

**DISCLAIMER OF REPRESENTATIONS OUTSIDE OF WARRANTY**  
 Jenn-Air makes no representations about the quality, durability, or need for service or repair of this major appliance other than the representations contained in this warranty. If you want a longer or more comprehensive warranty than the limited warranty that comes with this major appliance, you should ask Jenn-Air or your retailer about buying an extended warranty.

**LIMITATION OF REMEDIES; EXCLUSION OF INCIDENTAL AND CONSEQUENTIAL DAMAGES**  
 YOUR SOLE AND EXCLUSIVE REMEDY UNDER THIS LIMITED WARRANTY SHALL BE PRODUCT REPAIR AS PROVIDED HEREIN. JENN-AIR SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights, and you also may have other rights that vary from state to state or province to province.

# ACTIONABLE ITEMS

Take these actions to make the most of knowledge gained in training

1. Ensure that your showroom features a variety of JennAir updraft and downdraft ventilation options
2. Point out the sleek design of JennAir Island Mount and T-Shaped hoods which feature powerful, perimetric Ventilation
3. Use the package builder on [JennAir.com](http://JennAir.com) to build suite packages and share with your customers.

