



KCGK330S

- Edge-to-Edge Cast Iron Grates
- Five burners - 18k / 2-10k / 7k / 6k
- 6K BTU Even-Heat™ Simmer Burner
- 18K BTU Burner
- Electronic Ignition



KCGK336S

- Edge-to-Edge Cast Iron Grates
- Five burners - 18k / 2-10k / 7k / 6k
- 6K BTU Even-Heat™ Simmer Burner
- 18K BTU Burner
- Electronic Ignition



KCGD500G

- Edge-to-Edge Cast Iron Grates
- Four burners - 17k / 15k / 10k / 5k
- + Downdraft Ventilation**
- 17K BTU Professional Burner
- 5K BTU Even-Heat™ Simmer Burner
- + Convertible to Duct-Free Ventilation**
- Electronic Ignition



KCGD506G

- Edge-to-Edge Cast Iron Grates
- + Five burners - 17k / 10k / 2-7k / 6k**
- Downdraft Ventilation
- 17K BTU Professional Burner
- 5K BTU Even-Heat™ Simmer Burner
- Convertible to Duct-Free Ventilation
- Electronic Ignition

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

K C G S 5 5 6 E S S
PLATFORM

C = Cooktop

K C **G** S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

K C G **S** 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

K C G S **5 5** 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

K C G S 5 5 **6** E S S
WIDTH

0 = 30 in 6 = 36 in

K C G S 5 5 6 **E** S S
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018 P = 2023

K C G S 5 5 6 E **S S**
COLOR

BL = Black JP = Juniper
BE = Black Ore SS = Stainless Steel



KCGG530P

- Edge-to-Edge Cast Iron Grates
- Five burners - 18k / 15k / 2-9.1k / 5k
- + **Gas-On-Glass**
- + **18K BTU Burner**
- Electronic Ignition



KCGG536P

- Edge-to-Edge Cast Iron Grates
- Five burners - 18k / 15k / 2-9.1k / 5k
- Gas-On-Glass
- + **18K BTU Ultra Power™ Burner**
- Electronic Ignition



KCGK530S

- Edge-to-Edge Cast Iron Grates
- Five burners - 17k / 2-10k / 7k / 6k
- 17K BTU Professional Dual Ring Burner
- + **CookShield™ Finish**
- + **Integrated Wok Grate**
- + **Personalization**
- Electronic Ignition



KCGK536S

- Edge-to-Edge Cast Iron Grates
- Five burners - 20k / 12k / 10k / 7k / 6k
- + **20K BTU Professional Dual Ring Burner**
- Cookshield™ Finish
- Integrated Wok Grate
- Personalization
- Electronic Ignition

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

C G S 5 5 6 E S S
PLATFORM

C = Cooktop

G S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

S 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

6 E S S
WIDTH

0 = 30 in 6 = 36 in

E S S
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018 P = 2023

SS
COLOR

BL = Black JP = Juniper
BE = Black Ore SS = Stainless Steel



KCGK730S

- Edge-to-Edge Cast Iron Grates
- Five burners - 17k / 2-10k / 7k / 6k
- 20K BTU Professional Dual Ring Burner
- CookShield™ Finish
- + **Integrated Wok Grate**
- + **Personalization**
- + **Back-Lit Knobs**
- Electronic Ignition

KCGK736S

- Edge-to-Edge Cast Iron Grates
- Five burners - 20k / 12k / 10k / 7k / 6k
- 20K BTU Professional Dual Ring Burner
- CookShield™ Finish
- Integrated Wok Grate
- Personalization
- Back-Lit Knobs
- Electronic Ignition

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

C G S 5 5 6 E S S
PLATFORM

C = Cooktop

G S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

S 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

6 E S S
WIDTH

0 = 30 in

6 = 36 in

E S S
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018 P = 2023

SS
COLOR

BL = Black JP = Juniper
BE = Black Ore SS = Stainless Steel



| COOKTOPS MODELS | KCGK330S | KCGK336S | KCGD500G | KCGD506G |
|-----------------------------------|-------------------------|-------------------------|--------------------------|----------------------|
| AVAILABLE COLORS | SS | SS | SS | SS |
| NUMBER OF BURNERS | 5 | 5 | 4 | 5 |
| ADA HEIGHT & SIDE REACH COMPLIANT | • | • | | |
| FEATURES | | | | |
| ELECTRONIC IGNITION | • | • | • | • |
| EVEN-HEAT™ SIMMER BURNER | 6K BTU | 6K BTU | 5K BTU | 5K BTU |
| EDGE-TO-EDGE CAST IRON GRATES | • | • | • | • |
| ACCESSORIES | | | | |
| GRIDDLE | Optional | Optional | | Optional |
| LP CONVERTIBLE KIT | • | • | • | • |
| DIMENSIONS | | | | |
| HEIGHT X WIDTH X DEPTH | 6.23" X 30.02" X 20.98" | 6.23" X 36.22" X 20.98" | 18-7/16" X 30" X 21-1/2" | 18-7/16" X 36" X 21" |



| COOKTOPS MODELS | KCGG530P | KCGG536P | KCGK530S | KCGK536S |
|-----------------------------------|-----------------------------|-----------------------------|------------------------|-------------------------|
| AVAILABLE COLORS | BL | BL | SS / BE / JP | SS / BE / JP |
| NUMBER OF BURNERS | 5 | 5 | 5 | 5 |
| ADA HEIGHT & SIDE REACH COMPLIANT | • | • | • | • |
| FEATURES | | | | |
| COOKSHIELD™ FINISH | | | • | • |
| DOWNDRAFT* | | | | |
| DUAL RING BURNER | | • | • | • |
| ELECTRONIC IGNITION | • | | • | |
| EVEN-HEAT™ SIMMER BURNER | 5K BTU | 5K BTU | 6K BTU | 6K BTU |
| EXHAUST RATING | | | | |
| 3-SPEED FAN CONTROL | | | | |
| EDGE-TO-EDGE CAST IRON GRATES | • | • | • | • |
| ACCESSORIES | | | | |
| DUCT-FREE VENTILATION KIT | | | | |
| GRIDDLE | | | Optional | |
| LP CONVERTIBLE KIT | • | • | • | • |
| DIMENSIONS | | | | |
| HEIGHT X WIDTH X DEPTH | 5-5/16" X 30-3/8" X 21-3/5" | 5-5/16" X 36-7/8" X 21-3/5" | 6.23 X 30.02" X 20.98" | 6.23" X 36.22" X 20.98" |

**Performance varies based on installation. Resources available at HVI.org



| COOKTOPS MODELS | KCGK730S | KCGK736S |
|-----------------------------------|-------------------------|-------------------------|
| AVAILABLE COLORS | SS / BE / JP | SS / BE / JP |
| NUMBER OF BURNERS | 5 | 5 |
| ADA HEIGHT & SIDE REACH COMPLIANT | • | • |
| FEATURES | | |
| COOKSHIELD™ FINISH | • | • |
| DUAL RING BURNER | • | • |
| ELECTRONIC IGNITION | | |
| EVEN-HEAT™ SIMMER BURNER | 6K BTU | 6K BTU |
| EDGE-TO-EDGE CAST IRON GRATES | • | • |
| KNOBS | Back-Lit | Back-Lit |
| ACCESSORIES | | |
| GRIDDLE | • | • |
| LP CONVERTIBLE KIT | • | • |
| DIMENSIONS | | |
| HEIGHT X WIDTH X DEPTH | 6.23" X 30.02" X 20.98" | 6.23" X 36.22" X 20.98" |



KCGK930T

- Three-Level Convertible Grates
- Four burners - 2-20k / 15k / 5k
- 20k BTU Dual-Flame Burner
- 5k BTU Simmer/Melt Burner
- Auto Re-ignition



KCGK936T

- Three-Level Convertible Grates
- Six burners - 2-20k / 2-15k / 2-5k
- 20k BTU Dual-Flame Burner
- 5k BTU Simmer Burner
- Auto Re-ignition
- + **Personalization**



KCGK948T

- Three-Level Convertible Grates with Chrome-Infused Electric Griddle
- Six burners - 2-20k / 2-15k / 2-5k
- 20k BTU Ultra Power™ Dual-Flame Burner
- 5k BTU Simmer Burner
- Auto Re-ignition
- Personalization

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KCGK930TSS
BRAND

K = KitchenAid®

KCGK930TSS
PLATFORM

C = Cooktop

KCGK930TSS
CONFIGURATION

E = Electric
 G = Gas
 I = Induction

KCGK930TSS
PHYSICAL ATTRIBUTE

K = Knob G = On Glass
 T = Tap Touch S = On Stainless

KCGK930TSS
SERIES

1-8 = Higher series numbers are more highly featured
 9 = Commercial-Style

KCGK930TSS
WIDTH

30 = 30" Width 48 = 48" Width
 36 = 36" Width

KCGK930TSS
YEAR OF LAUNCH

T = 2026

KCGK930TSS
COLOR

BE = Black Ore SS = Stainless Steel
 JP = Juniper

COMMERICAL-STYLE GAS RANGETOPS
COOKTOP SPECIFICATIONS



| COOKTOPS MODELS | KCGK930T | KCGK936T | KCGK948T |
|--------------------------------|------------------------|------------------------|------------------------|
| AVAILABLE COLORS | SS | BE, SS, JP | BE, SS, JP |
| NUMBER OF BURNERS | 4 | 6 | 6 |
| FEATURES | | | |
| AUTO RE-IGNITION | • | • | • |
| DUAL-FLAME BURNERS | • | • | • |
| PORCELAIN COATED SURFACE | • | • | • |
| SIMMER/MELT BURNER | • | • | • |
| SEALED BURNERS | • | • | • |
| THREE-LEVEL CONVERTIBLE GRATES | • | • | • |
| ACCESSORIES | | | |
| GRIDDLE | Optional | Optional | Integrated |
| LP CONVERTIBLE KIT | • | • | • |
| DIMENSIONS | | | |
| HEIGHT X WIDTH X DEPTH | 9" X 29-3/4" X 27-7/8" | 9" X 35-3/4" X 27-7/8" | 9" X 47-3/4" X 27-7/8" |




KCES550H

- Five Elements - 1800W, 3000/1900W, 1200W, 3200/2300W, 1300W
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- Hot Surface Indicator
- 8" 1800 watt Round Element
- 6" 1800 watt Round Element
- Control Lock




KCES556H

- + **Five Elements - 1800W, 1300W, 3000/2200/1100W, 3200W, 1200W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- + **12"/9"/6" Triple-Ring Round Element**
- Hot Surface Indicator
- + **2 - 6" 1200 Watt Round Elements**
- Control Lock



KCES950K

- + **Five Elements - 1200W, 1300W, 3200/2300W, 1800W, 3000/1900W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- + **10"/6" Even-Heat™ Ultra Power™ Element with Simmer Setting**
- Hot Surface Indicator
- 8" 1800 watt Round Element
- 6" 1200 watt Round Element
- + **Touch activated controls**
- Control Lock



KCES956K

- + **Five Elements - 3000/2200/1100W, 3200/2300W, 1200W, 1800W, 1300W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- + **2 - 10"/6" Ultra Power™ Double-Ring Round Element**
- 10"/6" Even-Heat™ Ultra power™ Element with Simmer Setting
- Hot Surface Indicator
- + **12"/9"/6" Triple-Ring Round Element**
- 8" 1800 watt Round Element
- 6" 1200 watt Round Element
- Touch activated controls
- Control Lock

+ Indicates Step-Up Feature

©/™ 2026 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KCGS556ESS
BRAND

K = KitchenAid®

CGS556ESS
PLATFORM

C = Cooktop

CGS556ESS
CONFIGURATION

E = Electric
G = Gas
I = Induction

CGS556ESS
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

CGS556ESS
FEATURE LEVEL

10-99 = The higher the number the more features available.

CGS556ESS
WIDTH

0 = 30 in 6 = 36 in

CGS556ESS
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018

CGS556ESS
COLOR

BL = Black
SS = Stainless Steel




KCED600G

- + **Downdraft Ventilation**
- + **300 CFM Motor Class Exhaust Rating****
- Four Elements - 3200W, 1300W, 3000/1400W
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 9"/6" Ultra Power™ Double-Ring Round Element
- 3 Speed Fan control
- Convertible to Duct Free Ventilation
- Cookshield Finish for Glass surface
- Power on indicator light
- Hot surface indicator



KCED606G

- Downdraft Ventilation
- 300 CFM Motor Class Exhaust Rating**
- + **Five Elements - 3200W, 1200W, 1300W, 1800W, 3000W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- + **12"/9" Ultra Power™ Double-Ring Round Element**
- Convertible to Duct Free Ventilation
- Cookshield Finish for Glass surface
- Power on indicator light
- Hot surface indicator



KCIG550J

- + **Sensor Zones Induction Technology**
- Five Zones - 2100/3600W, 1200/1600W, 1800/2100W, 1200/1600W, 1800/2100W
- + **Auto Presets for Melt, Simmer, Keep Warm, & Boil**
- + **Power Boost Function**
- + **Pan Size Detection**
- Touch-activated controls
- Control Lock



KCIG556J

- Sensor Zones Induction Technology
- Five Zones - 2100/3600W, 2100/3000W, 1200/1600W, 1200/1600W, 2100/3000W
- Auto Presets for Melt, Simmer, Keep Warm, & Boil
- Power Boost Function
- Pan Size Detection
- + **Assisted cooking modes for Boil, Fry and Grill**
- Touch-activated controls
- Control Lock

+ Indicates Step-Up Feature

**Performance varies based on installation. Resources available at HVI.org
 ©/™ © 2026 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

K C G S 5 5 6 E S S
PLATFORM

C = Cooktop

K C G S 5 5 6 E S S
CONFIGURATION

E = Electric
 G = Gas
 I = Induction

K C G S 5 5 6 E S S
SUITE LEVEL

D = Downdraft
 S = Stainless Surface
 G = Smoothtop (Glass)

K C G S 5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

K C G S 5 5 6 E S S
WIDTH

0 = 30 in 6 = 36 in

K C G S 5 5 6 E S S
YEAR OF LAUNCH

E = 2015 J = 2019
 G = 2017 K = 2020
 H = 2018

K C G S 5 5 6 E S S
COLOR

BL = Black
 SS = Stainless Steel



KCIT730S

+ TempCook™ Induction Technology

- Temperature Control Presets
- Five Zones - 2600/3700W, (2) 2500/3700W, 2300/3200W, 1500/2200W

+ Connected Appliance

+ WipeClean™ Coating

- LED Tap Touch
- Flush Install
- Requires Induction-Compatible Cookware

+ Voice Control

- Control Lock

+ Even-Heat™ Zone



KCIT736S

• TempCook™ Induction Technology

- Temperature Control Presets
- Five Zones - 2500/1200W, (3) 2500/3700W, 2600/3700W

• Connected Appliance

• WipeClean™ Coating

- LED Tap Touch
- Flush Install
- Requires Induction-Compatible Cookware
- Voice Control
- Control Lock
- Even-Heat™ Zone



KCID930S

- Four Zones - 2300W/3000W (2) Boost, 1400W/2100W (2) Boost
- LED Tap Touch
- Assisted Cooking Presets
- Flush Install
- Black Lit Touch Controls
- Convertible to Duct-Free Ventilation

+ Downdraft Induction

+ Dishwasher Safe Grease Filter

- Requires Induction-Compatible Cookware



KCID936S

- Four Zones - 2300W/3000W (2), 1400W/2100W (2)
- LED Tap Touch
- + Bridge XL Even-Heat™ Zone**
- Assisted Cooking Presets
- Flush Install
- Black Lit Touch Controls
- Convertible to Duct-Free Ventilation
- Dishwasher Safe Grease Filter
- Requires Induction-Compatible Cookware



+ Indicates Step-Up Feature

©/™ © 2026 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KCGS556ESS
BRAND

K = KitchenAid®

KCGS556ESS
PLATFORM

C = Cooktop

KCGS556ESS
CONFIGURATION

E = Electric
 G = Gas
 I = Induction

KCGS556ESS
SUITE LEVEL

D = Downdraft
 S = Stainless Surface
 G = Smoothtop (Glass)

KCGS556ESS
FEATURE LEVEL

10-99 = The higher the number the more features available.

KCGS556ESS
WIDTH

0 = 30 in 6 = 36 in

KCGS556ESS
YEAR OF LAUNCH

E = 2015 J = 2019
 G = 2017 K = 2020
 H = 2018

KCGS556ESS
COLOR


BL = Black
 SS = Stainless Steel

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



| COOKTOPS MODELS | KCES550H | KCES556H | KCES950K | KCES956K |
|---|----------------------------|----------------------------|------------------------|---------------------------|
| AVAILABLE COLORS | SS / BL | SS / BL | SS / BL | SS / BL |
| NUMBER OF ELEMENTS | 5 | 5 | 5 | 5 |
| ADA COMPLIANT | • | • | • | • |
| FEATURES | | | | |
| 6" EVEN-HEAT™ ELEMENT WITH MELT SETTING | • | • | • | • |
| EVEN-HEAT™ ULTRA POWER™ ELEMENT WITH SIMMER SETTING | 10" | 10" | 10"/6" | 10"/6" |
| ULTRA POWER™ DOUBLE-RING ROUND ELEMENT | 10"/6" | | 10"/6" | |
| TRIPLE-RING ROUND ELEMENT | | 12"/9"/6" | | 12"/9"/6" |
| 8" 1800-WATT ROUND ELEMENT | • | | • | • |
| 6" 1200-WATT ROUND ELEMENT | • | 2 | • | • |
| CONTROL LOCK | • | • | • | • |
| HOT SURFACE INDICATOR | • | • | • | • |
| METAL CONTROL KNOBS | • | • | | |
| TOUCH ACTIVATED CONTROLS | | | • | • |
| DIMENSIONS | | | | |
| HEIGHT X WIDTH X DEPTH | 5-1/4" X 30-3/8" X 21-3/4" | 5-1/4" X 35-7/8" X 21-3/4" | 3-5/8" X 29" X 20-1/4" | 3-5/8" X 34.43" X 20-1/4" |

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



| COOKTOPS MODELS | KCED600G | KCED606G | KCIG550J | KCIG556J |
|---|-----------------------------|-------------------------------|------------------------------|--------------------------------|
| AVAILABLE COLORS | SS / BL | SS / BL | SS / BL | BL |
| NUMBER OF ELEMENTS/ZONES | 4 | 5 | 5 | 5 |
| SENSOR INDUCTION TECHNOLOGY | | | • | • |
| ADA COMPLIANT | | | • | • |
| FEATURES | | | | |
| 6" EVEN-HEAT™ ELEMENT WITH MELT SETTING | • | • | | |
| EVEN-HEAT™ ULTRA POWER™ ELEMENT WITH SIMMER SETTING | 10" | 10" | | |
| ULTRA POWER™ DOUBLE-RING ROUND ELEMENT | 9 7/8" | 12 7/9" | | |
| TRIPLE-RING ROUND ELEMENT | | | | |
| 8" 1800-WATT ROUND ELEMENT | | • | | |
| 6" 1200-WATT ROUND ELEMENT | • | • | | |
| AUTO PRESETS | | | • | • |
| COOKSHIELD FINISH FOR GLASS SURFACE | • | • | | |
| DOWNDRAFT VENTILATION | • | • | | |
| EXHAUST RATING | 300 CFM* | 300 CFM* | | |
| 3-SPEED FAN CONTROL | • | • | | |
| FRAMELESS DESIGN | | | • | • |
| HOT SURFACE INDICATOR | • | • | • | • |
| PAN SIZE DETECTION | | | • | • |
| POWER BOOST FUNCTION | | | • | • |
| STAINLESS STEEL KNOBS | • | • | | |
| TOUCH ACTIVATED CONTROLS | | | • | • |
| DIMENSIONS | | | | |
| HEIGHT X WIDTH X DEPTH | 3-5/8" X 30-7/8" X 22-1/16" | 3-5/8" X 36-15/16" X 22-1/16" | 2-5/16" X 31-3/16" X 21-1/4" | 2-5/16" X 36-11/16" X 21-5/16" |

**Performance varies based on installation. Resources available at HVI.org
©/™ © 2026 KitchenAid. All rights reserved.

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



| COOKTOPS MODELS | KCIT730S | KCIT736S | KCID930S | KCID936S |
|-----------------------------------|---|--|---------------------------------|---------------------------------|
| AVAILABLE COLORS | SS / BL | SS / BL | BL | BL |
| NUMBER OF ZONES | 5 | 5 | 4 | 4 |
| TEMPCOOK™ INDUCTION TECHNOLOGY | • | • | | |
| ENERGY STAR CERTIFIED | • | • | • | • |
| FEATURES | | | | |
| 7-1/2" BRIDGE WITH TEMP COOK™ | • | • | | |
| 7" ROUND ELEMENT | Boost | | Boost | • |
| 8" ROUND ELEMENT | | | Boost | • |
| 6" ROUND ELEMENT | Boost | | | |
| 9" BRIDGE | | | | • |
| 11" ROUND ELEMENT WITH TEMP COOK™ | | • | | |
| WIPECLEAN™ COATING | • | • | | |
| HOT SURFACE INDICATOR | • | • | • | • |
| PAN SIZE DETECTION | • | • | • | • |
| POWER BOOST FUNCTION | • | • | • | • |
| TOUCH ACTIVATED CONTROLS | • | • | • | • |
| DIMENSIONS | | | | |
| HEIGHT X WIDTH X DEPTH | SS: 3.677" X 21.693" X 31.62" BS: 3.677" X 21.29" X 30.78" | SS: 3.677" X 21.693" X 36.674" BS: 3.677" X 21.29" X 36.29" | 7-53/64" X 30-55/64" X 22-3/64" | 7-53/64" X 36-11/32" X 22-3/64" |