

#### KMMS130R

- 1.9 Cu. Ft.
- 1000 Watts
- Sensor Cooking
- Dishwasher Safe Turntable
- LED Light
- Push Button to Open
- 3-Speed, 400 CFM Motor Class\*



#### KMMS330S

- 2.1 Cu. Ft.
- 1000 Watts
- · Sensor Cooking
- Dishwasher Safe Turntable
- LED light
- CookShield Finish
- 3-Speed, 400 CFM Motor Class\*





#### KMML550R

- 1.1 Cu. Ft.
- 1000 Watts
- White Display
- + Tap-to-Open Door
- Sensor Cooking
- Dishwasher Safe Turntable
- 4-Speed, 600 CFM Motor Class\*
- + Multi-Color LED Strip Lights
- + Low Profile Design
- + Finished Siding
- + Dual Fan Ventilation System
- + Connected Appliance
- + FIT System Limited Guarantee



#### KMMF330P

- 1.1 Cu. Ft.
- 1000 Watts
- LED Light
- Tap-to-Open Door
- Sensor Cooking
- + Built-In Design\*\*
- + Turntable-Free Design
- + 3-Speed, 400 CFM Motor Class\*
- + Tinted Glass

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.



K = KitchenAid®



M = Microwave

# KMMF530PPS CONFIGURATION

H = Microwave Hood Combination

L = Low Profile Microwave Hood Combination

M = Microwave Hood Combination



C = Sensor Cooking

F = Flush

S = Standard

# KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

## KMMF530PPS WIDTH/CAPACITY

0 = 30 in.

11 = 1.1 cu. ft.

# KMHC319PPS YEAR OF LAUNCH

E = 2015 P = 2023

H = 2018 S = 2025

## KMMF530PPS

BL = Black

WH = White

BS = Black Stainless SS = Stainless Steel

5 = Stainless Steel

PS = Print Shield Stainless

JP = Juniper BE = Black Ore

#### + Indicates Step-Up Feature

- \*Performance varies based on installation. Resources available at aham.org.
- \*\*When installed in standard cabinet depth of 12 ¾"

**\$** 



#### KMMF530P

- 1.1 Cu. Ft.
- 950 Watts
- + Air Fry Mode
- + Air Bake Mode
- Tap-to-Open Door
- Built-In Design\*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class\*\*
- Tinted Glass
- + Two LED Lights with Night Light Setting
- + Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)



**?** 

#### KMMF730P

- 1.1 Cu. Ft.
- 950 Watts
- + Infrared Sensor Cooking
- + Dehydrate Mode
- + Bread Proof Mode
- + Wired Probe
- + Stainless Steel Covered Grease Filters
- Air Fry Mode
- Air Bake Mode
- Multifunction Oven Modes
- Tap-to-Open Door
- Connected Appliance
- Built-In Design\*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class\*\*
- Two LED Lights with Night Light Setting
- Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.

## KMMF530PPS

K = KitchenAid®

# KMMF530PPS PLATFORM

M = Microwave

# KMMF530PPS CONFIGURATION

H = Microwave Hood Combination

L = Low Profile Microwave Hood Combination

M = Microwave Hood Combination



C = Sensor Cooking

F = Flush

S = Standard

# KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

# KMMF530PPS WIDTH/CAPACITY

0 = 30 in.

11 = 1.1 cu. ft.

## KMHC319PPS YEAR OF LAUNCH

E = 2015 P = 2023 H = 2018 S = 2025

## KMMF530PPS

BL = Black WH = White

BS = Black Stainless

SS = Stainless Steel

PS = Print Shield Stainless

JP = Juniper BE = Black Ore

#### + Indicates Step-Up Feature

- \*When installed in standard cabinet depth of 12 3/4"
- \*\*Performance varies based on installation. Resources available at aham.org.

SPECIFICATIONS PAGE 1 OF 2

# **OVER-THE-RANGE MICROWAVES**



17-1/8" X 29-7/8" X 15-9/16"







MODES           ADD 30 SECONDS OPTION         • <th></th> <th>7.00</th> <th></th> <th></th> <th>and Section 1</th>		7.00			and Section 1
Name	MICROWAVE MODEL	KMMS130R	KMMS330S	KMML550R	KMMF330P
DISPLAY COLOR	CAPACITY (CU. FT.)	1.9	2.1	1.1	1.1
DISPLAY COLOR         White         White         Tap-to-Open         Tap-to-Open           INCEREASE         Push Button         Handle         Tap-to-Open         Tap-to-Open           INCERPEARIN RESISTANT         • • • • • • • • • • • • • • • • • • •	AVAILABLE COLORS	PS	PS	SS, BS, JP, BE	WH, BL, SS, BS
DOOR RELEASE         Push Button         Handle         Tap-to-Open         Tap-to-Open           FINIGERRINT RESISTANT         •         •         •         •           LOW PROPILED DESIGN         •         •         •         •           TURNTABLE-FREE DESIGN         •         •         •         •           FEATURES         •	DESIGN FEATURES				
FINISERPRINT RESISTANT	DISPLAY COLOR	White	White	White	White
CONTROLIS   SERIES DESIGN	DOOR RELEASE	Push Button	Handle	Tap-to-Open	Tap-to-Open
TURNTABLE-FREE DESIGN	FINGERPRINT RESISTANT	•	•		•
### PROPRIES	LOW PROFILE DESIGN			•	
ARE FRY BASKET  CONTROL LOCK  Electronic Touch Electronic	TURNTABLE-FREE DESIGN				•
CONTROLLOCK   Electronic Touch	FEATURES				
CONTROLS         Electronic Touch         COURD         COURD         COURD         COURD         COURD         Electronic Touch         COURD         COURD         COURD         Electronic Touch         Electronic Touch         <	AIR FRY BASKET				
COCKING RACKS         LED         <	CONTROL LOCK			•	
COOKTOP LIGHTING         LED         LED         LED         LED           DISHWASHER-SAFE TURNTABLE PLATE         •	CONTROLS	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
	COOKING RACKS				•
COOKSHIELD FINISH         .	COOKTOP LIGHTING	LED	LED	LED	LED
POWER (WATTS) 1000 1000 1000 1000 1000 1000 1000 10	DISHWASHER-SAFE TURNTABLE PLATE	•		Recessed - 12"	
TO OR TO PAN   TO O	COOKSHIELD FINISH			•	•
	POWER (WATTS)	1000	1000	1000	1000
AUTO ADAPT FAN	POWER LEVELS	10	10	10	10
AUTO ADAPT FAN  CONVERTIBLE VENTILATION SYSTEM*  A00 CFM Motor Class  A0	TOAST PAN				
CONVERTIBLE VENTILATION SYSTEM*  3-Speed, 400 CFM Motor Class  MODES  MODES  ADD 30 SECONDS OPTION  • • • • • • • • • • • • • • • • • • •	VENTILATION SYSTEM				
### ADD GEN Motor Class ### A00 CFM Motor Class ### A0	AUTO ADAPT FAN			•	•
ADD 30 SECONDS OPTION	CONVERTIBLE VENTILATION SYSTEM*				3-Speed, 400 CFM Motor Class
ADD A MINUTE OPTION	MODES				
ADD A MINUTE OPTION	ADD 30 SECONDS OPTION	•	•	•	•
AUTO COOK AIR BAKE CONVECTION COOKING CEPROST, REHEAT  AIR COOKERS COO	AIR FRY MODE				
AIR BAKE CONVECTION COOKING DEFROST, REHEAT	ADD A MINUTE OPTION	•			•
CONVECTION COOKING         COUNTIEST	AUTO COOK	•	•	•	•
DEFROST, REHEAT         •	AIR BAKE				
KEEP WARM  MICROWAVE PRESETS  OPOCORN  SENSOR COOKING  SOFTEN/MELT  STEAMCLEAN OPTION  OR OP OR	CONVECTION COOKING				
MICROWAVE PRESETS  OPOPCORN  OSERNSOR COOKING  OSTEAMCLEAN OPTION  OSTEAMCLEAN OPTION  OSTEAMCREAN OPTION	DEFROST, REHEAT	•	•	•	•
POPCORN • • • • • • • • • • • • • • • • • • •	KEEP WARM	•	•	•	•
SENSOR COOKING • • • • • • • • • • • • • • • • • • •	MICROWAVE PRESETS	•	•	•	•
SOFTEN/MELT • • • • • STEAMCLEAN OPTION • • • • • • • • • • • • • • • • • • •	POPCORN	•	•	•	•
STEAMCLEAN OPTION • • •	SENSOR COOKING	•	•	•	•
	SOFTEN/MELT	•	•	•	•
TARLE ON/OFF OPTION	STEAMCLEAN OPTION		•	•	•
IADEL ON/OTT OTHOR	TABLE ON/OFF OPTION	•			

17-1/8" X 29-15/16" X 18"

10-5/16" X 29-7/8" X 18-1/2"

17-7/8" X 30" X 12-3/4"

HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)

<sup>\*</sup>Performance varies based on installation. Resources available at aham.org.

SPECIFICATIONS PAGE 2 OF 2

# **OVER-THE-RANGE MICROWAVES**





MICROWAVE MODEL	KMMF530P	KMMF730PPS
CAPACITY (CU. FT.)	1.1	1.1
AVAILABLE COLORS	WH, PS, BS, JP, BE	PS, JP, BE
DESIGN FEATURES		
DISPLAY COLOR	Full Color	Full Color
DOOR RELEASE	Tap-to-Open	Tap-to-Open
FINGERPRINT RESISTANT	•	•
TURNTABLE-FREE DESIGN	•	•
FEATURES		
AIR FRY BASKET	•	•
CONTROLS	Electronic Touch	Electronic Touch
COOKING RACKS	•	•
COOKTOP LIGHTING	LED	LED
COOKSHIELD FINISH	•	
MEAT PROBE	•	•
POWER (WATTS)	950	950
POWER LEVELS	10	10
TOAST PAN	•	•
VENTILATION SYSTEM		
AUTO ADAPT FAN	•	•
AUTO ADAPT FAN  CONVERTIBLE VENTILATION SYSTEM*	• 3-Speed, 400 CFM Motor Class	• 3-Speed, 400 CFM Motor Class
	3-Speed,	3-Speed,
CONVERTIBLE VENTILATION SYSTEM*	3-Speed,	3-Speed,
CONVERTIBLE VENTILATION SYSTEM*  MODES	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class •
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE	3-Speed, 400 CFM Motor Class •	3-Speed, 400 CFM Motor Class •
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK	3-Speed, 400 CFM Motor Class • •	3-Speed, 400 CFM Motor Class • •
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM  MICROWAVE PRESETS	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM  MICROWAVE PRESETS  POPCORN	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM  MICROWAVE PRESETS  POPCORN  SENSOR COOKING	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM  MICROWAVE PRESETS  POPCORN  SENSOR COOKING  SOFTEN/MELT	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
CONVERTIBLE VENTILATION SYSTEM*  MODES  ADD 30 SECONDS OPTION  AIR FRY MODE  AUTO COOK  AIR BAKE  CONVECTION COOKING  DEFROST, REHEAT  KEEP WARM  MICROWAVE PRESETS  POPCORN  SENSOR COOKING  SOFTEN/MELT  STEAMCLEAN OPTION	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class

<sup>\*</sup>Performance varies based on installation. Resources available at aham.org.



#### KMCS122R

- 1.6 cu. ft.
- 1200 Watts
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



#### KMCS324R

- + 2.2 cu. ft.
- 1200 Watts
- + Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



#### KMCS522R

- 1.5 cu. ft.
- 1000 Watt
- + 1400 W Convection Element
- Sensor Cooking
- + Air Fry Mode
- + Dishwasher-safe Air Fry Basket
- + Convection Cooking Modes
- + 4 Oven Functions
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



#### UMCS5022R

- 2.2 cu. ft.
- 1200 Watt
- Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In C = Countertop



S = Standard

# KMCS522PPS

X = The higher the number the more features available.

KMCS522PPS

11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.

KMCS522PPS YEAR OF LAUNCH

K = 2020 R = 2024 P = 2023 S = 2025

KMCS522PPS

SS = Stainless Steel

BS = Fingerprint Resistant Black Stainless

PS = Fingerprint Resistant Stainless





#### KMBT730S

- 1.1 cu. ft.
- 950 Watts
- Sensor Cooking

#### + Air Fry Mode

- Multifunction Oven Modes
- Tap-to-Open
- Integrated Meat Thermometer
- Built-In Design\*

#### + Connected Appliance

- Turntable-Free Design
- No Trim Kit Necessary
- Flush Install Kit Sold separately (W11740454)



#### **KMBT5011K**

- 1.1 cu. ft.
- 1000 Watts
- Sensor Cooking
- Low Profile Design
- Hidden Controls
- Recessed Turntable
- Trim Kit Included

#### **UNDERSTAND THE MODEL NUMBERS**

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In

C = Countertop



S = Standard

#### KMCS522PPS **FEATURE LEVEL**

X = The higher the number the more features available.

KMCS522PPS

11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.

## KMCS522PPS

#### YEAR OF LAUNCH

K = 2020R = 2024P = 2023S = 2025

KMCS522PPS COLOR

SS = Stainless Steel

BS = Fingerprint Resistant **Black Stainless** 

PS = Fingerprint Resistant Stainless

#### + Indicates Step-Up Feature

\*When installed in standard cabinet depth of 12 %" ®/TM © 2025 KitchenAid. All rights reserved.

SPECIFICATIONS PAGE 1 OF 2

# TRIM KIT MICROWAVES









MICROWAVE MODELS	KMCS122R	KMCS324R	KMCS522P	UMCS5022R
AVAILABLE COLORS	PS, BS, SS	PS, BS, SS	PS	Z
CU. FT.	1.6	2.2	1.5	2.2
WATTS	1200	1200	1000	1200
ADA COMPLIANT	•	•	•	•
FEATURES				
2-STEP DOOR OPENING	•	•	•	
AIR FRY MODE			•	
AUTO TOUCH OPEN/CLOSE				•
CAVITY FINISH	White Powder Coated	White Powder Coated	Stainless	White Powder Coated
1400 WATT CONVECTION ELEMENT			•	
CONTROLS	Exterior	Exterior	Exterior	Exterior
CONVECTION COOKING			•	
SENSOR COOKING	•	•	•	•
SENSOR FUNCTIONS	•	•	•	•
STEAM CLEAN	•	•	•	•
SETTINGS				
ADD A MINUTE	•	•	•	•
AIR FRY	•	<u> </u>	•	
AUTO COOK	•	•	•	•
BEVERAGE	•	•	•	•
CONVECT			•	
COOK POWER	•	•	•	•
COOKTIME	•	•	•	•
COOK/START	•	•	•	•
DEFROST	•	•	•	•
DINNER PLATE	•	•	•	•
FRESH VEGETABLES	•	•	•	•
FROZEN ENTREE/VEGETABLES	•	•	•	•
GRILL			•	
KEEP WARM	•	•	•	•
OFF/CANCEL	•	•	•	•
PIZZA	•	•	•	•
POPCORN	•	•	•	•
POTATO (BAKED)	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SOUP	•	•	•	•
TIMER	•	•	•	•
ACCESSORIES				
BAKING PLATE			•	
DISHWASHER-SAFE AIR FRY BASKET			•	
TRIM KIT	27" or 30" Optional MTK1627P   MTK1630P	27" or 30" Optional MTK2227P   MTK2230P	27" or 30" Optional MTK1527P   MTK1530P	27" or 30" Optional MTK2227P   MTK2230P
DIMENSIONS	WITK10271   WITK10301	WINZZZZZ WINZZZZOI	MTK13271   WITK13301	WIREZZZZ WIREZZZZZ
HEIGHT X WIDTH X DEPTH	12-1/4" X 21-3/4" X 18-5/16"	14-3/16" X 24-3/4" X 19-1/4"	12-1/4" X 21-3/4" X 20-5/16"	14-3/16" X 24-3/4" X 19-1/4"

SPECIFICATIONS PAGE 2 OF 2

# TRIM KIT MICROWAVES





MICROWAVE MODELS	KMBT730S	KMBT5011K
AVAILABLE COLORS	PS	SS
CU. FT.	1.1	1.1
WATTS	950	1000
ADA COMPLIANT		
LOW PROFILE DESIGN		•
FEATURES		
AIR FRY MODE	•	
AUTO TOUCH OPEN/CLOSE	•	•
CAVITY FINISH	Stainless	Non-Stick
1400 WATT CONVECTION ELEMENT	•	
CONTROLS	Bottom	Hidden
CONVECTION COOKING	•	
SENSOR COOKING	•	•
SENSOR FUNCTIONS	•	•
RECESSED TURNTABLE		•
SETTINGS		
AIR FRY	•	
AUTO COOK	•	
BEVERAGE	•	
CONTROLLOCK		•
CONVECT	•	
COOK POWER	•	•
COOKTIME	•	•
COOK/START	•	•
DEFROST	•	•
DINNER PLATE	•	
FRESH VEGETABLES	•	
FROZEN ENTREE/VEGETABLES	•	
GRILL	•	
KEEP WARM	•	
OFF/CANCEL	•	
POPCORN	•	•
POTATO (BAKED)	•	
REHEAT	•	•
SOFTEN/MELT	•	•
SOUP	•	
TIMER	•	•
ACCESSORIES		
DISHWASHER-SAFE AIR FRY BASKET	•	
TRIM KIT	Optional Flush Install Kit W11740454	Included
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	18.625" X 29.875" X 12.75"	14" X 29-3/4" X 18"

®/™ © 2025 KitchenAid. All rights reserved.



#### KMBS104E

24" Built-In Microwave Oven

- 1.4 cu. ft.
- 1000 Watts
- Stainless Steel Cavity
- 27" & 30" Trim Kits Included



#### KMBD104G

24" Under-Counter Microwave Oven Drawer

- 1.2 cu. ft.
- 950 Watts
- + Sensor Functions
- + Auto Touch Open/Close
- + Drawer Design



#### **KMBP107E**

27" Built-In Microwave Oven with Convection Cooking

- 1.4 cu. ft.
- 900 Watts
- + Convection Cooking
- + EasyConvect™ Conversion System
- + 1600 Watt Broil Element
- + Crispwave™ Technology
- + Sensor Steam Cycle with Steamer Container



#### KMBP100E

30" Built-In Microwave Oven with Convection Cooking

- 1.4 cu. ft.
- 900 Watts
- Convection Cooking
- EasyConvect<sup>™</sup> Conversion System
- 1600 Watt Broil Element
- Crispwave<sup>™</sup> Technology
- Sensor Steam Cycle with Steamer Container

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In

# KMBD104GSS

C = Sensor Cooking

D = Drawer

P = High-Speed Cooking



XX = The higher the number the more features available.



4 = 24 in. 7 = 27 in. 0 = 30 in.

KMBD104GSS YEAR OF LAUNCH

E = 2015

G = 2017

KMBD104GSS

BL = Black

SS = Stainless Steel

BS = Black Stainless Steel

SPECIFICATIONS PAGE 1 OF 1

# **BUILT-IN MICROWAVES**









MICROWAVE MODELS	KMBS104E	KMBD104G	KMBP107E	KMBP100E
AVAILABLE COLORS	SS/BL	SS	SS / BS	SS / BS
CU. FT.	1.4	1.2	1.4	1.4
WATTS	1000	950	900	900
ADA COMPLIANT			•	•
FEATURES				
AUTO TOUCH OPEN/CLOSE		•		
1600 WATT BROIL ELEMENT			•	•
CAVITY FINISH	Stainless	Powder Coat	Stainless	Stainless
CRISPWAVE™ TECHNOLOGY			•	•
CONVECTION COOKING			•	•
DRAWER DESIGN		•		
EASYCONVECT™ CONVERSION SYSTEM			•	•
SENSOR COOKING	•			
SENSOR FUNCTIONS		•	•	•
TURNTABLE	•		•	•
SETTINGS				
ADD A MINUTE	•	•	•	•
AUTO COOK		•		
BEVERAGE		•		
CONTROL LOCK	•	•	•	•
CONVECT			•	•
COOK POWER	•	•	•	•
COOKTIME	•	•	•	•
COOK/START	•	•		
CRISP			•	•
DEFROST	•	•	•	•
FRESH VEGETABLES		•		
FROZEN ENTREE/VEGETABLES		•		
KEEP WARM	•			
POPCORN	•	•	•	•
POTATO	•	•		
REHEAT	•	•	•	•
SOFTEN/MELT		•	•	•
SOUP		•		
SPEED COOK			•	•
STEAM			•	•
TIMER	•	•	•	•
ACCESSORIES				
TRIM KITS	27" & 30" Included		·	<u> </u>
CONVECTION RACK			•	•
CRISP/GRILL/DRIP PAN			•	•
STEAMER			•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	17-7/8" X 23-7/8" X 21-1/4"	16" X 23-7/8" X 23-1/4"	18-1/2" X 26-3/4" X 25-1/8"	18-1/2" X 29-3/4" X 25-1/8"