

KMMS130R

- 1.9 Cu. Ft.
- 1000 Watts
- Sensor Cooking
- Dishwasher Safe Turntable
- LED Light
- Push Button to Open
- 3-Speed, 400 CFM Motor Class*



KMMS330S

- 2.1 Cu. Ft.
- 1000 Watts
- · Sensor Cooking
- Dishwasher Safe Turntable
- LED light
- CookShield Finish
- 3-Speed, 400 CFM Motor Class*



KMML550R

- 1.1 Cu. Ft.
- 1000 Watts
- White Display
- + Tap-to-Open Door
- Sensor Cooking
- Dishwasher Safe Turntable
- 4-Speed, 600 CFM Motor Class*
- + Multi-Color LED Strip Lights
- + Low Profile Design
- + Finished Siding
- + Dual Fan Ventilation System
- + Connected Appliance
- + FIT System Limited Guarantee



KMMF330P

- 1.1 Cu. Ft.
- 1000 Watts
- LED Light
- Tap-to-Open Door
- Sensor Cooking
- + Built-In Design**
- + Turntable-Free Design
- + 3-Speed, 400 CFM Motor Class*
- + Tinted Glass

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.



K = KitchenAid®



M = Microwave

KMMF530PPS CONFIGURATION

H = Microwave Hood Combination

L = Low Profile Microwave Hood Combination

M = Microwave Hood Combination



C = Sensor Cooking

F = Flush

S = Standard

KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

KMMF530PPS WIDTH/CAPACITY

0 = 30 in.

11 = 1.1 cu. ft.

KMHC319PPS YEAR OF LAUNCH

E = 2015 P = 2023

H = 2018 P = 2023 S = 2025

KMMF530PPS

BL = Black WH = White

BS = Black Stainless

SS = Stainless Steel

PS = Print Shield Stainless

JP = Juniper BE = Black Ore

+ Indicates Step-Up Feature

- *Performance varies based on installation. Resources available at aham.org.
- **When installed in standard cabinet depth of 12 ¾"





KMMF530P

- 1.1 Cu. Ft.
- 950 Watts
- + Air Fry Mode
- + Air Bake Mode
- Tap-to-Open Door
- Built-In Design*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class**
- Tinted Glass
- + Two LED Lights with Night Light Setting
- + Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)



?

KMMF730P

- 1.1 Cu. Ft.
- 950 Watts
- + Infrared Sensor Cooking
- + Dehydrate Mode
- + Bread Proof Mode
- + Wired Probe
- + Stainless Steel Covered Grease Filters
- Air Fry Mode
- Air Bake Mode
- Multifunction Oven Modes
- Tap-to-Open Door
- Connected Appliance
- Built-In Design*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class**
- Two LED Lights with Night Light Setting
- Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.

KMMF530PPS BRAND

K = KitchenAid®

KMMF530PPS PLATFORM

M = Microwave

KMMF530PPS CONFIGURATION

H = Microwave Hood Combination

L = Low Profile Microwave Hood Combination

M = Microwave Hood Combination



C = Sensor Cooking

F = Flush

S = Standard

KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

KMMF530PPS WIDTH/CAPACITY

0 = 30 in.

H = 2018

11 = 1.1 cu. ft.

KMHC319PPS YEAR OF LAUNCH

S = 2025

E = 2015 P = 2023

KMMF530PPS

BL = Black WH = White

BS = Black Stainless

SS = Stainless Steel

PS = Print Shield Stainless
JP = Juniper BE = Black Ore

+ Indicates Step-Up Feature

*When installed in standard cabinet depth of 12 3/4"

**Performance varies based on installation. Resources available at aham.org.

OVER-THE-RANGE MICROWAVES



17-1/8" X 29-7/8" X 15-9/16"







17-7/8" X 30" X 12-3/4"

10-5/16" X 29-7/8" X 18-1/2"

			豐	<u> </u>
MICROWAVE MODEL	KMMS130R	кммs330s	KMML550R	КММГ330Р
CAPACITY (CU. FT.)	1.9	2.1	1.1	1.1
AVAILABLE COLORS	PS	PS	SS, BS, JP, BE	WH, BL, SS, BS
DESIGN FEATURES				
DISPLAY COLOR	White	White	White	White
DOOR RELEASE	Push Button	Handle	Tap-to-Open	Tap-to-Open
FINGERPRINT RESISTANT	•	•		•
LOW PROFILE DESIGN			•	
TURNTABLE-FREE DESIGN				•
FEATURES				
AIR FRY BASKET				
CONTROL LOCK			•	
CONTROLS	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
COOKING RACKS				•
COOKTOP LIGHTING	LED	LED	LED	LED
DISHWASHER-SAFE TURNTABLE PLATE	•		Recessed - 12"	
COOKSHIELD FINISH			•	•
POWER (WATTS)	1000	1000	1000	1000
POWER LEVELS	10	10	10	10
TOAST PAN				
VENTILATION SYSTEM				
AUTO ADAPT FAN			•	•
CONVERTIBLE VENTILATION SYSTEM*	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class	4-Speed, 600 CFM Motor Class	3-Speed, 400 CFM Motor Class
MODES				
ADD 30 SECONDS OPTION	•	•	•	•
AIR FRY MODE				
ADD A MINUTE OPTION	•			•
AUTO COOK	•	•	•	•
AIR BAKE				
CONVECTION COOKING				
DEFROST, REHEAT	•	•	•	•
KEEP WARM	•	•	•	•
MICROWAVE PRESETS	•	•	•	•
POPCORN	•	•	•	•
SENSOR COOKING	•	•	•	•
SOFTEN/MELT	•	•	•	•
STEAMCLEAN OPTION		•	•	•
TABLE ON/OFF OPTION	•			

17-1/8" X 29-15/16" X 18"

HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)

^{*}Performance varies based on installation. Resources available at aham.org.

OVER-THE-RANGE MICROWAVES





MICROWAVE MODEL	KMMF530P	KMMF730PPS
CAPACITY (CU. FT.)	1.1	1.1
AVAILABLE COLORS	WH, PS, BS, JP, BE	PS, JP, BE
DESIGN FEATURES		
DISPLAY COLOR	Full Color	Full Color
DOOR RELEASE	Tap-to-Open	Tap-to-Open
FINGERPRINT RESISTANT	•	•
TURNTABLE-FREE DESIGN	•	•
FEATURES		
AIR FRY BASKET	•	•
CONTROLS	Electronic Touch	Electronic Touch
COOKING RACKS	•	•
COOKTOP LIGHTING	LED	LED
COOKSHIELD FINISH	•	
MEAT PROBE	•	•
POWER (WATTS)	950	950
POWER LEVELS	10	10
TOAST PAN	•	•
VENTILATION SYSTEM		
AUTO ADAPT FAN	•	•
CONVERTIBLE VENTILATION SYSTEM*	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
MODES		
ADD 30 SECONDS OPTION	•	•
AIR FRY MODE	•	•
AUTO COOK	•	•
AIR BAKE	•	•
CONVECTION COOKING	•	•
DEFROST, REHEAT	•	•
KEEP WARM	•	•
MICROWAVE PRESETS	•	•
POPCORN	•	•
SENSOR COOKING	•	•
SOFTEN/MELT	•	•
STEAMCLEAN OPTION	•	•
TOAST		•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	17-7/8" X 30" X 12-3/4"	17-7/8" X 30" X 12-3/4"

^{*}Performance varies based on installation. Resources available at aham.org.



KMCS122R

- 1.6 cu. ft.
- 1200 Watts
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS324R

- + 2.2 cu. ft.
- 1200 Watts
- + Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS522R

- 1.5 cu. ft.
- 1000 Watt
- + 1400 W Convection Element
- Sensor Cooking
- + Air Fry Mode
- + Dishwasher-safe Air Fry Basket
- + Convection Cooking Modes
- + 4 Oven Functions
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



UMCS5022R

- 2.2 cu. ft.
- 1200 Watt
- Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In

C = Countertop

KMCS522PPS

S = Standard

KMCS522PPS **FEATURE LEVEL**

X = The higher the number the more features available.

KMCS522PPS

11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.

KMCS522PPS YEAR OF LAUNCH

K = 2020P = 2023

R = 2024S = 2025

KMCS522PPS **COLOR**

SS = Stainless Steel

BS = Fingerprint Resistant **Black Stainless**

PS = Fingerprint Resistant Stainless





KMBT730S

- 1.1 cu. ft.
- 950 Watts
- Sensor Cooking

+ Air Fry Mode

- Multifunction Oven Modes
- Tap-to-Open
- Integrated Meat Thermometer
- Built-In Design*

+ Connected Appliance

- Turntable-Free Design
- No Trim Kit Necessary
- Flush Install Kit Sold separately (W11740454)



KMBT5011K

- 1.1 cu. ft.
- 1000 Watts
- Sensor Cooking
- Low Profile Design
- Hidden Controls
- Recessed Turntable
- Trim Kit Included

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-InC = Countertop



S = Standard

KMCS522PPS **FEATURE LEVEL**

X = The higher the number the more features available.



11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.

KMCS522PPS

YEAR OF LAUNCH

K = 2020R = 2024P = 2023S = 2025

KMCS522PPS COLOR

SS = Stainless Steel

BS = Fingerprint Resistant **Black Stainless**

PS = Fingerprint Resistant Stainless

+ Indicates Step-Up Feature

TRIM KIT MICROWAVES









MICROWAVE MODELS	KMCS122R	KMCS324R	KMCS522P	UMCS5022R
AVAILABLE COLORS	PS, BS, SS	PS, BS, SS	PS	Z
CU. FT.	1.6	2.2	1.5	2.2
WATTS	1200	1200	1000	1200
ADA COMPLIANT	•	•	•	•
FEATURES				
2-STEP DOOR OPENING	•	•	•	
AIR FRY MODE			•	
AUTO TOUCH OPEN/CLOSE				•
CAVITY FINISH	White Powder Coated	White Powder Coated	Stainless	White Powder Coated
1400 WATT CONVECTION ELEMENT			•	
CONTROLS	Exterior	Exterior	Exterior	Exterior
CONVECTION COOKING			•	
SENSOR COOKING	•	•	•	•
SENSOR FUNCTIONS	•	•	•	•
STEAM CLEAN	•	•	•	•
SETTINGS				
ADD A MINUTE	•	•	•	•
AIR FRY	•	<u> </u>	•	<u> </u>
AUTO COOK	•	•	•	•
BEVERAGE	•	•	•	•
CONVECT			•	
COOK POWER	•	•	•	•
COOKTIME	•	•	•	•
COOK/START	•	•	•	•
DEFROST	•	•	•	•
DINNER PLATE	•	•	•	•
FRESH VEGETABLES	•	•	•	•
FROZEN ENTREE/VEGETABLES	•	•	•	•
GRILL			•	
KEEP WARM	•	•	•	•
OFF/CANCEL	•	•	•	•
PIZZA	•	•	•	•
POPCORN	•	•	•	•
POTATO (BAKED)	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SOUP	•	•	•	•
TIMER	•	•	•	•
ACCESSORIES				
BAKING PLATE			•	
DISHWASHER-SAFE AIR FRY BASKET			•	
TRIM KIT	27" or 30" Optional MTK1627P MTK1630P	27" or 30" Optional MTK2227P MTK2230P	27" or 30" Optional MTK1527P MTK1530P	27" or 30" Optional MTK2227P MTK2230P
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	12-1/4" X 21-3/4" X 18-5/16"	14-3/16" X 24-3/4" X 19-1/4"	12-1/4" X 21-3/4" X 20-5/16"	14-3/16" X 24-3/4" X 19-1/4"

TRIM KIT MICROWAVES





MICROWAVE MODELS	KMBT730S	KMBT5011K
AVAILABLE COLORS	PS	SS
CU. FT.	1.1	1.1
WATTS	950	1000
ADA COMPLIANT		
LOW PROFILE DESIGN		•
FEATURES		
AIR FRY MODE	•	
AUTO TOUCH OPEN/CLOSE	•	•
CAVITY FINISH	Stainless	Non-Stick
1400 WATT CONVECTION ELEMENT	•	
CONTROLS	Bottom	Hidden
CONVECTION COOKING	•	
SENSOR COOKING	•	•
SENSOR FUNCTIONS	•	•
RECESSED TURNTABLE		•
SETTINGS		
AIR FRY	•	
AUTO COOK	•	
BEVERAGE	•	
CONTROL LOCK		•
CONVECT	•	
COOK POWER	•	•
COOK TIME	•	•
COOK/START	•	•
DEFROST	•	•
DINNER PLATE	•	
FRESH VEGETABLES	•	
FROZEN ENTREE/VEGETABLES	•	
GRILL	•	
KEEP WARM	•	
OFF/CANCEL	•	
POPCORN	•	•
POTATO (BAKED)	•	
REHEAT	•	•
SOFTEN/MELT	•	•
SOUP	•	
TIMER	•	•
ACCESSORIES		
DISHWASHER-SAFE AIR FRY BASKET	•	
TRIM KIT	Optional Flush Install Kit W11740454	Included
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	18.625" X 29.875" X 12.75"	14" X 29-3/4" X 18"

®/™ © 2025 KitchenAid. All rights reserved.



KMBD104G

24" Under-Counter Microwave Oven Drawer

- 1.2 cu. ft.
- 950 Watts
- Sensor Functions
- Auto Touch Open/Close
- Drawer Design

KMBS727S

Air Fry Mode

+ Smart Appliance*

+ Backlit Knobs

+ LCD Display

• 1.4 cu. ft.

27" Built-In Microwave Oven

• Multifunction Oven Modes

+ Assisted Cooking Modes

+ Convection Cooking

+ Sensor Steam with

• Drop Down Handle

Steamer Container

• 1200 Convection Watts



KMBS724S

24" Built-In Convection Microwave Speed Oven

- + 1.8 Cu. Ft.
- + 1750 Convection Watts
- + Air Fry Mode
- + Multifunction Oven Modes
- + Drop Down Handle



KMBS730S

30" Built-In Microwave Oven

- 1.4 cu. ft.
- 1200 Convection Watts
- Air Fry Mode
- + Personalization
- Smart Appliance
- Assisted Cooking Modes
- Backlit Knobs
- Convection Cooking
- LCD Display
- Sensor Steam with Steamer Container
- Drop Down Handle

+ Indicates Step-Up Feature

*Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect.

®/TM © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In

KMBS730SPS PHYSICAL ATTRIBUTE

D = Drawer S = Standard

KMBS730SPS **SERIES**

1-9 = The higher the number, the more features available.

KMBS730SPS WIDTH

24 = 24 in.27 = 27 in. 30 = 30 in.

KMBS730SPS YEAR OF LAUNCH

G = 2017

S = 2025

KMBS730SPS COLOR

BL = Black

SS = Stainless Steel

PS = PrintShield Stainless

BS = Black Stainless Steel

BE = Black Ore

JP = Juniper

BUILT-IN MICROWAVES









MICROWAVE MODELS	KMBD104G	KMBS724S	KMBS727S	KMBS730S
AVAILABLE COLORS	SS	PS	PS	PS/BE/JP
CU. FT.	1.2	1.8	1.4	1.4
WATTS	950 Microwave	1750 Convection	1750 (Convection)	1750 (Convection)
ADA COMPLIANT			•	•
FEATURES				
AUTO TOUCH OPEN/CLOSE	•			
1600 WATT BROIL ELEMENT		•	•	•
CAVITY FINISH	Powder Coat	Stainless Steel	Stainless Steel	Stainless
CONVECTION COOKING		•	•	•
DESIGN	Drawer	Drop Down	Drop Down	Drop Down
EASYCONVECT™ CONVERSION SYSTEM			•	•
SENSOR COOKING			•	•
SENSOR FUNCTIONS	•		•	•
TURNTABLE			•	•
SETTINGS				
CONTROL LOCK	•	•	•	•
CONVECT		•	•	•
COOK TIME	•	•	•	•
DEFROST	•	•	•	•
KEEP WARM		•	•	
POPCORN	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SPEED COOK			•	•
STEAM			•	•
TIMER	•	•	•	•
ACCESSORIES				
STEAMER		<u> </u>	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	16" X 23-7/8" X 23-1/4"	17.9449" X 23.4252" X 22.4331"	18-1/2" X 26-3/4" X 25-1/8"	18-1/2" X 29-3/4" X 25-1/8

WARMING OVEN LINEUP PAGE 1 OF 1

KEY STEP-UP FEATURES



KWES730S

30" Slow Cook Warming Drawer

- 1.5 cu. ft.
- Sensor Temperature Control
- Humidity Slide Control
- Power Indicator Light
- Slow Cook Function
- Food Warming Function: Low to High
- Bread Proof Function
- Two-Position Racks
- Personalization

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



W = Warming Oven



E = Other Electric



S = Single Oven



1-9 = The higher the number, the more features available.



30 = 30 in.



S = 2025

KWES730SSS

SS = Stainless Steel BE = Black Ore JP = Juniper

WARMING DRAWERS



WARMING DRAWER MODELS	KWES730S
AVAILABLE COLORS	SS/BE/JP
CU. FT.	1.5
WATTS	600
POWER INDICATOR LIGHT	•
PANEL READY DESIGN	•
TWO-RACK	•
FEATURES	
FOOD WARMING	•
BREAD PROOF	•
HUMIDITY SLIDE CONTROL	•
SENSOR TEMPERATURE CONTROL	•
SLOW COOK	•
DIMENSIONS	
LIEICUT VIAIIDTU V DEDTU	