

KEY STEP-UP FEATURES



KMMS130R

- 1.9 Cu. Ft.
- 1000 Watts
- Sensor Cooking
- Dishwasher Safe Turntable
- LED Light
- Push Button to Open
- 3-Speed, 400 CFM Motor Class*



KMMS330S

- 2.1 Cu. Ft.
- 1000 Watts
- Sensor Cooking
- Dishwasher Safe Turntable
- LED Light
- CookShield Finish
- 3-Speed, 400 CFM Motor Class*



KMML550R

- 1.1 Cu. Ft.
- 1000 Watts
- White Display
- + **Tap-to-Open Door**
- Sensor Cooking
- Dishwasher Safe Turntable
- 4-Speed, 600 CFM Motor Class*
- + **Multi-Color LED Strip Lights**
- + **Low Profile Design**
- + **Finished Siding**
- + **Dual Fan Ventilation System**
- + **Connected Appliance**
- + **FIT System Limited Guarantee**



KMMF330P

- 1.1 Cu. Ft.
- 1000 Watts
- LED Light
- Tap-to-Open Door
- Sensor Cooking
- + **Built-In Design****
- + **Turntable-Free Design**
- + **3-Speed, 400 CFM Motor Class***
- + **Tinted Glass**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.

KMMF530PPS BRAND

K = KitchenAid®

KMMF530PPS PLATFORM

M = Microwave

KMMF530PPS CONFIGURATION

H = Microwave Hood Combination
L = Low Profile Microwave Hood Combination
M = Microwave Hood Combination

KMMF530PPS SUITE LEVEL

C = Sensor Cooking
F = Flush
S = Standard

KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

KMMF530PPS WIDTH/CAPACITY

0 = 30 in. 11 = 1.1 cu. ft.

KMMF530PPS YEAR OF LAUNCH

E = 2015 P = 2023
H = 2018 S = 2025

KMMF530PPS COLOR

BL = Black WH = White
BS = Black Stainless
SS = Stainless Steel
PS = Print Shield Stainless
JP = Juniper BE = Black Ore
PL = Porcelain White

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

**When installed in standard cabinet depth of 12 3/4"

KEY STEP-UP FEATURES



KMMF530P

- 1.1 Cu. Ft.
- 950 Watts
- + Air Fry Mode**
- + Air Bake Mode**
- Tap-to-Open Door
- Built-In Design*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class**
- Tinted Glass
- + Two LED Lights with Night Light Setting**
- + Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)**



KMMF730P

- 1.1 Cu. Ft.
- 950 Watts
- + Infrared Sensor Cooking**
- + Dehydrate Mode**
- + Bread Proof Mode**
- + Wired Probe**
- + Stainless Steel Covered Grease Filters**
- Air Fry Mode
- Air Bake Mode
- Multifunction Oven Modes
- Tap-to-Open Door
- Connected Appliance
- Built-In Design*
- Turntable-Free Design
- 3-Speed, 400 CFM Motor Class**
- Two LED Lights with Night Light Setting
- Accessories Included (Dishwasher-Safe Air Fry Basket, Toasting Pan, Oven Rack)

+ Indicates Step-Up Feature

*When installed in standard cabinet depth of 12 3/4"
 **Performance varies based on installation. Resources available at aham.org.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's microwave lineup.

KMMF530PPS BRAND

K = KitchenAid®

KMMF530PPS PLATFORM

M = Microwave

KMMF530PPS CONFIGURATION

H = Microwave Hood Combination
 L = Low Profile Microwave Hood Combination
 M = Microwave Hood Combination

KMMF530PPS SUITE LEVEL

C = Sensor Cooking
 F = Flush
 S = Standard

KMMF530PPS FEATURE LEVEL

XX = The higher the number the more features available.

KMMF530PPS WIDTH/CAPACITY

0 = 30 in. 11 = 1.1 cu. ft.

KMMF530PPS YEAR OF LAUNCH

E = 2015 P = 2023
 H = 2018 S = 2025

KMMF530PPS COLOR

BL = Black WH = White
 BS = Black Stainless
 SS = Stainless Steel
 PS = Print Shield Stainless
 JP = Juniper BE = Black Ore
 PL = Porcelain White

OVER-THE-RANGE MICROWAVES



MICROWAVE MODEL	KMM5130R	KMM5330S	KMML550R	KMMF330P
CAPACITY (CU. FT.)	1.9	2.1	1.1	1.1
AVAILABLE COLORS	PS	PS	SS / BS / JP / BE	WH / BL / SS / BS
DESIGN FEATURES				
DISPLAY COLOR	White	White	White	White
DOOR RELEASE	Push Button	Handle	Tap-to-Open	Tap-to-Open
FINGERPRINT RESISTANT	•	•		•
LOW PROFILE DESIGN			•	
TURNTABLE-FREE DESIGN				•
FEATURES				
AIR FRY BASKET				
CONTROL LOCK			•	
CONTROLS	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
COOKING RACKS				•
COOKTOP LIGHTING	LED	LED	LED	LED
DISHWASHER-SAFE TURNTABLE PLATE	•		Recessed - 12"	
COOKSHIELD FINISH			•	•
POWER (WATTS)	1000	1000	1000	1000
POWER LEVELS	10	10	10	10
TOAST PAN				
VENTILATION SYSTEM				
AUTO ADAPT FAN			•	•
CONVERTIBLE VENTILATION SYSTEM*	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class	4-Speed, 600 CFM Motor Class	3-Speed, 400 CFM Motor Class
MODES				
ADD 30 SECONDS OPTION	•	•	•	•
AIR FRY MODE				
ADD A MINUTE OPTION	•			•
AUTO COOK	•	•	•	•
AIR BAKE				
CONVECTION COOKING				
DEFROST, REHEAT	•	•	•	•
KEEP WARM	•	•	•	•
MICROWAVE PRESETS	•	•	•	•
POPCORN	•	•	•	•
SENSOR COOKING	•	•	•	•
SOFTEN/MELT	•	•	•	•
STEAMCLEAN OPTION		•	•	•
TABLE ON/OFF OPTION	•			
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	17-1/8" X 29-7/8" X 15-9/16"	17-1/8" X 29-15/16" X 18"	10-5/16" X 29-7/8" X 18-1/2"	17-7/8" X 30" X 12-3/4"

*Performance varies based on installation. Resources available at aham.org.

OVER-THE-RANGE MICROWAVES



MICROWAVE MODEL	KMMF530P	KMMF730PPS
CAPACITY (CU. FT.)	1.1	1.1
AVAILABLE COLORS	WH / PS / BS / JP / BE / PL	PS / JP / BE
DESIGN FEATURES		
DISPLAY COLOR	Full Color	Full Color
DOOR RELEASE	Tap-to-Open	Tap-to-Open
FINGERPRINT RESISTANT	•	•
TURNTABLE-FREE DESIGN	•	•
FEATURES		
AIR FRY BASKET	•	•
CONTROLS	Electronic Touch	Electronic Touch
COOKING RACKS	•	•
COOKTOP LIGHTING	LED	LED
COOKSHIELD FINISH	•	•
MEAT PROBE	•	•
POWER (WATTS)	950	950
POWER LEVELS	10	10
TOAST PAN	•	•
VENTILATION SYSTEM		
AUTO ADAPT FAN	•	•
CONVERTIBLE VENTILATION SYSTEM*	3-Speed, 400 CFM Motor Class	3-Speed, 400 CFM Motor Class
MODES		
ADD 30 SECONDS OPTION	•	•
AIR FRY MODE	•	•
AUTO COOK	•	•
AIR BAKE	•	•
CONVECTION COOKING	•	•
DEFROST, REHEAT	•	•
KEEP WARM	•	•
MICROWAVE PRESETS	•	•
POPCORN	•	•
SENSOR COOKING	•	•
SOFTEN/MELT	•	•
STEAMCLEAN OPTION	•	•
TOAST	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	17-7/8" X 30" X 12-3/4"	17-7/8" X 30" X 12-3/4"

*Performance varies based on installation. Resources available at aham.org.

KEY STEP-UP FEATURES



KMCS122R

- 1.6 cu. ft.
- 1200 Watts
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS324R

- + **2.2 cu. ft.**
- 1200 Watts
- + **Sensor Cooking**
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS522R

- 1.5 cu. ft.
- 1000 Watt
- + **1400 W Convection Element**
- Sensor Cooking
- + **Air Fry Mode**
- + **Dishwasher-safe Air Fry Basket**
- + **Convection Cooking Modes**
- + **4 Oven Functions**
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



UMCS5022R

- 2.2 cu. ft.
- 1200 Watt
- Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K M C S 5 2 2 P P S
BRAND

K = KitchenAid®

M C S 5 2 2 P P S
PLATFORM

M = Microwave

C S 5 2 2 P P S
CONFIGURATION

B = Built-In
C = Countertop

S 5 2 2 P P S
PHYSICAL ATTRIBUTE

S = Standard

5 2 2 P P S
FEATURE LEVEL

X = The higher the number the more features available.

2 2 P P S
WIDTH/CAPACITY

11 = 1.1 cu. ft. 22 = 22 in.
24 = 24 in.

P P S
YEAR OF LAUNCH

K = 2020 R = 2024
P = 2023 S = 2025

P P S
COLOR

SS = Stainless Steel
BS = Fingerprint Resistant Black Stainless
PS = Fingerprint Resistant Stainless

KEY STEP-UP FEATURES



KMBT730S

- 1.1 cu. ft.
- 950 Watts
- Sensor Cooking
- + Air Fry Mode**
- Multifunction Oven Modes
- Tap-to-Open
- Integrated Meat Thermometer
- Built-In Design*
- + Connected Appliance**
- Turntable-Free Design
- No Trim Kit Necessary
- Flush Install Kit Sold separately (W11740454)



KMBT5011K

- 1.1 cu. ft.
- 1000 Watts
- Sensor Cooking
- Low Profile Design
- Hidden Controls
- Recessed Turntable
- Trim Kit Included

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K M C S 5 2 2 P P S
BRAND

K = KitchenAid®

M C S 5 2 2 P P S
PLATFORM

M = Microwave

C S 5 2 2 P P S
CONFIGURATION

B = Built-In
C = Countertop

S 5 2 2 P P S
PHYSICAL ATTRIBUTE

S = Standard

5 2 2 P P S
FEATURE LEVEL

X = The higher the number the more features available.

2 2 P P S
WIDTH/CAPACITY

11 = 1.1 cu. ft. 22 = 22 in
24 = 24 in.

P P S
YEAR OF LAUNCH

K = 2020 R = 2024
P = 2023 S = 2025

P P S
COLOR

SS = Stainless Steel
BS = Fingerprint Resistant Black Stainless
PS = Fingerprint Resistant Stainless

+ Indicates Step-Up Feature

*When installed in standard cabinet depth of 12 ¾"

TRIM KIT MICROWAVES



MICROWAVE MODELS	KMCS122R	KMCS324R	KMCS522P	UMCS5022R
AVAILABLE COLORS	PS / BS / SS	PS / BS / SS	PS	Z
CU. FT.	1.6	2.2	1.5	2.2
WATTS	1200	1200	1000	1200
ADA COMPLIANT	•	•	•	•
FEATURES				
2-STEP DOOR OPENING	•	•	•	
AIR FRY MODE			•	
AUTO TOUCH OPEN/CLOSE				•
CAVITY FINISH	White Powder Coated	White Powder Coated	Stainless	White Powder Coated
1400 WATT CONVECTION ELEMENT			•	
CONTROLS	Exterior	Exterior	Exterior	Exterior
CONVECTION COOKING			•	
SENSOR COOKING	•	•	•	•
SENSOR FUNCTIONS	•	•	•	•
STEAM CLEAN	•	•	•	•
SETTINGS				
ADD A MINUTE	•	•	•	•
AIR FRY			•	
AUTO COOK	•	•	•	•
BEVERAGE	•	•	•	•
CONVECT			•	
COOK POWER	•	•	•	•
COOK TIME	•	•	•	•
COOK/START	•	•	•	•
DEFROST	•	•	•	•
DINNER PLATE	•	•	•	•
FRESH VEGETABLES	•	•	•	•
FROZEN ENTREE/VEGETABLES	•	•	•	•
GRILL			•	
KEEP WARM	•	•	•	•
OFF/CANCEL	•	•	•	•
PIZZA	•	•	•	•
POPCORN	•	•	•	•
POTATO (BAKED)	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SOUP	•	•	•	•
TIMER	•	•	•	•
ACCESSORIES				
BAKING PLATE			•	
DISHWASHER-SAFE AIR FRY BASKET			•	
TRIM KIT	27" or 30" Optional MTK1627P MTK1630P	27" or 30" Optional MTK2227P MTK2230P	27" or 30" Optional MTK1527P MTK1530P	27" or 30" Optional MTK2227P MTK2230P
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	12-1/4" X 21-3/4" X 18-5/16"	14-3/16" X 24-3/4" X 19-1/4"	12-1/4" X 21-3/4" X 20-5/16"	14-3/16" X 24-3/4" X 19-1/4"

TRIM KIT MICROWAVES



MICROWAVE MODELS	KMBT730S	KMBT5011K
AVAILABLE COLORS	PS	SS
CU. FT.	1.1	1.1
WATTS	950	1000
ADA COMPLIANT		
LOW PROFILE DESIGN		•
FEATURES		
AIR FRY MODE	•	
AUTO TOUCH OPEN/CLOSE	•	•
CAVITY FINISH	Stainless	Non-Stick
1400 WATT CONVECTION ELEMENT	•	
CONTROLS	Bottom	Hidden
CONVECTION COOKING	•	
SENSOR COOKING	•	•
SENSOR FUNCTIONS	•	•
RECESSED TURNTABLE		•
SETTINGS		
AIR FRY	•	
AUTO COOK	•	
BEVERAGE	•	
CONTROL LOCK		•
CONVECT	•	
COOK POWER	•	•
COOK TIME	•	•
COOK/START	•	•
DEFROST	•	•
DINNER PLATE	•	
FRESH VEGETABLES	•	
FROZEN ENTREE/VEGETABLES	•	
GRILL	•	
KEEP WARM	•	
OFF/CANCEL	•	
POPCORN	•	•
POTATO (BAKED)	•	
REHEAT	•	•
SOFTEN/MELT	•	•
SOUP	•	
TIMER	•	•
ACCESSORIES		
DISHWASHER-SAFE AIR FRY BASKET	•	
TRIM KIT	Optional Flush Install Kit W11740454	Included
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	18.625" X 29.875" X 12.75"	14" X 29-3/4" X 18"

KEY STEP-UP FEATURES



KMBD104G
24" Under-Counter Microwave Oven Drawer

- 1.2 cu. ft.
- 950 Watts
- Sensor Functions
- Auto Touch Open/Close
- Drawer Design



KMBS724S
24" Built-In Convection Microwave Speed Oven

- + 1.8 Cu. Ft.
- + 1750 Convection Watts
- + Air Fry Mode
- + Multifunction Oven Modes
- + Drop Down Handle



KMBS727S
27" Built-In Microwave Oven

- 1.4 cu. ft.
- 1200 Convection Watts
- Air Fry Mode
- Multifunction Oven Modes
- + Smart Appliance*
- + Assisted Cooking Modes
- + Backlit Knobs
- + Convection Cooking
- + LCD Display
- + Sensor Steam with Steamer Container
- Drop Down Handle



KMBS730S
30" Built-In Microwave Oven

- 1.4 cu. ft.
- 1200 Convection Watts
- Air Fry Mode
- + Personalization
- Smart Appliance
- Assisted Cooking Modes
- Backlit Knobs
- Convection Cooking
- LCD Display
- Sensor Steam with Steamer Container
- Drop Down Handle

+ Indicates Step-Up Feature

*Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K **MBS730SPS**
BRAND

K = KitchenAid®

M **MBS730SPS**
PLATFORM

M = Microwave

B **MBS730SPS**
CONFIGURATION

B = Built-In

S **MBS730SPS**
PHYSICAL ATTRIBUTE

D = Drawer
S = Standard

7 **MBS730SPS**
SERIES

1-9 = The higher the number, the more features available.

30 **MBS730SPS**
WIDTH

24 = 24 in. 30 = 30 in.
27 = 27 in.

S **MBS730SPS**
YEAR OF LAUNCH

G = 2017 S = 2025

PS **MBS730SPS**
COLOR

BL = Black
SS = Stainless Steel
PS = PrintShield Stainless
BS = Black Stainless Steel
BE = Black Ore
JP = Juniper
PL = Porcelain White

BUILT-IN MICROWAVES



MICROWAVE MODELS	KMBD104G	KMB5724S	KMB5727S	KMB5730S
AVAILABLE COLORS	SS	PS	PS	PS / BE / JP / PL
CU. FT.	1.2	1.8	1.4	1.4
WATTS	950 Microwave	1750 Convection	1750 (Convection)	1750 (Convection)
ADA COMPLIANT			•	•
FEATURES				
AUTO TOUCH OPEN/CLOSE	•			
1600 WATT BROIL ELEMENT		•	•	•
CAVITY FINISH	Powder Coat	Stainless Steel	Stainless Steel	Stainless
CONVECTION COOKING		•	•	•
DESIGN	Drawer	Drop Down	Drop Down	Drop Down
EASYCONNECT™ CONVERSION SYSTEM			•	•
SENSOR COOKING			•	•
SENSOR FUNCTIONS	•		•	•
TURNTABLE			•	•
SETTINGS				
CONTROL LOCK	•	•	•	•
CONVECT		•	•	•
COOK TIME	•	•	•	•
DEFROST	•	•	•	•
KEEP WARM		•	•	
POPCORN	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SPEED COOK			•	•
STEAM			•	•
TIMER	•	•	•	•
ACCESSORIES				
STEAMER			•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	16" X 23-7/8" X 23-1/4"	17.9449" X 23.4252" X 22.4331"	18-1/2" X 26-3/4" X 25-1/8"	18-1/2" X 29-3/4" X 25-1/8"

KEY STEP-UP FEATURES



KWES730S

30" Slow Cook Warming Drawer

- 1.5 cu. ft.
- Sensor Temperature Control
- Humidity Slide Control
- Power Indicator Light
- Slow Cook Function
- Food Warming Function: Low to High
- Bread Proof Function
- Two-Position Racks
- Personalization

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KWES730SSS
BRAND

K = KitchenAid®

KWES730SSS
PLATFORM

W = Warming Oven

KWES730SSS
CONFIGURATION

E = Other Electric

KWES730SSS
SUITE LEVEL

S = Single Oven

KWES730SSS
FEATURE LEVEL

1-9 = The higher the number, the more features available.

KWES730SSS
WIDTH

30 = 30 in.

KWES730SSS
YEAR OF LAUNCH

S = 2025

KWES730SSS
COLOR

SS = Stainless Steel

BE = Black Ore

JP = Juniper

WARMING DRAWERS



WARMING DRAWER MODELS	KWES730S
AVAILABLE COLORS	SS / BE / JP
CU. FT.	1.5
WATTS	600
POWER INDICATOR LIGHT	•
PANEL READY DESIGN	•
TWO-RACK	•
FEATURES	
FOOD WARMING	•
BREAD PROOF	•
HUMIDITY SLIDE CONTROL	•
SENSOR TEMPERATURE CONTROL	•
SLOW COOK	•
DIMENSIONS	
HEIGHT X WIDTH X DEPTH	10-1/4" X 29-3/4" X 26"