

KEY STEP-UP FEATURES



KFEG500E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Oven Capacity
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- Storage Drawer
- AquaLift® Self Clean



KFED500E

- Even-Heat™ True Convection
- **+ 6.7 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- Self Clean

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFED500ESS
BRAND

K = KitchenAid®

FKED500ESS
PLATFORM

F = Freestanding Range

EKED500ESS
CONFIGURATION

E = Other Electric

DKFE500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer

50KFED500ESS
FEATURE LEVEL

50 = True Convection

0KFED500ESS
WIDTH

0=30 in

EKFED500ESS
YEAR OF LAUNCH

E = 2015

SSKFED500ESS
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel

KEY STEP-UP FEATURES



KSEG700E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Oven Capacity
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- Steam Rack
- AquaLift® Self Clean



KSEB900E

- Even-Heat™ True Convection
- + 7.1 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- AquaLift® Self Clean
- + Baking Drawer**



KSEG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Oven Capacity
- 4 Cooking Elements
- EasyConvect™ Conversion System
- Steam Rack
- AquaLift® Self Clean
- + Downdraft Ventilation System**



KSI5730P

- Even-Heat™ True Convection
- EasyConvect™ Conversion System
- 6.4 Cu. Ft. Oven Capacity
- + 4 Induction Elements with a Bridge Zone**
- Steam Rack
- Storage Drawer
- AquaLift® Self Clean
- + Air Fry Mode**
- + Dishwasher-Safe Air Fry basket**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KSEG950ESS
BRAND

K = KitchenAid®

SEG950ESS
PLATFORM

S = Slide-In Range

ESEG950ESS
CONFIGURATION

E = Electric

I = Induction

GSEG950ESS
SUITE LEVEL

B = Baking Drawer

G = Storage Drawer

S = Storage Drawer

95SEG950ESS
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

0SEG950ESS
WIDTH

0=30 in

ESEG950ESS
YEAR OF LAUNCH

E = 2015

P = 2023

SSSEG950ESS
COLOR

WH = White

BL = Black

BS = Black Stainless

SS = Stainless Steel

ELECTRIC RANGES



RANGE MODEL	KFEG500E	KFED500E
CAPACITY (CU. FT.)	6.4	6.7
AVAILABLE COLORS	WH , SS , BS	WH , SS , BS
TYPE	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	AquaLift® Self Clean	Self Cleaning
DOUBLE-OVEN		•
NUMBER OF ELEMENTS	5	5
SATINGLIDE® RACK		•
CONTROL FEATURES		
EASYCONVECT™ CONVERSION	•	•
PERFORMANCE FEATURES		
10" EVEN-HEAT™ ULTRA ELEMENT		•
DUAL ELEMENTS (12/9" AND 9/6")	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
HIDDEN BAKE ELEMENT	•	•
STORAGE DRAWER	•	
TRIPLE-RING ELEMENT		•
WARMING ZONE	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47-1/8" X 29-7/8" X 27-3/4"	47-3/8" X 29-15/16" X 28-1/2"

ELECTRIC RANGES



RANGE MODEL	KSEG700E	KSEB900E	KSEG950E	KSIS730P
CAPACITY (CU. FT.)	6.4	7.1	6.4	6.4
AVAILABLE COLORS	SS , BS	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In
ADA COMPLIANT	•	•	•	•
FIT SYSTEM LIMITED GUARANTEE*	•	•	•	•
DESIGN FEATURES				
AIR FRY BASKET (DISHWASHER-SAFE)				•
CLEANING	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
NUMBER OF ELEMENTS	5	5	4	4
SENSOR INDUCTION TECHNOLOGY				•
SATINGLIDE® RACK		•	•	•
SIDE TRIM ACCESSORY KIT	Optional	Optional	Optional	Optional
CONTROL FEATURES				
EASYCONVECT™ CONVERSION	•	•	•	•
GLASS TOUCH CONTROLS	•	•	•	•
PERFORMANCE FEATURES				
AIR FRY MODE				•
BRIDGE ZONE				•
4000W BROILER ELEMENT POWER	•		•	•
BAKING DRAWER		•		
DOWNDRAFT VENTING SYSTEM			•	
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
POWER BOOST				•
STEAM RACK	•	•	•	•
STORAGE DRAWER	•			•
WARMING ZONE	•	•		
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-3/4"

KEY STEP-UP FEATURES



KFGG500E

- Even-Heat™ True Convection
- 5.8 Cu. Ft. Oven Capacity
- 5 burners (5k, 8k, 9.5k, 15k and 18k) and removable griddle
- EasyConvect™ Conversion System
- Storage Drawer
- AquaLift® Self Clean



KFGD500E

- Even-Heat™ True Convection
- + **6.0 Cu. Ft. Total Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Self Clean
- + **Griddle Included**



KFDD500E

- Even-Heat™ True Convection
- + **6.7 Cu. Ft. Oven Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Storage Drawer
- Self Clean
- Griddle Included
- + **Dual Fuel**
- + **Steam Rack**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

K**G**FD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFG**D**500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer

KFGD**50**0ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD50**0**ESS
WIDTH

0=30 in

KFGD500**E**SS
YEAR OF LAUNCH

E = 2015

KFGD500E**SS**
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel

KEY STEP-UP FEATURES



KSGG700E

- Even-Heat™ True Convection
- 5.8 Cu. Ft. Oven Capacity
- 5 Burners (5k, 8k, 9.2k, 15k and 17k)
- EasyConvect™ Conversion
- Steam Rack
- AquaLift® Self Clean



KSGB900E

- Even-Heat™ True Convection
- + **6.5 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- + **Baking Drawer**



KSDB900E

- Even-Heat™ True Convection
- + **7.1 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- Baking Drawer
- + **Dual Fuel**
- + **Griddle Included**



KSDG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Capacity
- 4 burners (5k, 9.2k, 15k and 17k)
- Steam Rack
- AquaLift® Self Clean
- + **Downdraft Ventilation System**
- Griddle Included

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KSDG950ESS
BRAND

K = KitchenAid®

KSDG950ESS
PLATFORM

S = Slide-In Range

KSDG950ESS
CONFIGURATION

D = Dual Fuel
G = Gas

KFD500ESS
SUITE LEVEL

G = Storage Drawer
B = Baking Drawer

KFGD500ESS
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

KFGD500ESS
WIDTH

0=30 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015

KFGD500ESS
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel

GAS & DUAL FUEL RANGES



RANGE MODEL	KFGG500E	KFGD500E	KFDD500E
CAPACITY (CU. FT.)	5.8	6.0	6.7
AVAILABLE COLORS	WH, SS, BS	WH, SS, BS	SS
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	AquaLift® Self Clean	Self Cleaning	Self Cleaning
DOUBLE-OVEN		•	•
NUMBER OF BURNERS	5	5	5
SATINGLIDE® RACK		•	•
CONTROL FEATURES			
EASYCONVECT™ CONVERSION	•	•	•
GLASS TOUCH CONTROLS		•	•
PERFORMANCE FEATURES			
DUAL FUEL			•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
GRIDDLE (REMOVEABLE)	•	•	•
HIDDEN BAKE ELEMENT		•	
STEAM RACK			•
STORAGE DRAWER	•		
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47-1/8" X 29-7/8" X 27-7/8"	47-3/8" X 29-15/16" X 28-1/2"	47-3/8" X 29-15/16" X 28-1/2"

GAS & DUAL FUEL RANGES



RANGE MODEL	KSGG700E	KSGB900E	KSDB900E	KSDG950E
CAPACITY (CU. FT.)	5.8	6.5	7.1	6.4
AVAILABLE COLORS	SS , BS	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In
FIT SYSTEM LIMITED GUARANTEE	•	•	•	
DESIGN FEATURES				
CLEANING	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
CONTINUOUS INTERLOCKING GRATES	•	•	•	
GRIDDLE INCLUDED			•	•
NUMBER OF BURNERS	5	5	5	4
SATINGLIDE® MAX RACKS	•	•	•	•
SIDE TRIM ACCESSORY KIT	Optional	Optional	Optional	Optional
CONTROL FEATURES				
EASYCONVECT™ CONVERSION	•	•	•	•
GLASS TOUCH CONTROLS	•	•	•	•
PERFORMANCE FEATURES				
8K CENTER OVAL BURNER	•	•	•	
BAKING DRAWER		•	•	
DOWNDRAFT VENTING SYSTEM				•
DUAL FUEL			•	
EVEN-HEAT™ TRUE CONVECTION	•	•	•	
STEAM RACK	•	•	•	•
STORAGE DRAWER	•			
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"

KEY STEP-UP FEATURES



KFGS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate



KFDS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate



KFGS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate



KFDS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KF G D 500 E S S
BRAND

K = KitchenAid®

F K F G D 500 E S S
PLATFORM

F = Freestanding Range

G K F G D 500 E S S
CONFIGURATION

G = Gas
D = Dual Fuel

D K F G D 500 E S S
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

50 K F G D 500 E S S
FEATURE LEVEL

XX = The higher the number the more features available.

0 K F G D 500 E S S
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

E K F G D 500 E S S
YEAR OF LAUNCH

E = 2015 S = 2025

SS K F G D 500 E S S
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore
SC = Scorched Orange
AG = Agave DC = Cardamom
WF = Wildflower

KEY STEP-UP FEATURES



KFGD948S

+ 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate

+ Chrome-Infused Electric Griddle



KFDD948S

+ 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Designed to be Personalized
- Integrated Wok Grate

+ Chrome-Infused Electric Griddle

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 S = 2025

KFGD500ESS
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore
SC = Scorched Orange
AG = Agave DC = Cardamom
WF = Wildflower

COMMERCIAL GAS & DUAL FUEL RANGES



RANGE MODEL	KFGS930S	KFDS930S	KFGS936S	KFDS936S
CAPACITY (CU. FT.)	4.1	4.1	5.1	5.1
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
TYPE	Freestanding	Freestanding	Freestanding	Freestanding
DESIGN FEATURES				
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning	Self Cleaning
DUAL FUEL	•	•	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	4	4	6	6
CONTROL FEATURES				
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•	•	•
PERFORMANCE FEATURES				
ARY FRY	•	•	•	•
BAKE	•	•	•	•
BROIL	•	•	•	•
CONVECT BAKE	•	•	•	•
CONVECT BROIL	•	•	•	•
CONVECT ROAST	•	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
KEEP WARM	•	•	•	•
PROOFING	•	•	•	•
SABBITH MODE	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.6" X 41.8" X 35.5"

COMMERCIAL GAS & DUAL FUEL RANGES



RANGE MODEL	KFGD948S	KFDD948S
CAPACITY (CU. FT.)	6.3	6.3
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
TYPE	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	Self Cleaning	Self Cleaning
DUAL FUEL	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	6	6
CONTROL FEATURES		
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•
PERFORMANCE FEATURES		
ARY FRY	•	•
BAKE	•	•
BROIL	•	•
CONVECT BAKE	•	•
CONVECT BROIL	•	•
CONVECT ROAST	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
KEEP WARM	•	•
PROOFING	•	•
SABBITH MODE	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.7" X 53.8" X 35.5"	47.7" X 53.8" X 35.5"

KEY STEP-UP FEATURES



KFIS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Designed to be Personalized
- Assisted Cooking Modes



KFIS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Designed to be Personalized
- Assisted Cooking Modes



KFID948S

- + 6.3 Cu. Ft. Oven Capacity
- Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Designed to be Personalized
- Assisted Cooking Modes
- + Chrome-Infused Electric Griddle

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

FKFGD500ESS
PLATFORM

F = Freestanding Range

IKFGD500ESS
CONFIGURATION

I = Induction

DKFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

50KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

0KFGD500ESS
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

EKFGD500ESS
YEAR OF LAUNCH

E = 2015 S = 2025

SSKFGD500ESS
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore

COMMERICAL INDUCTION RANGES



RANGE MODEL	KFIS930S	KFIS936S	KFID948S
CAPACITY (CU. FT.)	4.1	5.1	6.3
AVAILABLE COLORS	SS, JP, BE	SS, JP, BE	SS, JP, BE
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	4	6	6
CONTROL FEATURES			
BAKE ELEMENT POWER	3,000 W	3,000 W	3,000 W
BROILER ELEMENT POWER	3,500 W	3,500 W	3,500 W
PERFORMANCE FEATURES			
ARY FRY	•	•	•
BAKE	•	•	•
BROIL	•	•	•
CONVECT BAKE	•	•	•
CONVECT BROIL	•	•	•
CONVECT ROAST	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
KEEP WARM	•	•	•
PROOFING	•	•	•
SABBITTH MODE	•	•	•
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.7" X 53.8" X 35.5"