

KEY STEP-UP FEATURES



KFES330T

- Even-Heat™ True Convection
- 5.3 Cu. Ft. Oven Capacity
- Two Dual Elements
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- Rapid Preheat Oven
- Edge-to-Edge Glass
- Fresh Pizza Mode
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Smart Capabilities



KFED500E

- Even-Heat™ True Convection
- + **6.7 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- + **EasyConvect™ Conversion System**
- Steam Clean Cycle



KFES530S

- Even-Heat™ True Convection
- 5.3 Cu. Ft. Oven Capacity
- Two Dual Elements
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- Rapid Preheat Oven
- Edge-to-Edge Glass
- Fresh Pizza Mode
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Smart Capabilities
- + **Front Control**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFED500ESS

BRAND

K = KitchenAid®

KFED500ESS

PLATFORM

F = Freestanding Range

KFED500ESS

CONFIGURATION

E = Other Electric

KFED500ESS

SUITE LEVEL

D = Double Oven

G = Storage Drawer

KFED500ESS

FEATURE LEVEL

50 = True Convection

KFED500ESS

WIDTH

0=30 in

KFED500ESS

YEAR OF LAUNCH

E = 2015

T = 2026

S = 2025

KFED500ESS

COLOR

WH = White

BL = Black

BS = Black Stainless

SS = Stainless Steel

PL = Porcelain White

+ Indicates Step-Up Feature

KEY STEP-UP FEATURES



KSES330S

- Even-Heat™ Convection
- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Glass**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Fresh Pizza Mode**
- + **Smart Capabilities**



KSES530S

- + **Even-Heat™ True Convection**
- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- + **Personalization**
- Rapid Preheat Oven
- Edge-to-Edge Glass
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode
- Steam Bake Mode
- Smart Capabilities



KSEB900E

- Even-Heat™ True Convection
- + **7.1 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- AquaLift® Self Clean
- + **Baking Drawer**
- Steam Bake Mode



KSEG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Oven Capacity
- 4 Cooking Elements
- EasyConvect™ Conversion System
- Steam Bake Mode
- AquaLift® Self Clean
- + **Downdraft Ventilation System**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KSEG950ESS BRAND

K = KitchenAid®

KSEG950ESS PLATFORM

S = Slide-In Range

KSEG950ESS CONFIGURATION

E = Electric I = Induction

KSEG950ESS SUITE LEVEL

B = Baking Drawer
G = Storage Drawer
S = Storage Drawer

KSEG950ESS FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

KSEG950ESS WIDTH

0=30 in

KSEG950ESS YEAR OF LAUNCH

E = 2015 S = 2025
P = 2023 T = 2026

KSEG950ESS COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel
PL = Porcelain White

+ Indicates Step-Up Feature

KEY STEP-UP FEATURES



KSIS730P

- Even-Heat™ True Convection
- EasyConvect™ Conversion System
- 6.4 Cu. Ft. Oven Capacity
- + 4 Induction Zones with a Bridge Zone**
- Steam Bake Mode
- Storage Drawer
- AquaLift® Self Clean
- + Air Fry Mode**
- + Dishwasher-Safe Air Fry basket**

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KSEG950ESS
BRAND

K = KitchenAid®

SEG950ESS
PLATFORM

S = Slide-In Range

EEG950ESS
CONFIGURATION

E = Electric I = Induction

GEG950ESS
SUITE LEVEL

B = Baking Drawer
G = Storage Drawer
S = Storage Drawer

95EG950ESS
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

0EG950ESS
WIDTH

0=30 in

EEG950ESS
YEAR OF LAUNCH

E = 2015 S = 2025
P = 2023 T = 2026

SSEG950ESS
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel
PL = Porcelain White

ELECTRIC RANGES



RANGE MODEL	KFE5330T	KFE530S	KFED500E
CAPACITY (CU. FT.)	5.3	5.3	6.7
AVAILABLE COLORS	PS	PS	WH, SS, BS
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self + Steam	Self + Steam	Self Clean
DOUBLE-OVEN			•
NUMBER OF ELEMENTS	5	5	5
NUMBER OF RACKS	2	1 Reg, 1 Max Cap	1 Upper, 2 Lower
CONTROL FEATURES			
EASYCONVECT™ CONVERSION			•
PERFORMANCE FEATURES			
AIR BAKE	•	•	
AIR FRY	•	•	
AIR REHEAT	•	•	
AIR ROAST	•	•	
EVEN-HEAT™ TRUE CONVECTION	•	•	•
FRESH PIZZA	•	•	
HIDDEN BAKE ELEMENT	•	•	•
PROOF	•	•	
RAPID PREHEAT	•	•	
SLOW COOK	•	•	
STORAGE DRAWER	•	•	
TRIPLE-RING ELEMENT			•
WARMING ZONE	•	•	•
ACCESSORIES			
AIR FRY BASKET (W11692811)	Optional	Optional	
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 28.1"	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"

ELECTRIC RANGES



RANGE MODEL	KSE5330S	KSE5530S	KSEB900E	KSEG950E	KSIS730P
CAPACITY (CU. FT.)	5.3	5.3	7.1	6.4	6.4
AVAILABLE COLORS	PS	PS, JP, BE, PL	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
ADA COMPLIANT			•	•	•
FIT SYSTEM LIMITED GUARANTEE*	•	•	•	•	•
DESIGN FEATURES					
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
NUMBER OF ELEMENTS/ZONES	5	5	5	4	4
SENSOR INDUCTION TECHNOLOGY					•
NUMBER OF RACKS	2 Standard	1 Max Cap, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONNECT™ CONVERSION			•	•	•
PERFORMANCE FEATURES					
AIR BAKE	•	•			•
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
DOWNDRAFT VENTING SYSTEM				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	•
FRESH PIZZA	•	•			
RAPID PREHEAT	•	•			
SLOW COOK	•	•			
STEAM BAKE		•	•	•	•
STORAGE DRAWER	•	•	Baking Drawer		•
WARMING ZONE	•	•	•		
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			Included
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.6" X 29.9" X 25.4"	36.6" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-3/4"

KEY STEP-UP FEATURES



KFGS330T

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- 5 Burners (2-18k, 12k, 10k, 5k)
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **No Preheat Air Fry**
- + **No Preheat Frozen**
- + **Fresh Pizza Mode**
- + **Smart Capabilities**



KFGS530S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- Self + Steam Clean Cycle
- Rapid Preheat Oven
- Edge-to-Edge Grates
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode
- Steam Bake Mode
- Smart Capabilities



KFGD500E

- Even-Heat™ True Convection
- + **6.0 Cu. Ft. Total Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Self Clean Cycle



KFDD500E

- Even-Heat™ True Convection
- + **6.7 Cu. Ft. Oven Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Self Clean Cycle
- + **Dual Fuel**
- + **Steam Bake Mode**

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0=30 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

KFGD500ESS
COLOR


WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel
PL = Porcelain White

KEY STEP-UP FEATURES



KSGS330S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Grates**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Fresh Pizza Mode**
- + **Smart Capabilities**



KSGS530S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- + **2-in-1 Oval Burner**
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Clean Cycle
- + **Personalization**
- Rapid Preheat Oven
- Edge-to-Edge Grates
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode
- Steam Bake Mode
- Smart Capabilities



KSGB900E

- Even-Heat™ True Convection
- + **6.5 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- + **Baking Drawer**



KSDB900E

- Even-Heat™ True Convection
- + **7.1 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- Baking Drawer
- + **Dual Fuel**
- + **Griddle Included**

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0=30 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

KFGD500ESS
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel
PL = Porcelain White

KEY STEP-UP FEATURES



KSDG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Capacity
- 4 burners (5k, 9.2k, 15k and 17k)
- Steam Bake Mode
- AquaLift® Self Clean
- + **Downdraft Ventilation System**

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

FFGD500ESS
PLATFORM

F = Freestanding Range

GFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

DFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer

50FGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

0FGD500ESS
WIDTH

0=30 in

ESSFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

SSFGD500ESS
COLOR

WH = White
BL = Black
BS = Black Stainless
SS = Stainless Steel
PL = Porcelain White

GAS & DUAL FUEL RANGES



RANGE MODEL	KFGS330T	KFGS530S	KFGD500E	KFDD500E
CAPACITY (CU. FT.)	5.0	5.0	6.0	6.7
AVAILABLE COLORS	PS	PS	WH, SS, BS	SS
TYPE	Freestanding	Freestanding	Freestanding	Freestanding
DESIGN FEATURES				
CLEANING	Self + Steam	Self + Steam	Self Clean	Self Clean
DOUBLE-OVEN			•	•
NUMBER OF BURNERS	5	5	5	5
NUMBER OF RACKS	2	1 Standard, 1 Max	1 Upper, 2 Lower	1 Upper, 2 Lower
CONTROL FEATURES				
EASYCONVECT™ CONVERSION			•	•
PERFORMANCE FEATURES				
AIR BAKE		•		
AIR FRY	•	•		
AIR REHEAT	•	•		
AIR ROAST	•	•		
DUAL FUEL				•
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
FRESH PIZZA	•	•		
HIDDEN BAKE ELEMENT	•	•	•	•
RAPID PREHEAT	•	•		
SABBATH MODE	•	•	•	•
SLOW COOK	•	•		
STEAM BAKE MODE		•		•
STORAGE DRAWER	•	•		
ACCESSORIES				
AIR FRY BASKET (W11692811)	Optional	Optional		
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 28.1"	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"	47-3/8" X 29-15/16" X 28-1/2"

GAS & DUAL FUEL RANGES



RANGE MODEL	KSGS330S	KSGS530S	KSGB900E	KSDB900E	KSDG950E
CAPACITY (CU. FT.)	5.0	5.0	6.5	7.1	6.4
AVAILABLE COLORS	PS	PS, JP, BE, PL	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
FIT SYSTEM LIMITED GUARANTEE	•	•	•	•	•
DESIGN FEATURES					
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
NUMBER OF BURNERS	5	5	5	5	4
NUMBER OF RACKS	2 Standard	1 Max, 1 Steam	1 Glide, 1 Steam	1 Glide, 1 Steam	1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONVECT™ CONVERSION			•	•	•
PERFORMANCE FEATURES					
CENTER OVAL BURNER	•		•	•	
DUAL-STACKED OVAL BURNER		•			
AIR BAKE	•	•			
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
DOWNDRAFT VENTING SYSTEM					•
DUAL FUEL				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	
RAPID PREHEAT	•	•			
SABBATH MODE	•	•			
SLOW COOK	•	•			
STEAM BAKE		•			
STORAGE DRAWER	•	•	Baking	Baking	
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.7" X 29.9" X 25.4"	36.7" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"

KEY STEP-UP FEATURES



KFGS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



KFDS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



KFGS936S

- + 5.1 Cu. Ft. Oven Capacity**
- + Six Burners**
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



KFDS936S

- + 5.1 Cu. Ft. Oven Capacity**
- + Six Burners**
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

KFGD500ESS
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore
AG = Agave DC = Cardamom
WF = Wildflower
SC = Scorched Orange
PL = Porcelain White

KEY STEP-UP FEATURES



KFGD948S

+ 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

+ Chrome-Infused Electric Griddle



KFDD948S

+ 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

+ Chrome-Infused Electric Griddle

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

G = Gas
D = Dual Fuel

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

KFGD500ESS
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore
AG = Agave DC = Cardamom
WF = Wildflower
SC = Scorched Orange
PL = Porcelain White

COMMERCIAL-LIKE GAS & DUAL FUEL RANGES



RANGE MODEL	KFGS930S	KFDS930S	KFGS936S	KFDS936S
CAPACITY (CU. FT.)	4.1	4.1	5.1	5.1
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF, PL	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF, PL
TYPE	Freestanding	Freestanding	Freestanding	Freestanding
DESIGN FEATURES				
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning	Self Cleaning
DUAL FUEL	•	•	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	4	4	6	6
CONTROL FEATURES				
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•	•	•
PERFORMANCE FEATURES				
ARY FRY	•	•	•	•
BAKE	•	•	•	•
BROIL	•	•	•	•
CONVECT BAKE	•	•	•	•
CONVECT BROIL	•	•	•	•
CONVECT ROAST	•	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
KEEP WARM	•	•	•	•
PROOFING	•	•	•	•
SABBATH MODE	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.6" X 41.8" X 35.5"

COMMERCIAL-LIKE GAS & DUAL FUEL RANGES



RANGE MODEL	KFGD948S	KFDD948S
CAPACITY (CU. FT.)	6.3	6.3
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF, PL
TYPE	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	Self Cleaning	Self Cleaning
DUAL FUEL	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	6	6
CONTROL FEATURES		
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•
PERFORMANCE FEATURES		
AIR FRY	•	•
BAKE	•	•
BROIL	•	•
CONVECT BAKE	•	•
CONVECT BROIL	•	•
CONVECT ROAST	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
KEEP WARM	•	•
PROOFING	•	•
SABBATH MODE	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.7" X 53.8" X 35.5"	47.7" X 53.8" X 35.5"

KEY STEP-UP FEATURES



KFI930S

- 4.1 Cu. Ft. Oven Capacity
- Four Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes



KFIS936S

- + **5.1 Cu. Ft. Oven Capacity**
- + **Six Elements**
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes



KFID948S

- + **6.3 Cu. Ft. Oven Capacity**
- Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes
- + **Chrome-Infused Electric Griddle**

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

KFGD500ESS
BRAND

K = KitchenAid®

KFGD500ESS
PLATFORM

F = Freestanding Range

KFGD500ESS
CONFIGURATION

I = Induction

KFGD500ESS
SUITE LEVEL

D = Double Oven
G = Storage Drawer
S = Slow Cook Drawer

KFGD500ESS
FEATURE LEVEL

XX = The higher the number the more features available.

KFGD500ESS
WIDTH

0 = 30 in 8 = 48 in
6 = 36 in

KFGD500ESS
YEAR OF LAUNCH

E = 2015 T = 2026
S = 2025

KFGD500ESS
COLOR

WH = White BL = Black
BS = Black Stainless
SS = Stainless Steel
JP = Juniper BE = Black Ore

COMMERCIAL INDUCTION RANGES



RANGE MODEL	KFIS930S	KFIS936S	KFID948S
CAPACITY (CU. FT.)	4.1	5.1	6.3
AVAILABLE COLORS	SS, JP, BE	SS, JP, BE	SS, JP, BE
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF ZONES	4	6	6
CONTROL FEATURES			
BAKE ELEMENT POWER	3,000 W	3,000 W	3,000 W
BROILER ELEMENT POWER	3,500 W	3,500 W	3,500 W
PERFORMANCE FEATURES			
NO PREHEAT AIR FRY	•	•	•
BAKE	•	•	•
BROIL	•	•	•
CONVECT BAKE	•	•	•
CONVECT BROIL	•	•	•
CONVECT ROAST	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
KEEP WARM	•	•	•
PROOFING	•	•	•
SABBATH MODE	•	•	•
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.7" X 53.8" X 35.5"