


# KEY STEP-UP FEATURES



## KFES530S

- Even-Heat™ True Convection
- 5.3 Cu. Ft. Oven Capacity
- Two Dual Elements
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Glass**
- + **Fresh Pizza Mode**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Smart Capabilities**



## KFED500E

- Even-Heat™ True Convection
- + **6.7 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- + **EasyConvect™ Conversion System**
- Steam Clean Cycle

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**K**FED500ESS  
BRAND

K = KitchenAid®

**F**KED500ESS  
PLATFORM

F = Freestanding Range

**E**KED500ESS  
CONFIGURATION

E = Other Electric

**D**KED500ESS  
SUITE LEVEL

D = Double Oven  
G = Storage Drawer

**50**KED500ESS  
FEATURE LEVEL

50 = True Convection

**0**KED500ESS  
WIDTH

0=30 in

**E**KED500ESS  
YEAR OF LAUNCH

E = 2015      S = 2025

**SS**KED500ESS  
COLOR

WH = White  
BL = Black  
BS = Black Stainless  
SS = Stainless Steel

# KEY STEP-UP FEATURES



## KSES330S

- Even-Heat™ Convection
- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Glass**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Fresh Pizza Mode**
- + **Smart Capabilities**



## KSEB900E

- Even-Heat™ True Convection
- + **7.1 Cu. Ft. Oven Capacity**
- 5 Cooking Elements including a Warm Zone
- EasyConvect™ Conversion System
- AquaLift® Self Clean
- + **Baking Drawer**
- Steam Bake Mode



## KSES530S

- + **Even-Heat™ True Convection**
- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam Clean Cycle
- + **Personalization**
- Rapid Preheat Oven
- Edge-to-Edge Glass
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode
- Steam Bake Mode
- Smart Capabilities



## KSEG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Oven Capacity
- 4 Cooking Elements
- EasyConvect™ Conversion System
- Steam Bake Mode
- AquaLift® Self Clean
- + **Downdraft Ventilation System**

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

## KSEG950ESS

BRAND

K = KitchenAid®

## KSEG950ESS

PLATFORM

S = Slide-In Range

## KSEG950ESS

CONFIGURATION

E = Electric

I = Induction

## KSEG950ESS

SUITE LEVEL

B = Baking Drawer

G = Storage Drawer

S = Storage Drawer

## KSEG950ESS

FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

## KSEG950ESS

WIDTH

0=30 in

## KSEG950ESS

YEAR OF LAUNCH

E = 2015

S = 2025

P = 2023

## KSEG950ESS

COLOR

WH = White

BL = Black

BS = Black Stainless

SS = Stainless Steel

# KEY STEP-UP FEATURES



## KSIS730P

- Even-Heat™ True Convection
- EasyConvect™ Conversion System
- 6.4 Cu. Ft. Oven Capacity
- + 4 Induction Zones with a Bridge Zone
- Steam Bake Mode
- Storage Drawer
- AquaLift® Self Clean
- + Air Fry Mode
- + Dishwasher-Safe Air Fry basket

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**K**SEG950ESS  
BRAND

K = KitchenAid®

**S**EG950ESS  
PLATFORM

S = Slide-In Range

**E**SEG950ESS  
CONFIGURATION

E = Electric      I = Induction

**G**SEG950ESS  
SUITE LEVEL

B = Baking Drawer  
G = Storage Drawer  
S = Storage Drawer

**95**SEG950ESS  
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

**0**SEG950ESS  
WIDTH

0=30 in

**E**SEG950ESS  
YEAR OF LAUNCH

E = 2015      S = 2025  
P = 2023

**SS**SEG950ESS  
COLOR

WH = White  
BL = Black  
BS = Black Stainless  
SS = Stainless Steel

# ELECTRIC RANGES




RANGE MODEL	KFES530S	KFED500E
CAPACITY (CU. FT.)	5.3	6.7
AVAILABLE COLORS	PS	WH , SS , BS
TYPE	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	Self + Steam	Self Clean
DOUBLE-OVEN		•
NUMBER OF ELEMENTS	5	5
NUMBER OF RACKS	1 Reg, 1 Max Cap	1 Upper, 2 Lower
CONTROL FEATURES		
EASYCONVECT™ CONVERSION		•
PERFORMANCE FEATURES		
AIR BAKE	•	
AIR FRY	•	
AIR REHEAT	•	
AIR ROAST	•	
EVEN-HEAT™ TRUE CONVECTION	•	•
FRESH PIZZA	•	
HIDDEN BAKE ELEMENT	•	•
PROOF	•	
RAPID PREHEAT	•	
SLOW COOK	•	
STORAGE DRAWER	•	
TRIPLE-RING ELEMENT		•
WARMING ZONE	•	•
ACCESSORIES		
AIR FRY BASKET (W11692811)	Optional	
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"

# ELECTRIC RANGES



RANGE MODEL	KSE5330S	KSE5530S	KSEB900E	KSEG950E	KSIS730P
CAPACITY (CU. FT.)	5.3	5.3	7.1	6.4	6.4
AVAILABLE COLORS	PS	PS, JP, BE	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
ADA COMPLIANT			•	•	•
FIT SYSTEM LIMITED GUARANTEE*	•	•	•	•	•
DESIGN FEATURES					
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
NUMBER OF ELEMENTS/ZONES	5	5	5	4	4
SENSOR INDUCTION TECHNOLOGY					•
NUMBER OF RACKS	2 Standard	1 Max Cap, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONNECT™ CONVERSION			•	•	•
PERFORMANCE FEATURES					
AIR BAKE	•	•			•
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
DOWNDRAFT VENTING SYSTEM				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	•
FRESH PIZZA	•	•			
RAPID PREHEAT	•	•			
SLOW COOK	•	•			
STEAM BAKE		•	•	•	•
STORAGE DRAWER	•	•	Baking Drawer		•
WARMING ZONE	•	•	•		
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			Included
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.6" X 29.9" X 25.4"	36.6" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-3/4"

# KEY STEP-UP FEATURES



## KFGS530S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Grates**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Fresh Pizza Mode**
- + **Steam Bake Mode**
- + **Smart Capabilities**



## KFDD500E

- Even-Heat™ True Convection
- + **6.7 Cu. Ft. Oven Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Self Clean Cycle
- Griddle Included
- + **Dual Fuel**
- + **Steam Bake Mode**



## KFGD500E

- Even-Heat™ True Convection
- + **6.0 Cu. Ft. Total Capacity**
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect™ Conversion System
- Self Clean Cycle
- + **Griddle Included**

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**K**F G D 500 E S S  
BRAND

K = KitchenAid®

**K**F G D 500 E S S  
PLATFORM

F = Freestanding Range

**K**F G D 500 E S S  
CONFIGURATION

G = Gas

D = Dual Fuel

**K**F G D 500 E S S  
SUITE LEVEL

D = Double Oven

G = Storage Drawer

**K**F G D 500 E S S  
FEATURE LEVEL

XX = The higher the number the more features available.

**K**F G D 500 E S S  
WIDTH

0=30 in

**K**F G D 500 E S S  
YEAR OF LAUNCH

E = 2015

S = 2025

**K**F G D 500 E S S  
COLOR

WH = White

BL = Black

BS = Black Stainless

SS = Stainless Steel

# KEY STEP-UP FEATURES




## KSGS330S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Clean Cycle
- + **Rapid Preheat Oven**
- + **Edge-to-Edge Grates**
- + **No Preheat Air Fry**
- + **No Preheat Reheat**
- + **No Preheat Slow Cook**
- + **Fresh Pizza Mode**
- + **Smart Capabilities**



## KSGB900E

- Even-Heat™ True Convection
- + **6.5 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- + **Baking Drawer**



## KSGS530S

- Even-Heat™ True Convection
- 5.0 Cu. Ft. Oven Capacity
- + **2-in-1 Oval Burner**
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Clean Cycle
- + **Personalization**
- Rapid Preheat Oven
- Edge-to-Edge Grates
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode
- Steam Bake Mode
- Smart Capabilities



## KSDB900E

- Even-Heat™ True Convection
- + **7.1 Cu. Ft. Total Capacity**
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- Baking Drawer
- + **Dual Fuel**
- + **Griddle Included**

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**KSDG950ESS**  
BRAND

K = KitchenAid®

**KSDG950ESS**  
PLATFORM

S = Slide-In Range

**KSDG950ESS**  
CONFIGURATION

D = Dual Fuel

G = Gas

**KFDD500ESS**  
SUITE LEVEL

G = Storage Drawer

B = Baking Drawer

**KFGD500ESS**  
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

**KFGD500ESS**  
WIDTH

0=30 in

**KFGD500ESS**  
YEAR OF LAUNCH

E = 2015

S = 2025

**KFGD500ESS**  
COLOR

WH = White

BL = Black

BS = Black Stainless

SS = Stainless Steel

# KEY STEP-UP FEATURES



## KSDG950E

- Even-Heat™ True Convection
- 6.4 Cu. Ft. Capacity
- 4 burners (5k, 9.2k, 15k and 17k)
- Steam Bake Mode
- AquaLift® Self Clean
- + Downdraft Ventilation System**
- Griddle Included

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**KSDG950ESS**  
BRAND

K = KitchenAid®

**KSDG950ESS**  
PLATFORM

S = Slide-In Range

**KSDG950ESS**  
CONFIGURATION

D = Dual Fuel  
G = Gas

**KFD500ESS**  
SUITE LEVEL

G = Storage Drawer  
B = Baking Drawer

**KFGD500ESS**  
FEATURE LEVEL

70/90/95 = Even-Heat™ True Convection

**KFGD500ESS**  
WIDTH

0=30 in

**KFGD500ESS**  
YEAR OF LAUNCH

E = 2015      S = 2025

**KFGD500ESS**  
COLOR

WH = White  
BL = Black  
BS = Black Stainless  
SS = Stainless Steel



# GAS & DUAL FUEL RANGES



RANGE MODEL	KFGS530S	KFGD500E	KFDD500E
CAPACITY (CU. FT.)	5.0	6.0	6.7
AVAILABLE COLORS	PS	WH , SS , BS	SS
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self + Steam	Self Clean	Self Clean
DOUBLE-OVEN		•	•
GRIDDLE INCLUDED		•	•
NUMBER OF BURNERS	5	5	5
NUMBER OF RACKS	1 Standard, 1 Max	1 Upper, 2 Lower	1 Upper, 2 Lower
CONTROL FEATURES			
EASYCONVECT™ CONVERSION		•	•
PERFORMANCE FEATURES			
AIR BAKE	•		
AIR FRY	•		
AIR REHEAT	•		
AIR ROAST	•		
DUAL FUEL			•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
FRESH PIZZA	•		
HIDDEN BAKE ELEMENT	•	•	•
RAPID PREHEAT	•		
SABBATH MODE	•	•	•
SLOW COOK	•		
STEAM BAKE MODE	•		•
STORAGE DRAWER	•		
ACCESSORIES			
AIR FRY BASKET (W11692811)	Optional		
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"	47-3/8" X 29-15/16" X 28-1/2"

# GAS & DUAL FUEL RANGES



RANGE MODEL	KSGS330S	KSGS530S	KSGB900E	KSDB900E	KSDG950E
CAPACITY (CU. FT.)	5.0	5.0	6.5	7.1	6.4
AVAILABLE COLORS	PS	PS, JP, BE	SS	SS	SS
TYPE	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
FIT SYSTEM LIMITED GUARANTEE	•	•	•	•	•
DESIGN FEATURES					
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
GRIDDLE INCLUDED				•	•
NUMBER OF BURNERS	5	5	5	5	4
NUMBER OF RACKS	2 Regular	1 Max, 1 Steam	1 Max, 1 Glide, 1 Steam	1 Max, 1 Glide, 1 Steam	1 Max, 1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONVECT™ CONVERSION			•	•	•
PERFORMANCE FEATURES					
CENTER OVAL BURNER	•		•	•	
DUAL-STACKED OVAL BURNER		•			
AIR BAKE	•	•			
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
DOWNDRAFT VENTING SYSTEM					•
DUAL FUEL				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	
RAPID PREHEAT	•	•			
SABBATH MODE	•	•			
SLOW COOK	•	•			
STEAM BAKE		•			
STORAGE DRAWER	•	•	Baking	Baking	
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.7" X 29.9" X 25.4"	36.7" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"

# KEY STEP-UP FEATURES



## KFGS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



## KFDS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



## KFGS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate



## KFDS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**KFGD500ESS**  
BRAND

K = KitchenAid®

**KFGD500ESS**  
PLATFORM

F = Freestanding Range

**KFGD500ESS**  
CONFIGURATION

G = Gas  
D = Dual Fuel

**KFGD500ESS**  
SUITE LEVEL

D = Double Oven  
G = Storage Drawer  
S = Slow Cook Drawer

**KFGD500ESS**  
FEATURE LEVEL

XX = The higher the number the more features available.

**KFGD500ESS**  
WIDTH

0 = 30 in      8 = 48 in  
6 = 36 in

**KFGD500ESS**  
YEAR OF LAUNCH

E = 2015      S = 2025

**KFGD500ESS**  
COLOR

WH = White      BL = Black  
BS = Black Stainless  
SS = Stainless Steel  
JP = Juniper      BE = Black Ore  
SC = Scorched Orange  
AG = Agave      DC = Cardamom  
WF = Wildflower

# KEY STEP-UP FEATURES



## KFGD948S

### + 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

### + Chrome-Infused Electric Griddle



## KFDD948S

### + 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate

### + Chrome-Infused Electric Griddle

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**K**F G D 500 E S S  
BRAND

K = KitchenAid®

**F** K F G D 500 E S S  
PLATFORM

F = Freestanding Range

**G** K F G D 500 E S S  
CONFIGURATION

G = Gas  
D = Dual Fuel

**D** K F G D 500 E S S  
SUITE LEVEL

D = Double Oven  
G = Storage Drawer  
S = Slow Cook Drawer

**50** K F G D 500 E S S  
FEATURE LEVEL

XX = The higher the number the more features available.

**0** K F G D 500 E S S  
WIDTH

0 = 30 in                      8 = 48 in  
6 = 36 in

**E** K F G D 500 E S S  
YEAR OF LAUNCH

E = 2015                      S = 2025

**SS** K F G D 500 E S S  
COLOR

WH = White              BL = Black  
BS = Black Stainless  
SS = Stainless Steel  
JP = Juniper              BE = Black Ore  
SC = Scorched Orange  
AG = Agave              DC = Cardamom  
WF = Wildflower

COMMERCIAL-LIKE GAS & DUAL FUEL RANGES



RANGE MODEL	KFGS930S	KFDS930S	KFGS936S	KFDS936S
CAPACITY (CU. FT.)	4.1	4.1	5.1	5.1
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
TYPE	Freestanding	Freestanding	Freestanding	Freestanding
DESIGN FEATURES				
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning	Self Cleaning
DUAL FUEL	•	•	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	4	4	6	6
CONTROL FEATURES				
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•	•	•
PERFORMANCE FEATURES				
ARY FRY	•	•	•	•
BAKE	•	•	•	•
BROIL	•	•	•	•
CONVECT BAKE	•	•	•	•
CONVECT BROIL	•	•	•	•
CONVECT ROAST	•	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
KEEP WARM	•	•	•	•
PROOFING	•	•	•	•
SABBATH MODE	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.6" X 41.8" X 35.5"

# COMMERCIAL-LIKE GAS & DUAL FUEL RANGES



RANGE MODEL	KFGD948S	KFDD948S
CAPACITY (CU. FT.)	6.3	6.3
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
TYPE	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	Self Cleaning	Self Cleaning
DUAL FUEL	•	•
METAL KNOBS	LED LIGHTNED	LED LIGHTNED
NUMBER OF BURNERS	6	6
CONTROL FEATURES		
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•
PERFORMANCE FEATURES		
AIR FRY	•	•
BAKE	•	•
BROIL	•	•
CONVECT BAKE	•	•
CONVECT BROIL	•	•
CONVECT ROAST	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
KEEP WARM	•	•
PROOFING	•	•
SABBATH MODE	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.7" X 53.8" X 35.5"	47.7" X 53.8" X 35.5"

# KEY STEP-UP FEATURES



## KFIS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes



## KFIS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes



## KFID948S

- + 6.3 Cu. Ft. Oven Capacity
- Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- Assisted Cooking Modes
- + Chrome-Infused Electric Griddle

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.

**K**FGD500ESS  
BRAND

K = KitchenAid®

**F**KFGD500ESS  
PLATFORM

F = Freestanding Range

**I**KFGD500ESS  
CONFIGURATION

I = Induction

**D**KFGD500ESS  
SUITE LEVEL

D = Double Oven  
G = Storage Drawer  
S = Slow Cook Drawer

**50**KFGD500ESS  
FEATURE LEVEL

XX = The higher the number the more features available.

**0**KFGD500ESS  
WIDTH

0 = 30 in      8 = 48 in  
6 = 36 in

**E**KFGD500ESS  
YEAR OF LAUNCH

E = 2015      S = 2025

**SS**KFGD500ESS  
COLOR

WH = White      BL = Black  
BS = Black Stainless  
SS = Stainless Steel  
JP = Juniper      BE = Black Ore

# COMMERCIAL INDUCTION RANGES



RANGE MODEL	KFIS930S	KFIS936S	KFID948S
CAPACITY (CU. FT.)	4.1	5.1	6.3
AVAILABLE COLORS	SS, JP, BE	SS, JP, BE	SS, JP, BE
TYPE	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning
METAL KNOBS	LED LIGHTNED	LED LIGHTNED	LED LIGHTNED
NUMBER OF ZONES	4	6	6
CONTROL FEATURES			
BAKE ELEMENT POWER	3,000 W	3,000 W	3,000 W
BROILER ELEMENT POWER	3,500 W	3,500 W	3,500 W
PERFORMANCE FEATURES			
NO PREHEAT AIR FRY	•	•	•
BAKE	•	•	•
BROIL	•	•	•
CONVECT BAKE	•	•	•
CONVECT BROIL	•	•	•
CONVECT ROAST	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
KEEP WARM	•	•	•
PROOFING	•	•	•
SABBATH MODE	•	•	•
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.7" X 53.8" X 35.5"