

#### KFES530S

- Even-Heat<sup>™</sup> True Convection
- 5.3 Cu. Ft. Oven Capacity
- Two Dual Elements
- 5 Cooking Elements including a WarmZone
- Self + Steam Cleaning
- + Rapid Preheat Oven
- + Edge-to-Edge Glass
- + Fresh Pizza Mode
- + No Preheat Air Fry
- + No Preheat Reheat
- + No Preheat Slow Cook
- + Personalization
- + Smart Capabilities



#### KFED500E

- Even-Heat<sup>™</sup> True Convection
- + 6.7 Cu. Ft. Oven Capacity
- 5 Cooking Elements including a Warm Zone
- + EasyConvect<sup>™</sup> Conversion System
- Self Clean

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



F = Freestanding Range



E = Other Electric

## KFED500ESS

D = Double Oven G = Storage Drawer

KFED500ESS

50 = True Convection



0=30 in



E = 2015

S = 2025





### KSES330S

- Fan Convection
- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam Cleaning
- + Rapid Preheat Oven
- + Edge-to-Edge Glass
- + No Preheat Air Fry
- + No Preheat Reheat
- + No Preheat Slow Cook
- + Fresh Pizza Mode
- + Smart Capabilities



### KSES530S

#### + Even-Heat™ True Convection

- 5.3 Cu. Ft. Oven Capacity
- Triple Element, Dual Element
- 5 Cooking Elements including a WarmZone
- Self + Steam
- + Personalization
- Rapid Preheat Oven
- Edge-to-Edge Glass
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode and Steam Bake
- Smart Capabilities



### KSEB900E

- Even-Heat<sup>™</sup> True Convection
- + 7.1 Cu. Ft. Oven Capacity
- 5 Cooking Elements including a Warm Zone
- EasyConvect  ${}^{\scriptscriptstyle \rm M}$  Conversion System
- AquaLift<sup>®</sup> Self Clean
- + Baking Drawer



#### KSEG950E

- Even-Heat<sup>™</sup> True Convection
- 6.4 Cu. Ft. Oven Capacity
- 4 Cooking Elements
- EasyConvect<sup>™</sup> Conversion System
- Steam Rack
- AquaLift<sup>®</sup> Self Clean
- + Downdraft Ventilation System

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



S = Slide-In Range



E = Electric

I = Induction

## KSEG950ESS

B = Baking Drawer G = Storage Drawer

S = Storage Drawer

### KSEG950ESS

70/90/95 = Even-Heat<sup>™</sup> True Convection



0=30 in



E = 2015 P = 2023 S = 2025





### KSIS730P

- Even-Heat<sup>™</sup> True Convection
- EasyConvect<sup>™</sup> Conversion System
- 6.4 Cu. Ft. Oven Capacity
- + 4 Induction Zones with a Bridge Zone
- Steam Rack
- Storage Drawer
- AquaLift® Self Clean
- + Air Fry Mode
- + Dishwasher-Safe Air Fry basket

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



S = Slide-In Range



E = Electric

I = Induction

## KSEG950ESS

B = Baking Drawer G = Storage Drawer S = Storage Drawer



70/90/95 = Even-Heat<sup>™</sup> True Convection



0=30 in



E = 2015 P = 2023 S = 2025



# ELECTRIC RANGES

RANGE MODEL	KFES530S	KFED500E
CAPACITY (CU. FT.)	5.3	6.7
AVAILABLE COLORS	PS	WH , SS , BS
ТҮРЕ	Freestanding	Freestanding
DESIGN FEATURES		
CLEANING	Steam + Self	Self Cleaning
DOUBLE-OVEN		•
NUMBER OF ELEMENTS	5	5
NUMBER OF RACKS	2 Standard	1 Upper, 2 Lower
CONTROL FEATURES		
EASYCONVECT™ CONVERSION		•
PERFORMANCE FEATURES		
AIR BAKE	•	
AIR FRY	•	
AIR REHEAT	•	
AIR ROAST	•	
10" EVEN-HEAT™ ULTRA ELEMENT		•
DUAL ELEMENTS (12/9" AND 9/6")	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
FRESH PIZZA	•	
HIDDEN BAKE ELEMENT	•	•
PROOF	•	
RAPID PREHEAT	•	
SLOW COOK	•	
STORAGE DRAWER	•	
TRIPLE-RING ELEMENT		•
WARMING ZONE	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"

# ELECTRIC RANGES

		<u>0000</u>		<u>85</u> 88	
				(man)	(more)
RANGE MODEL	KSES330S	KSES530S	KSEB900E	KSEG950E	KSIS730P
CAPACITY (CU. FT.)	5.3	5.3	7.1	6.4	6.4
AVAILABLE COLORS	PS	PS, JP, BE	SS	SS	SS
ТҮРЕ	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
ADA COMPLIANT			•	٠	•
FIT SYSTEM LIMITED GUARANTEE*	•	•	•	٠	•
DESIGN FEATURES					
AIR FRY BASKET (DISHWASHER-SAFE)	Optional	Optional			Included
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
NUMBER OF ELEMENTS/ZONES	5	5	5	4	4
SENSOR INDUCTION TECHNOLOGY					•
NUMBER OF RACKS	2 Standard	1 Max Cap, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Slide, 1 Steam	1 Max, 1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONVECT™ CONVERSION	•	•	•	•	•
GLASS TOUCH CONTROLS	•	•	•	•	•
PERFORMANCE FEATURES					
AIRBAKE					•
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
BAKING DRAWER			•		
DOWNDRAFT VENTING SYSTEM				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	•
FRESH PIZZA	•	•			
POWER BOOST					•
RAPID PREHEAT	•	•			
SLOW COOK	•	•			
STEAM BAKE		•			
STEAM TRAY		•	•	•	•
STORAGE DRAWER	•	٠			•
WARMING ZONE	•	•	•		
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.6" X 29.9" X 25.4"	36.6" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-3/4"



#### KFGS530S

- Even-Heat<sup>™</sup> True Convection
- 5.0 Cu. Ft. Oven Capacity
- Oval Burner
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- Self + Steam Cleaning
- + Rapid Preheat Oven
- + Edge-to-Edge Grates
- + No Preheat Air Fry
- + No Preheat Reheat
- + No Preheat Slow Cook
- + Fresh Pizza Mode and Steam Bake
- + Personalization
- + Smart Capabilities



#### KFDD500E

- Even-Heat<sup>™</sup> True Convection
- + 6.7 Cu. Ft. Oven Capacity
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect<sup>™</sup> Conversion System
- Storage Drawer
- Self Clean
- Griddle Included
- + Dual Fuel
- + Steam Rack



#### KFGD500E

- Even-Heat<sup>™</sup> True Convection
- + 6.0 Cu. Ft. Total Capacity
- 5 Burners (17k, 10k, 7.3k, 5k, 5k)
- EasyConvect<sup>™</sup> Conversion System
- Self Clean
- + Griddle Included

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®

### KFGD500ESS PLATFORM

F = Freestanding Range

### KEGD500ESS CONFIGURATION

G = Gas D = Dual Fuel

### KFGD500ESS

D = Double Oven G = Storage Drawer



XX = The higher the number the more features available.



0=30 in



E = 2015

S = 2025





### KSGS330S

- Fan Convection
- 5.0 Cu. Ft. Oven Capacity
- Oval Burner
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Cleaning
- + Rapid Preheat Oven
- + Edge-to-Edge Grates
- + No Preheat Air Fry
- + No Preheat Reheat
- + No Preheat Slow Cook
- + Fresh Pizza Mode
- + Smart Capabilities



#### KSGS530S

- + Even-Heat<sup>™</sup> True Convection
- 5.0 Cu. Ft. Oven Capacity
- + 2-in-1 Oval Burner
- 5 burners (5k, 10k, 12k, 2-18k)
- Self + Steam Cleaning
- + Personalization
- Rapid Preheat Oven
- Edge-to-Edge Grates
- No Preheat Air Fry
- No Preheat Reheat
- No Preheat Slow Cook
- Fresh Pizza Mode and Steam Bake
- Smart Capabilities
- + Included Griddle



#### KSGB900E

- Even-Heat™ True Convection
- + 6.5 Cu. Ft. Total Capacity
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- + Baking Drawer



#### KSDB900E

- Even-Heat<sup>™</sup> True Convection
- + 7.1 Cu. Ft. Total Capacity
- 5 burners (5k, 8k, 9.2k, 15k and 19k)
- Steam Rack
- AquaLift® Self Clean
- Baking Drawer
- + Dual Fuel
- + Griddle Included

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



S = Slide-In Range

### KSDG950ESS CONFIGURATION

D = Dual Fuel G = Gas

## KFDD500ESS

G = Storage Drawer B = Baking Drawer

### KFGD500ESS

70/90/95 = Even-Heat™ True Convection



0=30 in



E = 2015

S = 2025

## KFGD500ESS



#### KSDG950E

- Even-Heat<sup>™</sup> True Convection
- 6.4 Cu. Ft. Capacity
- 4 burners (5k, 9.2k, 15k and 17k)
- Steam Rack
- AquaLift® Self Clean
- + Downdraft Ventalation System
- Griddle Included

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®

### KSDG950ESS PLATFORM

S = Slide-In Range



D = Dual Fuel G = Gas

## KFDD500ESS

G = Storage Drawer B = Baking Drawer



70/90/95 = Even-Heat™ True Convection



0=30 in



E = 2015

S = 2025



# GAS & DUAL FUEL RANGES

RANGE MODEL	KFGS530S	KFGD500E	KFDD500E
CAPACITY (CU. FT.)	5.0	6.0	6.7
AVAILABLE COLORS	PS	WH , SS , BS	SS
ТҮРЕ	Freestanding	Freestanding	Freestanding
DESIGN FEATURES			
CLEANING	Self + Steam	Self Cleaning	Self Cleaning
DOUBLE-OVEN		٠	•
GRIDDLE INCLUDED		•	•
NUMBER OF BURNERS	5	5	5
NUMBER OF RACKS	1 Standard, 1 Max	1 Upper, 2 Lower	1 Upper, 2 Lower
CONTROL FEATURES			
EASYCONVECT™ CONVERSION		•	•
GLASS TOUCH CONTROLS		•	•
PERFORMANCE FEATURES			
AIRBAKE	٠		
AIR FRY	•		
AIR REHEAT	٠		
AIR ROAST	•		
DUAL FUEL			•
EVEN-HEAT™ TRUE CONVECTION	•	•	•
FRESH PIZZA	•		
HIDDEN BAKE ELEMENT	•	•	•
RAPID PREHEAT	•		
SABBATH MODE	•	•	•
SLOW COOK	•	•	
STEAM TRAY	•		•
STORAGE DRAWER	•		
ACCESSORIES			
AIR FRY BASKET (W11692811)	Optional		
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	46.5" X 29.9" X 24.5"	47-3/8" X 29-15/16" X 28-1/2"	47-3/8" X 29-15/16" X 28-1/2

# GAS & DUAL FUEL RANGES

	<u> </u>	<ul> <li>○ ○ ○ ○ ○ ○</li> <li>○ ○<th></th><th></th><th></th></li></ul>			
RANGE MODEL	KSGS3305	KSGS530S	KSGB900E	KSDB900E	KSDG950E
CAPACITY (CU. FT.)	5.0	5.0	6.5	7.1	6.4
AVAILABLE COLORS	PS	PS, JP, BE	SS	SS	SS
ТҮРЕ	Slide-In	Slide-In	Slide-In	Slide-In	Slide-In
FIT SYSTEM LIMITED GUARANTEE	•	•	•	•	•
DESIGN FEATURES					
CLEANING	Self + Steam	Self + Steam	AquaLift® Self Clean	AquaLift® Self Clean	AquaLift® Self Clean
GRIDDLE INCLUDED		•		•	•
NUMBER OF BURNERS	5	5	5	5	4
NUMBER OF RACKS	1 Standard, 1 Max	1 Max, 1 Steam	1 Max, 1 Glide, 1 Steam	1 Max, 1 Glide, 1 Steam	1 Max, 1 Glide, 1 Steam
CONTROL FEATURES					
EASYCONVECT™ CONVERSION			•	•	•
GLASS TOUCH CONTROLS	•	•	•	•	•
PERFORMANCE FEATURES					
CENTER OVAL BURNER	•		•	•	
DUAL-STACKED OVAL BURNER		•			
AIR BAKE	•	•			
AIR FRY	•	•			
AIR REHEAT	•	•			
AIR ROAST	•	•			
BAKING DRAWER			•	•	
DOWNDRAFT VENTING SYSTEM					•
DUAL FUEL				•	
EVEN-HEAT™ TRUE CONVECTION		•	•	•	
RAPID PREHEAT	•	•			
SABBATH MODE	•	•			
SLOW COOK	•	•			
STEAM BAKE		•			
STEAM TRAY		•	•	•	•
STORAGE DRAWER	•	•			
ACCESSORIES					
AIR FRY BASKET (W11692811)	Optional	Optional			
DIMENSIONS					
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	36.7" X 29.9" X 25.4"	36.7" X 29.9" X 25.4"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"	36" X 29-7/8" X 28-7/8"



### KFGS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power<sup>™</sup> Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack



### KFGS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat<sup>™</sup> True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack



### KFDS930S

- 4.1 Cu. Ft. Oven Capacity
- Four Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack



#### KFDS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Burners
- Even-Heat<sup>™</sup> True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



F = Freestanding Range



G = Gas D = Dual Fuel

## KFGD500ESS

D = Double Oven G = Storage Drawer S = Slow Cook Drawer



XX = The higher the number the more features available.



0 = 30 in 6 = 36 in 8 = 48 in



E = 2015

S = 2025



WH = White BL = Black BS = Black Stainless SS = Stainless Steel JP = Juniper BE = Black Ore SC = Scorched Orange AG = Agave DC = Cardamom WF = Wildflower



### KFGD948S

#### + 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power<sup>™</sup> Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack
- + Chrome-Infused Electric Griddle



#### KFDD948S

#### + 6.3 Cu. Ft. Oven Capacity

- Six Burners
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Two 20,000 BTU Ultra Power™ Dual-Flame Burners
- Personalization
- Integrated Wok Grate
- SatinGlide™ Roll-Out Extension Rack
- + Chrome-Infused Electric Griddle

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



F = Freestanding Range



G = Gas D = Dual Fuel

## KFGD500ESS

D = Double Oven G = Storage Drawer S = Slow Cook Drawer



XX = The higher the number the more features available.



0 = 30 in 6 = 36 in 8 = 48 in



E = 2015

S = 2025



WH = WhiteBL = BlackBS = Black StainlessSS = Stainless SteelJP = JuniperBE = Black OreSC = Scorched OrangeAG = AgaveDC = CardamomWF = Wildflower

PAGE 1 OF 2

### **COMMERCIAL-LIKE GAS & DUAL FUEL RANGES**

RANGE MODEL	KFGS930S	KFDS930S	KFGS936S	KFDS936S
CAPACITY (CU. FT.)	4.1	4.1	5.1	5.1
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
ТҮРЕ	Professional	Professional	Professional	Professional
DESIGN FEATURES				
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning	Self Cleaning
DUAL FUEL	•	•	•	•
METAL KNOBS	Backlit	Backlit	Backlit	Lighted
NUMBER OF BURNERS	4	4	6	6
CONTROL FEATURES				
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•	•	•
PERFORMANCE FEATURES				
NO PREHEAT AIR FRY MODE	•	•	•	•
BAKE	•	•	•	•
BROIL	•	•	•	•
CONVECT BAKE	•	•	•	•
CONVECT BROIL	•	•	•	•
CONVECT ROAST	•	•	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•	•	•
KEEP WARM	•	•	•	•
PROOFING	•	•	•	•
SABBATH MODE	•	•	•	•
ACCESSORIES				
AIR FRY BASKET (W11692811)	Optional	Optional	Optional	Optional
DIMENSIONS				
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.6" X 41.8" X 35.5"

## COMMERCIAL-LIKE GAS & DUAL FUEL RANGES

RANGE MODEL	KFGD948S	KFDD948S
CAPACITY (CU. FT.)	6.3	6.3
AVAILABLE COLORS	SS, JP, BE	AG, BE, DC, JP, SC, SS, WF
ТҮРЕ	Professional	Professional
DESIGN FEATURES		
CLEANING	Self Cleaning	Self Cleaning
DUAL FUEL	•	•
METAL KNOBS	Backlit	Backlit
NUMBER OF BURNERS	6	6
CONTROL FEATURES		
BAKE ELEMENT POWER	17,000 BTU / 3,000 W	17,000 BTU / 3,000 W
BROILER ELEMENT POWER	11,000 BTU / 5,500 W	11,000 BTU / 5,500 W
SEALED BURNER	•	•
PERFORMANCE FEATURES		
NO PREHEAT AIR FRY MODE	•	•
BAKE	•	•
BROIL	•	•
CONVECT BAKE	•	•
CONVECT BROIL	•	•
CONVECT ROAST	•	•
EVEN-HEAT™ TRUE CONVECTION	•	•
KEEP WARM	•	•
PROOFING	•	•
SABBATH MODE	•	•
ACCESSORIES		
AIR FRY BASKET (W11692811)	Optional	Optional
DIMENSIONS		
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.7" X 53.8" X 35.5"	47.7" X 53.8" X 35.5"



#### **KFIS930S**

- 4.1 Cu. Ft. Oven Capacity
- Four Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- SatinGlide™ Roll-Out Extension Rack



#### KFIS936S

- + 5.1 Cu. Ft. Oven Capacity
- + Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- SatinGlide™ Roll-Out Extension Rack

### UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand ranges lineup.



K = KitchenAid®



F = Freestanding Range



I = Induction



D = Double Oven G = Storage Drawer S = Slow Cook Drawer



XX = The higher the number the more features available.



0 = 30 in 6 = 36 in 8 = 48 in



E = 2015

S = 2025

## KFGD500ESS

WH = White BL = Black BS = Black Stainless SS = Stainless Steel JP = Juniper BE = Black Ore



#### KFID948S

- + 6.3 Cu. Ft. Oven Capacity
- Six Elements
- Sensor Induction Technology
- Even-Heat™ True Convection
- No Preheat Air Fry Mode
- Personalization
- SatinGlide™ Roll-Out Extension Rack
- + Chrome-Infused Electric Griddle

## **COMMERCIAL INDUCTION RANGES**

RANGE MODEL	KFIS930S	KFIS936S	KFID948S
CAPACITY (CU. FT.)	4.1	5.1	6.3
AVAILABLE COLORS	SS, JP, BE	SS, JP, BE	SS, JP, BE
ТҮРЕ	Professional	Professional	Professional
DESIGN FEATURES			
CLEANING	Self Cleaning	Self Cleaning	Self Cleaning
METAL KNOBS	Backlit	Backlit	Backlit
NUMBER OF ZONES	4	6	6
CONTROL FEATURES			
BAKE ELEMENT POWER	3,000 W	3,000 W	3,000 W
BROILER ELEMENT POWER	3,500 W	3,500 W	3,500 W
PERFORMANCE FEATURES			
NO PREHEAT AIR FRY	•	•	•
BAKE	•	•	•
BROIL	•	•	•
CONVECT BAKE	٠	•	•
CONVECT BROIL	٠	•	•
CONVECT ROAST	٠	•	•
EVEN-HEAT™ TRUE CONVECTION	٠	•	•
KEEP WARM	٠	•	•
PROOFING	٠	•	•
SABBATH MODE	•	•	•
ACCESSORIES			
AIR FRY BASKET (W11692811)	Optional	Optional	Optional
DIMENSIONS			
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)	47.5" X 35.8" X 35.5"	47.6" X 41.8" X 35.5"	47.7" X 53.8" X 35.5"