KitchenAid®

ENTERTAIN IN STYLE WITH UNDERCOUNTER REFRIGERATION

TWO TEMPERATURE-CONTROLLED ZONES

Tell customers how KitchenAid® wine cellars and beverage centers feature independent temperature zones to help preserve the flavor and integrity of both red and white wines and fresh food.

CLEAR ICE TECHNOLOGY

KitchenAid® ice makers with Clear Ice Technology produce attractive, uniform cubes with a slow melt rate, keeping beverages cold without watering them down quickly.

UNDERCOUNTER REFRIGERATOR SPECIFICATIONS

REFRIGERATOR MODELS	KURR/L114K	KURR214K	KURR/L314K	KUDR204K	KUDF204K
AVAILABLE COLORS	SB/PA	SB	SS/BS	SB/PA	SB/PA
CAPACITY (CU. FT.)	5.0	5.2	5.2	4.4	4.29
DOUBLE-DRAWER STYLE				Refrigerator Only	Refrigerator & Freezer
CONTROLS	Backlit Touch	Backlit Touch	Backlit Touch	Backlit Touch	Backlit Touch
DOOR STYLE	Stainless Steel/ Panel Ready	UV-Protected Thermal Glass	UV-Protected Thermal Glass	Stainless Steel/ Panel Ready	Stainless Steel/ Panel Ready
DOOR OPENING	Right (KURR114K) Left (KURL114K)	Right	Right (KURR314K) Left (KURL314K)	Drawer	Drawer
ENERGY STAR® CERTIFIED	•	•	•	•	•
FEATURES					
FULLY FLUSH INSTALLATION	with Hidden Hinges	with Hidden Hinges	with Hidden Hinges	•	•
TEMPERATURE MONITORING SYSTEM	•	•	•	•	•
TEMPERATURE-CONTROLLED ZONES	1	1	1	2	2
INTERIOR LED LIGHTING	•	Motion-Activated	Motion-Activated	•	•
STAINLESS STEEL CABINET AND BASE GRILLE			•		
GLASS SHELVES	•	•	with Metallic Accents		
DOOR ALARM	•	•	•	•	•
SABBATH MODE (STAR-K CERTIFIED)	•	•	•	•	•
MAX COOL	•	•	•	•	•
AUTOMATIC DEFROST	•	•	•	•	•
AUTOMATIC ICE MAKER (FREEZER DRAWER)					•
DIMENSIONS					
HEIGHT X WIDTH X DEPTH	34-3/8" X 23-7/8" X 26-7/16"	34-3/8" X 23-7/8" X 26-7/16"	34-3/8" X 23-7/8" X 26-7/16"	34-1/8" X 23-7/8" X 25-7/8"	34-1/8" X 23-7/8" X 25-7/8"

UNDERCOUNTER BEVERAGE CENTER SPECIFICATIONS

BEVERAGE CENTER MODELS	KUBR/L214K	KUBR/L314K
AVAILABLE COLORS	SB/PA (KUBR214K) SB (KUBL214K)	SS/BS
CAPACITY (CU. FT.)	4.8	4.8
CAPACITY (NUMBER OF WINE BOTTLES)	14	14
CONTROLS	Backlit Touch	Backlit Touch
DOOR STYLE	UV-Protected Thermal Glass	UV-Protected Thermal Glass
DOOR OPENING	Right (KUBR214K) Left (KUBL214K)	Right (KUBR314K) Left (KUBL314K)
FEATURES		
FULLY FLUSH INSTALLATION	with Hidden Hinges	with Hidden Hinges
TEMPERATURE MONITORING SYSTEM	•	•
TEMPERATURE-CONTROLLED ZONES	2	2
INTERIOR LED LIGHTING	Motion-Activated	Motion-Activated
STAINLESS STEEL CABINET AND BASE GRILLE		•
SATINGLIDE® RACKS	Full-Extension Wood-Front	Full-Extension Metal-Front
GLASS SHELVES	•	with Metallic Accents
DOOR ALARM	•	•
SABBATH MODE (STAR-K CERTIFIED)	•	•
MAX COOL	•	•
AUTOMATIC DEFROST	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	34-3/8" X 23-7/8" X 26-7/16"	34-3/8" X 23-7/8" X 26-7/16"

UNDERCOUNTER WINE CELLAR SPECIFICATIONS

WINE CELLAR MODELS	KUWR/L214K	KUWR/L314K
AVAILABLE COLORS	SB/PA	SS/BS
CAPACITY (NUMBER OF STANDARD WINE BOTTLES)	46	46
CONTROLS	Backlit Touch	Backlit Touch
DOOR STYLE	UV-Protected Thermal Glass	UV-Protected Thermal Glass
DOOR OPENING	Right (KUWR214K) Left (KUWL214K)	Right (KUWR314K) Left (KUWL314K)
FEATURES		
FULLY FLUSH INSTALLATION	with Hidden Hinges	with Hidden Hinges
TEMPERATURE MONITORING SYSTEM	•	•
TEMPERATURE-CONTROLLED ZONES	2	2
INTERIOR LED LIGHTING	Motion-Activated	Motion-Activated
STAINLESS STEEL CABINET AND BASE GRILLE		•
SATINGLIDE® RACKS	Full-Extension Wood-Front	Full-Extension Metal-Front
DOOR ALARM	•	•
SABBATH MODE (STAR-K CERTIFIED)	•	•
MAX COOL	•	•
AUTOMATIC DEFROST	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	34-3/8" X 23-7/8" X 26-7/16"	34-3/8" X 23-7/8" X 26-7/16"

UNDERCOUNTER ICE MAKER SPECIFICATIONS

ICE MAKER MODELS	KUID308H	KUIX335H	KUID508H	KUIX535H
AVAILABLE COLORS	PS	PS	PS	PS/BS/PA
CAPACITY (LBS OF ICE)	35	25	35	25
CONTROLS	Electronic Touch	Electronic Touch	Electronic Touch	Electronic Touch
DOOR OPENING	Drop-Down	Side-Swing	Drop-Down	Side-Swing
REVERSIBLE DOOR		•		•
FEATURES				
FULLY FLUSH INSTALLATION	•	with Articulating Hinge	•	with Articulating Hinge
FREESTANDING OR BUILT-IN INSTALLATION			•	
CLEAR ICE TECHNOLOGY	•	•	•	•
BUILT-IN DRAIN PUMP SYSTEM			•	•
GRAVITY DRAIN SYSTEM (PUMP SOLD SEPARATELY)	•	•		
INTERIOR LED LIGHT	•	•	•	•
SELF-CLEANING CYCLE	•	•	•	•
MAX ICE	•	•	•	•
FILTER-READY	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	34-3/8" X 17-7/8" X 25-5/8"	33-5/8" X 14-7/8" X 25-3/8"	34-3/8" X 17-7/8" X 25-5/8"	34-1/16" X 14-7/8" X 26-1/16"

KEY UNDERCOUNTER REFRIGERATOR STEP-UP FEATURES

KURR/L114K

- 5.0 Cu. Ft. Capacity
- Temperature Monitoring System
- (1) Temperature-Controlled Zone
- Stainless Steel or Panel-Ready Door
- Interior LED Lighting
- Glass Shelves

KURR214K

- Temperature Monitoring System
- (1) Temperature-Controlled Zone
- Glass Shelves
- **+ 5.2 Cu. Ft. Capacity**
- **+ UV-Protected Thermal Glass Door**
- **+ Motion-Activated LED Lighting**

KURR/L314K

- 5.2 Cu. Ft. Capacity
- Temperature Monitoring System
- (1) Temperature-Controlled Zone
- UV-Protected Thermal Glass Door
- Motion-Activated LED Lighting
- **+ Glass Shelves with Metallic Accents**
- **+ Stainless Steel Cabinet and Base Grille**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's undercounter refrigerator lineup.

KURR314KSS
BRAND

K = KitchenAid

K**U**RR314KSS
CATEGORY

U = Undercounter Refrigeration

KU**R**R314KSS
CONFIGURATION

R = Undercounter Refrigerator

KUR**R**314KSS
DOOR OPENING

L = Left Door Swing
R = Right Door Swing

KURR**31**4KSS
FEATURE PACK

The higher the number the more features.

KURR31**4**KSS
WIDTH

4 = 24 in

KURR314**K**SS
PRODUCTION YEAR

K = 2020

KURR314K**SS**
COLOR

SS/SB = Stainless Steel
BS = Black Stainless Steel with PrintShield™ Finish
PA = Panel-Ready

+ Indicates Step-Up Feature

KUDR204K

- 4.4 Cu. Ft. Capacity
- Temperature Monitoring System
- Stainless Steel or Panel-Ready Double-Drawer Refrigerator
- Interior LED Lighting
+ **(2) Temperature-Controlled Zones**

KUDF204K

- 4.29 Cu. Ft. Capacity
- Temperature Monitoring System
- (2) Temperature-Controlled Zones
- Interior LED Lighting
+ **Stainless Steel or Panel-Ready Double-Drawer Refrigerator/Freezer**
+ **Automatic Ice Maker**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's undercounter refrigerator lineup.

KUDR204KPA
BRAND

K = KitchenAid

KUDR204KPA
CATEGORY

U = Undercounter Refrigeration

KUDR204KPA
SUB-CATEGORY

D = Double-Drawer Refrigerator

KUDR204KPA
CONFIGURATION

F = Refrigerator/Freezer Drawers
R = Two Refrigerator Drawers

KUDR204KPA
FEATURE PACK

The higher the number the more features.

KUDR204KPA
WIDTH

4 = 24 in

KUDR204KPA
PRODUCTION YEAR

K = 2020

KUDR204KPA
COLOR

SB = Stainless Steel
PA = Panel-Ready

+ **Indicates Step-Up Feature**

KUBR/L214K

- 4.8 Cu. Ft. / 14 Wine Bottle Capacity
- Temperature Monitoring System
- (2) Temperature-Controlled Zones
- UV-Protected Thermal Glass Door
- Motion-Activated LED Lighting
- SatinGlide® Full-Extension Wood-Front Racks
- Glass Shelves

KUBR/L314K

- 4.8 Cu. Ft. / 14 Wine Bottle Capacity
- Temperature Monitoring System
- (2) Temperature-Controlled Zones
- UV-Protected Thermal Glass Door
- Motion-Activated LED Lighting
- **+ SatinGlide® Full-Extension Metal-Front Racks**
- **+ Glass Shelves with Metallic Accents**
- **+ Stainless Steel Cabinet and Base Grille**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's beverage center lineup.

KUBL314KBS
BRAND

K = KitchenAid

K**U**BL314KBS
CATEGORY

U = Undercounter Refrigeration

KU**B**L314KBS
SUB-CATEGORY

B = Beverage Center

KUB**L**314KBS
DOOR OPENING

L = Left Door Swing
R = Right Door Swing

KUBL**314**KBS
FEATURE PACK

The higher the number the more features.

KUBL31**4**KBS
WIDTH

4 = 24 in

KUBL314**K**BS
PRODUCTION YEAR

K = 2020

KUBL314K**BS**
COLOR

SS/SB = Stainless Steel
BS = Black Stainless Steel with PrintShield™ Finish
PA = Panel-Ready

+ Indicates Step-Up Feature

KUWR/L214K

- 46 Standard Wine Bottle Capacity
- Temperature Monitoring System
- (2) Temperature-Controlled Zones
- UV-Protected Thermal Glass Door
- Motion-Activated LED Lighting
- SatinGlide® Full-Extension Wood-Front Racks

KUWR/L314K

- 46 Standard Wine Bottle Capacity
- Temperature Monitoring System
- (2) Temperature-Controlled Zones
- UV-Protected Thermal Glass Door
- Motion-Activated LED Lighting
- **+ SatinGlide® Full-Extension Metal-Front Racks**
- **+ Stainless Steel Cabinet and Base Grille**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's wine cellar lineup.

KUWR314KSB
BRAND

K = KitchenAid

K**U**WR314KSB
CATEGORY

U = Undercounter Refrigeration

KU**W**R314KSB
SUB-CATEGORY

W = Wine Cellar

KUW**R**314KSB
DOOR OPENING

L = Left Door Swing
R = Right Door Swing

KUWR**31**4KSB
FEATURE PACK

The higher the number the more features.

KUWR31**4**KSB
WIDTH

4 = 24 in

KUWR314**K**SB
PRODUCTION YEAR

K = 2020

KUWR314K**SB**
COLOR

SS/SB = Stainless Steel
BS = Black Stainless Steel with PrintShield™ Finish
PA = Panel-Ready

+ Indicates Step-Up Feature

KEY UNDERCOUNTER ICE MAKER STEP-UP FEATURES

KUID308H

- 35-lb Ice Storage Capacity
- Fully Flush Installation
- Drop-Down Door
- Clear Ice Technology
- Gravity Drain System
  (Pump Sold Separately)

KUIX335H

- 25-lb Ice Storage Capacity
- Clear Ice Technology
- Gravity Drain System
  (Pump Sold Separately)
- **+ Fully Flush Installation
  with Articulating Hinge**
- **+ Reversible Side-Swing Door**

KUID508H

- Fully Flush Installation
- Drop-Down Door
- Clear Ice Technology
- **+ 35-lb Ice Storage Capacity**
- **+ Built-In Drain Pump System**
- **+ Freestanding or
  Built-In Installation**

KUIX535H

- 25-lb Ice Storage Capacity
- Clear Ice Technology
- Built-In Drain Pump System
- **+ Fully Flush Installation
  with Articulating Hinge**
- **+ Reversible Side-Swing Door**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ice maker lineup.

KUIX535HPS
BRAND

K = KitchenAid

K**U**IX535HPS
CATEGORY

U = Undercounter Refrigeration

KU**I**X535HPS
SUB-CATEGORY

I = Ice Maker

KUI**X**535HPS
DOOR OPENING

D = Drop-Down
X = Reversible Side-Swing

KUIX**53**5HPS
FEATURE PACK

The higher the number the more features.

KUIX53**5**HPS
WIDTH

5 = 15 in
8 = 18 in

KUIX535**H**PS
PRODUCTION YEAR

H = 2018

KUIX535H**PS**
COLOR

PS = Stainless Steel with
     PrintShield™ Finish
BS = Black Stainless Steel
     with PrintShield™ Finish
PA = Panel-Ready

+ Indicates Step-Up Feature