



## KVWB400D KVWB406D

- Wall-Mounted Canopy Installation
- 3-Speed Back-Lit Push Button Fan Control
- (2) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 400 CFM Motor Class\* Ventilation System



## KVWC730S KVWC736S

- Wall-Mounted Canopy Installation
- 4-Speed Electronic Glass Touch Control
- (2) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 400 CFM Motor Class\* Ventilation System
- Removable Aluminum Mesh Filters
- + **Power Boost Function**
- + **Automatic Turn On**
- + **Available in Black Ore & Juniper**

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

### **KVWB400DSS** BRAND

K = KitchenAid

### **KVWB400DSS** CATEGORY

V/X = Ventilation

### **KVWB400DSS** CONFIGURATION

W = Wall Mount

### **KVWB400DSS** PRODUCT DETAIL

B = Built-In Blower Motor  
C = Commercial Style

### **KVWB400DSS** FEATURE PACK

40-49 = 400 CFM  
50-59 = 500 CFM  
60-69 = 600 CFM  
90-99 = Specialty/Commercial Style

### **KVWB400DSS** WIDTH

0 = 30"                      2 = 42"  
6 = 36"                      8 = 48"

### **KVWB400DSS** YEAR OF LAUNCH

D = 2014                      S = 2025

### **KVWB400DSS** COLOR

SS = Stainless Steel  
JP = Juniper  
BE = Black Ore

+ Indicates Step-Up Feature

\*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

SPECIFICATIONS

WALL MOUNT HOODS



MODEL	KVWB400D KVWB406D	KVWC730S KVWC736S
WIDTH	30" 36"	30" 36"
AVAILABLE COLORS	SS	SS / BE / JP
HOOD FEATURES		
4-SPEED, 400 CFM MOTOR CLASS*		•
3-SPEED, 400 CFM MOTOR CLASS*	•	
POWER BOOST FUNCTION		•
AUTO SPEED SETTING	•	•
AUTOMATIC TURN ON		•
REMOVABLE ALUMINUM MESH FILTERS	•	•
LED TASK LIGHTS	•	•
SONES (SOUND LEVEL AT HIGH SPEED)**	3	7 5.5
BTU RATING	65K	65K
CONTROLS	Back-Lit Push Button	Electronic Glass Touch
VENTING		
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•	•
EASY IN-LINE CONVERSION	•	•
PERIMETER VENTILATION	•	•
DIMENSIONS		
HEIGHT	28-7/8"	5"
WIDTH	30" 36"	30" 36"
DEPTH	20"	19-11/16"

\*Performance varies based on installation. Resources available at aham.org. \*\*When configured for outside ventilation. As published by aham.org.  
®/™ © 2025 KitchenAid. All rights reserved.



## KVIB606D KVIB602D

- Island Mount Canopy Installation
- 4-Speed Electronic Glass Touch Control
- Power Boost Function
- Auto Speed Setting
- Automatic Turn On
- (2) Halogen Night Lights
- (4) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 585 CFM Motor Class\* Ventilation System

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

**K**VIB606DBS  
BRAND

K = KitchenAid

**V**VIB606DBS  
CATEGORY

V/X = Ventilation

**I**VIB606DBS  
CONFIGURATION

I = Island Mount

**B**VIB606DBS  
PRODUCT DETAIL

B = Built-In Blower Motor

**60**VIB606DBS  
FEATURE PACK

60-69 = 600 CFM

**6**VIB606DBS  
WIDTH

6 = 36"

2 = 42"

**D**VIB606DBS  
YEAR OF LAUNCH

D = 2014

**BS**VIB606DBS  
COLOR

BS = Black Stainless  
SS = Stainless Steel

**+ Indicates Step-Up Feature**

\*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.



MODEL	KVIB606D KVIB602D
WIDTH	36" 42"
AVAILABLE COLORS	SS/BS
HOOD FEATURES	
4-SPEED, 585 CFM MOTOR CLASS*	
3-SPEED, 400 CFM MOTOR CLASS*	•
POWER BOOST FUNCTION	•
AUTO SPEED SETTING	•
AUTOMATIC TURN ON	•
REMOVABLE ALUMINUM MESH FILTERS	•
LED TASK LIGHTS	•
HALOGEN NIGHT LIGHTS	2
SONES (SOUND LEVEL AT HIGH SPEED)**	5.5 5.4
BTU RATING	65K
CONTROLS	Electronic Touch
VENTING	
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•
EASY IN-LINE CONVERSION	•
PERIMETER VENTILATION	•
DIMENSIONS	
HEIGHT	32-1/2"
WIDTH	36" 42"
DEPTH	27"



**KVWC906K**  
**KVWC908K**

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2-4) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class\* Blower (sold separately)



**KVWC956K**  
**KVWC958K**

- Commercial-Style Wall-Mounted Canopy
  - 4-Speed Fan
  - Power Boost Function
  - Automatic Turn On
  - Removable Stainless Steel Baffle Filters
  - (2-3) LED Task Lights with Night Light Setting
  - 90,000/105,000 BTU Rating
  - Requires 585 or 1170 CFM Motor Class\* Blower (sold separately)
- + (2) Food Warming Lamps**



**KVUB600K**  
**KVUB606K**

- Commercial-Style Under Cabinet
- Automatic Turn On
- Removable Aluminum Mesh Filters
- (2) LED Task Lights with Night Light Setting
- Perimeter Ventilation
- 65,000 BTU Rating
- 4-Speed Fan
- Requires 585 CFM Motor Class\* Blower (sold separately)

**+ Programmable Off Function**



**KVUC600K**  
**KVUC606K**

- Commercial-Style Under Cabinet
- 4-Speed Fan
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2) LED Task Lights with Night Light Setting
- 75,000/90,000 BTU Rating
- Requires 585 CFM Motor Class\* Blower (sold separately)

**+ Power Boost Function**

## UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

**KVWC906KSS**  
**BRAND**

K = KitchenAid

**KVWC906KSS**  
**CATEGORY**

V/X = Ventilation

**KVWC906KSS**  
**CONFIGURATION**

W = Wall Mount

U = Under cabinet

**KVWC906KSS**  
**PRODUCT DETAIL**

B = Built-In Blower Motor

C = Commercial Style

**KVWC906KSS**  
**FEATURE PACK**

60-69 = 600 CFM

90-99 = Specialty/Commercial Style

**KVWC906KSS**  
**WIDTH**

0 = 30"

8 = 48"

6 = 36"

**KVWC906KSS**  
**YEAR OF LAUNCH**

K = 2020

**KVWC906KSS**  
**COLOR**

SS = Stainless Steel

**+ Indicates Step-Up Feature**

\*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.



MODEL	KVWC906K KVWC908K	KVWC956K KVWC958K	KVUB600D KVUB606D	KVUC600K KVUC606K
WIDTH	36" 48"	36" 48"	30" 36"	30" 36"
AVAILABLE COLOR	SS	SS	SS	SS
HOOD FEATURES				
4-SPEED, 585/1170 CFM MOTOR CLASS*	•	•	•	•
POWER BOOST FUNCTION	•	•		•
AUTOMATIC TURN ON	•	•	•	•
REMOVABLE STAINLESS STEEL BAFFLE FILTERS	•	•		•
LED TASK LIGHTS	•	•	•	2 with Night Light Setting
FOOD WARMING LAMPS		•		
SONES (SOUND LEVEL AT HIGH SPEED)**	12	12.5	7	12
BTU RATING	90K/105K	90K/105K	65K	75K/90K
CONTROLS	Push Button	Push Button	Electronic Touch with LCD Display	Push Button
VENTING				
EXTERIOR VENTING	Horizontal or vertical	Vertical	30" Horizontal or vertical 36" Vertical	Vertical
ACCESSORIES				
BLOWER MOTOR – SOLD SEPARATELY	•	•	•	•
DIMENSIONS				
HEIGHT	18"	24-1/2"	9"	10"
WIDTH	36" 48"	36" 48"	30" 36"	30" 36"
DEPTH	25"	25"	19-3/4"	23"

\*Performance varies based on installation. Resources available at aham.org. \*\*When configured for outside ventilation. As published by aham.org.  
®/™ © 2025 KitchenAid. All rights reserved.