KEY STEP-UP FEATURES



KVWB400D
KVWB406D

- Wall-Mounted Canopy Installation
- 3-Speed Back-Lit Push Button Fan Control
- (2) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 400 CFM Motor Class* Ventilation System



KVWC730S
KVWC736S

- Wall-Mounted Canopy Installation
- 4-Speed Electronic Glass Touch Control
- (2) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 400 CFM Motor Class* Ventilation System
- Removable Aluminum Mesh Filters
- **+ Power Boost Function**
- **+ Automatic Turn On**
- **+ Available in Black Ore & Juniper**

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVWB400DSS
BRAND

K = KitchenAid

KVWB400DSS
CATEGORY

V/X = Ventilation

KVWB400DSS
CONFIGURATION

W = Wall Mount

KVWB400DSS
PRODUCT DETAIL

B = Built-In Blower Motor
C = Commercial Style

KVWB400DSS
FEATURE PACK

40–49 = 400 CFM
50–59 = 500 CFM
60–69 = 600 CFM
90–99 = Specialty/Commercial Style

KVWB400DSS
WIDTH

0 = 30"
2 = 42"
6 = 36"
8 = 48"

KVWB400DSS
YEAR OF LAUNCH

D = 2014
S = 2025

KVWB400DSS
COLOR

SS = Stainless Steel
JP = Juniper
BE = Black Ore

WALL MOUNT HOODS





MODEL	KVWB400D KVWB406D	KVWC730S KVWC736S
WIDTH	30" 36"	30" 36"
AVAILABLE COLORS	SS	SS / BE / JP
HOOD FEATURES		
4-SPEED, 400 CFM MOTOR CLASS*		•
3-SPEED, 400 CFM MOTOR CLASS*	•	
POWER BOOST FUNCTION		•
AUTO SPEED SETTING	•	•
AUTOMATIC TURN ON		•
REMOVABLE ALUMINUM MESH FILTERS	•	•
LED TASK LIGHTS	•	•
SONES (SOUND LEVEL AT HIGH SPEED)**	3	7 5.5
BTU RATING	65K	65K
CONTROLS	Back-Lit Push Button	Electronic Glass Touch
VENTING		
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•	•
EASY IN-LINE CONVERSION	•	•
PERIMETER VENTILATION	•	•
DIMENSIONS		
HEIGHT	28-7/8"	5"
WIDTH	30" 36"	30" 36"
DEPTH	20"	19-11/16"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

KEY STEP-UP FEATURES



KVIB606D
KVIB602D

- Island Mount Canopy Installation
- 4-Speed Electronic Glass Touch Control
- Power Boost Function
- Auto Speed Setting
- Automatic Turn On
- (2) Halogen Night Lights
- (4) LED Task Lights
- Perimeter Ventilation
- 65,000 BTU Rating
- 585 CFM Motor Class* Ventilation System

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVIB606DBS
BRAND

K = KitchenAid

KVIB606DBS
CATEGORY

V/X = Ventilation

KVIB606DBS
CONFIGURATION

I = Island Mount

KVIB606DBS
PRODUCT DETAIL

B = Built-In Blower Motor

KVIB606DBS
FEATURE PACK

60–69 = 600 CFM

KVIB606DBS
WIDTH

6 = 36" 2 = 42"

KVIB606DBS
YEAR OF LAUNCH

D = 2014

KVIB606DBS
COLOR

BS = Black Stainless
SS = Stainless Steel

ISLAND HOODS



MODEL	KVIB606D KVIB602D
WIDTH	36" 42"
AVAILABLE COLORS	SS/BS
HOOD FEATURES	
4-SPEED, 585 CFM MOTOR CLASS*	
3-SPEED, 400 CFM MOTOR CLASS*	•
POWER BOOST FUNCTION	•
AUTO SPEED SETTING	•
AUTOMATIC TURN ON	•
REMOVABLE ALUMINUM MESH FILTERS	•
LED TASK LIGHTS	•
HALOGEN NIGHT LIGHTS	2
SONES (SOUND LEVEL AT HIGH SPEED)**	5.5 5.4
BTU RATING	65K
CONTROLS	Electronic Touch
VENTING	
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•
EASY IN-LINE CONVERSION	•
PERIMETER VENTILATION	•
DIMENSIONS	
HEIGHT	32-1/2"
WIDTH	36" 42"
DEPTH	27"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

KEY STEP-UP FEATURES



KVWC906K
KVWC908K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2-4) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class* Blower (sold separately)



KVWC956K
KVWC958K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2-3) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class* Blower (sold separately)

+ (2) Food Warming Lamps



KVUB600K
KVUB606K

- Commercial-Style Under Cabinet
- Automatic Turn On
- Removable Aluminum Mesh Filters
- (2) LED Task Lights with Night Light Setting
- Perimeter Ventilation
- 65,000 BTU Rating
- 4-Speed Fan
- Requires 585 CFM Motor Class* Blower (sold separately)

+ Programmable Off Function



KVUC600K
KVUC606K

- Commercial-Style Under Cabinet
- 4-Speed Fan
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2) LED Task Lights with Night Light Setting
- 75,000/90,000 BTU Rating
- Requires 585 CFM Motor Class* Blower (sold separately)

+ Power Boost Function

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

®/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVWC906KSS
BRAND

K = KitchenAid

KVWC906KSS
CATEGORY

V/X = Ventilation

KVWC906KSS
CONFIGURATION

W = Wall Mount
U = Under cabinet

KVWC906KSS
PRODUCT DETAIL

B = Built-In Blower Motor
C = Commercial Style

KVWC906KSS
FEATURE PACK

60–69 = 600 CFM
90–99 = Specialty/Commercial Style

KVWC906KSS
WIDTH

0 = 30"
6 = 36"
8 = 48"

KVWC906KSS
YEAR OF LAUNCH

K = 2020

KVWC906KSS
COLOR

SS = Stainless Steel

COMMERCIAL-STYLE SPECIFICATION



MODEL	KVWC906K KVWC908K	KVWC956K KVWC958K	KVUB600D KVUB606D	KVUC600K KVUC606K
WIDTH	36" 48"	36" 48"	30" 36"	30" 36"
AVAILABLE COLOR	SS	SS	SS	SS
HOOD FEATURES				
4-SPEED, 585/1170 CFM MOTOR CLASS*	•	•	•	•
POWER BOOST FUNCTION	•	•		•
AUTOMATIC TURN ON	•	•	•	•
REMOVABLE STAINLESS STEEL BAFFLE FILTERS	•	•		•
LED TASK LIGHTS	•	•	•	2 with Night Light Setting
FOOD WARMING LAMPS		•		
SONES (SOUND LEVEL AT HIGH SPEED)**	12	12.5	7	12
BTU RATING	90K/105K	90K/105K	65K	75K/90K
CONTROLS	Push Button	Push Button	Electronic Touch with LCD Display	Push Button
VENTING				
EXTERIOR VENTING	Horizontal or vertical	Vertical	30" Horizontal or vertical 36" Vertical	Vertical
ACCESSORIES				
BLOWER MOTOR – SOLD SEPARATELY	•	•	•	•
DIMENSIONS				
HEIGHT	18"	24-1/2"	9"	10"
WIDTH	36" 48"	36" 48"	30" 36"	30" 36"
DEPTH	25"	25"	19-3/4"	23"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

®/™ © 2025 KitchenAid. All rights reserved.