

KitchenAid®

**KEEP THE KITCHEN CLEAN
AND QUIET WITH EFFICIENT
VENTILATION OPTIONS**

TOP FEATURES



POWER BOOST FUNCTION

Tell customers how this feature (available on select models) enhances performance when using high-temperature cooking techniques by providing a timed, short burst of high-speed ventilation to effectively filter steam, grease and odors from the air.



LED LIGHTS WITH NIGHT LIGHT SETTING

Select models feature LED Lights that provide two levels of brightness, allowing you to illuminate the entire cooking surface below with natural-looking light or subtly accent the kitchen with a soft, inviting glow.

CANOPY HOODS



MODEL	KVWB400D KVWB406D	KVWB600D KVWB606D	KVWB600H KVWB606H	KVIB606D KVIB602D
REPLACES MODEL	Carry over	Carry over	Carry over	Carry over
WIDTH	30" 36"	30" 36"	30" 36"	36" 42"
AVAILABLE COLORS	SS	SS	BS	SS/BS
ISLAND MOUNT CANOPY				•
WALL-MOUNTED CANOPY	•	•	•	
HOOD FEATURES				
4-SPEED, 585 CFM MOTOR CLASS*		•	•	•
3-SPEED, 400 CFM MOTOR CLASS*	•			
POWER BOOST FUNCTION		•	•	•
AUTO SPEED SETTING		•	•	•
AUTOMATIC TURN ON		•	•	•
REMOVABLE FILTERS	•	•	•	•
LED TASK LIGHTS	2	2	2	4
HALOGEN NIGHT LIGHTS		1	1	2
SONES (SOUND LEVEL AT HIGH SPEED)**	3	5 5.5	5 5.5	5.5
BTU RATING	65K	65K	65K	65K
CONTROLS	Back-Lit Push Button	Electronic Glass Touch	Electronic Glass Touch	Electronic Glass Touch
VENTING				
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•	•	•	•
EASY IN-LINE CONVERSION	•	•	•	•
PERIMETER VENTILATION	•	•	•	•
DIMENSIONS				
HEIGHT	28-7/8"	24-5/8"	24-5/8"	32-1/2"
WIDTH	30" 36"	30" 36"	30" 36"	36" 42"
DEPTH	20"	19-11/16"	19-11/16"	27"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

CANOPY HOODS CONT.



MODEL	KVWC906K	KVWC908K	KVWC956K	KVWC958K
REPLACES MODEL	KVWC906J	KVWC908J	KVWC956J	KVWC908J
WIDTH	36"	48"	36"	48"
AVAILABLE COLOR	SS	SS	SS	SS
COMMERCIAL-STYLE WALL-MOUNTED CANOPY	•	•	•	•
HOOD FEATURES				
4-SPEED, 585/1170 CFM MOTOR CLASS* (BLOWER MOTOR SOLD SEPARATELY)	•	•	•	•
POWER BOOST FUNCTION	•	•	•	•
AUTOMATIC TURN ON	•	•	•	•
REMOVABLE STAINLESS STEEL BAFFLE FILTERS	•	•	•	•
LED TASK LIGHTS	2 with Night Light Setting	4 with Night Light Setting	2 with Night Light Setting	3 with Night Light Setting
FOOD WARMING LAMPS			2	2
SONES (SOUND LEVEL AT HIGH SPEED)**	12.5	12.5	12.5	12.5
BTU RATING	90K/105K	90K/105K	90K/105K	90K/105K
CONTROLS	Push Button	Push Button	Push Button	Push Button
VENTING				
EXTERIOR VENTING	Horizontal or vertical	Horizontal or vertical	Vertical	Vertical
DIMENSIONS				
HEIGHT	36"	36"	36"	36"
WIDTH	36"	48"	36"	48"
DEPTH	25"	25"	25"	25"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

UNDER CABINET HOODS



MODEL	KVUB400G KVUB406G	KVUB600D KVUB606D	KVUC600K KVUC606K
REPLACES MODEL	Carry over	Carry over	Carry over
WIDTH	30" 36"	30" 36"	30" 36"
AVAILABLE COLOR	SS	SS	SS
UNDER CABINET	•	•	Commercial-Style
HOOD FEATURES			
4-SPEED, 330 CFM MOTOR CLASS*			
4-SPEED, 585 CFM MOTOR CLASS*		•	•
3-SPEED, 400 CFM MOTOR CLASS*	•		
POWER BOOST FUNCTION	•		•
AUTO SPEED SETTING	•		
AUTOMATIC TURN ON	•	•	•
PROGRAMMABLE OFF FUNCTION		•	
LOW PROFILE DESIGN	•		
SLIDE-OUT, FLUSH TO CABINETRY DESIGN			
REMOVABLE FILTERS	•	•	Stainless Steel Baffle
LED TASK LIGHTS	2 with Night Light Setting	2	2 with Night Light Setting
SONES (SOUND LEVEL AT HIGH SPEED)**	3	7.5 (Vertical)/8 (Horizontal)	8
BTU RATING	65K	65K	75K
CONTROLS	Electronic Glass Touch	Electronic Touch with LCD Display	Push Button
VENTING			
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•	•	•
EASY IN-LINE CONVERSION		•	
PERIMETER VENTILATION	•	•	
DIMENSIONS			
HEIGHT	2-3/8"	9"	10"
WIDTH	30" 36"	30" 36"	30" 36"
DEPTH	19-11/16"	19-3/4"	23"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

DOWNDRAFT HOODS & LINERS



MODEL	UVL5430J	UVL6036J	UVL6048J	KXD4630Y KXD4636Y
REPLACES MODEL	Carry over	Carry over	Carry over	Carry over
WIDTH	30"	36"	48"	30" 36"
AVAILABLE COLOR	SS	SS	SS	SS
CUSTOM HOOD LINER	•	•	•	
BUILT-IN DOWNDRAFT				•
HOOD FEATURES				
4-SPEED, 585 CFM MOTOR CLASS*				•
3-SPEED, 400 CFM MOTOR CLASS*	•			
3-SPEED, 585/1170 CFM MOTOR CLASS* (BLOWER MOTOR SOLD SEPARATELY)		•	•	
RETRACTABLE DOWNDRAFT DESIGN				•
REVERSIBLE MOTOR BOX				•
REMOVABLE FILTERS	•	•	•	
MESH FILTERS				•
LED TASK LIGHTING	2 with Night Light Setting	4 with Night Light Setting	4 with Night Light Setting	
SONES (SOUND LEVEL AT HIGH SPEED)**	7.5	11.5 (Motor UXB0585KYS), 13 (Motor UXB1170KYS)	11 (Motor UXB0585KYS), 13 (Motor UXB1170KYS)	10 (6" Duct) / 9 (10" Duct) 10 (6" Duct) / 9.5 (10" Duct)
BTU RATING	65K	65K/105K	65K/105K	65K
CONTROLS	Hidden Push Button	Hidden Slider	Hidden Slider	Hidden Slider
VENTING & DUCT TYPE				
CONVERTIBLE VENTILATION (RECIRCULATING OR VENTED)	•			
EXTERIOR VENTING		•	•	•
10" ROUND DUCT		•	•	
6" ROUND DUCT	•			•
DIMENSIONS				
CANOPY HEIGHT	13-5/8"	11-1/2"	11-1/2"	
HEIGHT				28-1/2" (Closed) 13-1/2" (Retractable Vent Height) 42" (Full Open)
WIDTH	30"	36"	48"	30" 36"
DEPTH	11-7/8"	22"	22"	12-1/8"

*Performance varies based on installation. Resources available at aham.org. **When configured for outside ventilation. As published by aham.org.

KEY STEP-UP FEATURES



KVWB400D KVWB406D

- Wall-Mounted Canopy Installation
- 3-Speed Back-Lit Push Button Fan Control
- Removable Filters
- (2) LED Task Lights
- Perimeter Ventilation
- Easy In-Line Conversion
- 65,000 BTU Rating
- 400 CFM Motor Class* Ventilation System



KVWB600H KVWB606H

- Wall-Mounted Canopy Installation
- 4-Speed Electronic Glass Touch Control
- Power Boost Function
- Auto Speed Setting
- Automatic Turn On
- Removable Filters
- (1) Halogen Night Light
- (2) LED Task Lights
- Perimeter Ventilation
- Easy In-Line Conversion
- 65,000 BTU Rating
- 585 CFM Motor Class* Ventilation System



KVWB600D KVWB606D

- Wall-Mounted Canopy Installation
- Removable Filters
- (2) LED Task Lights
- Perimeter Ventilation
- Easy In-Line Conversion
- 65,000 BTU Rating
- + 4-Speed Electronic Glass Touch Control
- + Power Boost Function
- + Auto Speed Setting
- + Automatic Turn On
- + (1) Halogen Night Light
- + 585 CFM Motor Class* Ventilation System



KVIB606D KVIB602D

- Island Mount Canopy Installation
- 4-Speed Electronic Glass Touch Control
- Power Boost Function
- Auto Speed Setting
- Automatic Turn On
- Removable Filters
- (2) Halogen Night Lights
- (4) LED Task Lights
- Perimeter Ventilation
- Easy In-Line Conversion
- 65,000 BTU Rating
- 585 CFM Motor Class* Ventilation System

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVWB600HBS BRAND

K = KitchenAid

KVWB600HBS CATEGORY

V/X = Ventilation

KVWB600HBS CONFIGURATION

D = Downdraft System
I = Island Mount
L = Hood Liner
U = Under Cabinet
W = Wall Mount

KVWB600HBS PRODUCT DETAIL

B = Built-In Blower Motor
C = Commercial Style

KVWB600HBS FEATURE PACK

40-49 = 400 CFM
50-59 = 500 CFM
60-69 = 600 CFM
90-99 = Specialty/Commercial Style

KVWB600HBS WIDTH

0 = 30"
6 = 36"
2 = 42"
8 = 48"

KVWB600HBS YEAR OF LAUNCH

Y = 2011 H = 2018
D = 2014 J = 2019
G = 2017 K = 2020

KVWB600HBS COLOR

BS = Black Stainless
SS = Stainless Steel

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

©/™ © 2023 KitchenAid. All rights reserved.

KEY STEP-UP FEATURES



KVWC906K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class¹ Blower (sold separately)



KVWC956K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class¹ Blower (sold separately)
- + (2) Food Warming Lamps**



KVWC908K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class¹ Blower (sold separately)
- + (4) LED Task Lights with Night Light Setting**



KVWC958K

- Commercial-Style Wall-Mounted Canopy
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (3) LED Task Lights with Night Light Setting
- 90,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class¹ Blower (sold separately)
- + (2) Food Warming Lamps**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVWB600HBS

BRAND

K = KitchenAid

KVWB600HBS

CATEGORY

V/X = Ventilation

KVWB600HBS

CONFIGURATION

D = Downdraft System
I = Island Mount
L = Hood Liner
U = Under Cabinet
W = Wall Mount

KVWB600HBS

PRODUCT DETAIL

B = Built-In Blower Motor
C = Commercial Style

KVWB600HBS

FEATURE PACK

40–49 = 400 CFM
50–59 = 500 CFM
60–69 = 600 CFM
90–99 = Specialty/Commercial Style

KVWB600HBS

WIDTH

0 = 30"
6 = 36"
2 = 42"
8 = 48"

KVWB600HBS

YEAR OF LAUNCH

Y = 2011 H = 2018
D = 2014 J = 2019
G = 2017 K = 2020

KVWB600HBS

COLOR

BS = Black Stainless
SS = Stainless Steel

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

©/™ © 2023 KitchenAid. All rights reserved.

KEY STEP-UP FEATURES



KVUB400G KVUB406G

- Low Profile Design
- 3-Speed Electronic Glass Touch Control
- Power Boost Function
- Auto Speed Setting
- Automatic Turn On
- Removable Filters
- (2) LED Task Lights with Night Light Setting
- Perimeter Ventilation
- 65,000 BTU Rating
- 400 CFM Motor Class* Ventilation System



KVUB600D KVUB606D

- Automatic Turn On
- Removable Filters
- (2) LED Task Lights with Night Light Setting
- Perimeter Ventilation
- 65,000 BTU Rating
- + 4-Speed Electronic Touch Control with LCD Display**
- + Programmable Off Function**
- + Easy In-Line Conversion**
- + 585 CFM Motor Class* Ventilation System**



KVUC600K KVUC606K

- Commercial-Style Under Cabinet
- 4-Speed Fan
- Power Boost Function
- Automatic Turn On
- Removable Stainless Steel Baffle Filters
- (2) LED Task Lights with Night Light Setting
- 75,000 BTU Rating
- 585 CFM Motor Class* Ventilation System

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

©/™ © 2032 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's ventilation lineup.

KVWB600HBS BRAND

K = KitchenAid

KVWB600HBS CATEGORY

V/X = Ventilation

KVWB600HBS CONFIGURATION

D = Downdraft System
I = Island Mount
L = Hood Liner
U = Under Cabinet
W = Wall Mount

KVWB600HBS PRODUCT DETAIL

B = Built-In Blower Motor
C = Commercial Style

KVWB600HBS FEATURE PACK

40-49 = 400 CFM
50-59 = 500 CFM
60-69 = 600 CFM
90-99 = Specialty/Commercial Style

KVWB600HBS WIDTH

0 = 30"
6 = 36"
2 = 42"
8 = 48"

KVWB600HBS YEAR OF LAUNCH

Y = 2011 H = 2018
D = 2014 J = 2019
G = 2017 K = 2020

KVWB600HBS COLOR

BS = Black Stainless
SS = Stainless Steel

KEY STEP-UP FEATURES



UVL5430J

- Custom Hood Liner
- 3-Speed Fan
- Removable Filters
- (2) LED Task Lights with Night Light Setting
- 65,000 BTU Rating
- 400 CFM Motor Class* Ventilation System



UVL6036J

- Custom Hood Liner
- 3-Speed Fan
- Removable Filters
- + (4) LED Task Lights with Night Light Setting
- + 65,000/105,000 BTU Rating
- + Requires 585 or 1170 CFM Motor Class* Blower (motor sold separately)



UVL6048J

- Custom Hood Liner
- 3-Speed Fan
- Removable Filters
- (4) LED Task Lights with Night Light Setting
- 65,000/105,000 BTU Rating
- Requires 585 or 1170 CFM Motor Class* Blower (sold separately)



KXD4630Y KXD4636Y

- Retractable Downdraft Design
- 4-Speed Slide Control
- 13.5" Rise
- Mesh Filters
- Reversible Motor Box
- 65,000 BTU Rating
- 585 CFM Motor Class* Ventilation System

+ Indicates Step-Up Feature

*Performance varies based on installation. Resources available at aham.org.

®/™ © 2023 KitchenAid. All rights reserved.