KEY STEP-UP FEATURES



KOSC504P

- + Wi-Fi Connectivity*
- True Convection Oven
- Smart Appliance*
- Five-Level Rack Support
- Flush Installation
- Touchscreen Controls
- Self-Close Doors
- Self Cleaning



KOES530S

- + Even-Heat™ True Convection
- + Integrated Meat Thermometer
- + SatinGlide™ Roll-Out Extension Rack
- + Air Fry Mode
- + Slow Roast
- + Fresh Pizza Mode
- Wi-Fi Connectivity*
- FIT System Limited Guarantee**



KOES727/30S

- Even-Heat[™] True Convection
- Integrated Meat Thermometer
- SatinGlide™ Roll-Out Extension Rack
- Air Fry Mode
- Slow Roast
- Fresh Pizza Mode
- Wi-Fi Connectivity*
- + Backlit Knobs
- + Personalized
- FIT System Limited Guarantee**



KOSE900H

- Wi-Fi Connectivity*
- Even-Heat[™] True Convection
- + Grill Attachment (included)
- + Steamer & Baking Stone Attachment (shipped separately)†
- + Recipe Guide Mode for **Powered Attachments**
- Integrated Meat Thermometer
- SatinGlide™ Roll-Out Extension Rack
- FIT System Limited Guarantee**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's built-in oven lineup.



K = KitchenAid®



O = Wall Oven



S = Single

E = Other Electric

KOSE900HSS

C = True Convection

E = Even-Heat True Convection

S = Single Oven

KOSE<mark>90</mark>0HSS

10-99 =The higher the number the more features available.



4 = 24"

7 = 27" 0 = 30"

KOSE900HSS YEAR OF LAUNCH

H = 2018P = 2023

S = 2025

KOSE900HSS COLOR

WH = White SS = Stainless Steel JP = Juniper BE = Black Ore

PS = Fingerprint Resistant Stainless

BS = Fingerprint Resistant Black Stainless

+ Indicates Step-Up Feature

*Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect. **On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. †Allow 10-15 days for delivery. Visit kitchenaid.com/redeem for full details.

®/TM © 2025 KitchenAid. All rights reserved.

SINGLE BUILT-IN OVEN









BUILT-IN OVENS MODELS KOSC504P KOES530S KOES727/30S AVAILABLE COLORS PS PS WH/PS/BE/JP CAPACITY (CU. FT.) 2.9 5.0 4.3/5.0 FLUSH INSTALL • • • WIDTH 24" 30" 27"/30" DETAILS CLEANING Self-Cleaning Self-Cleaning Self + Steam COOKING SYSTEM True Convection True Convection True Convection CONTROLS Touchscreen Digital Full Color LCD & Knobs	KOSE900H SS / BS 5.0 • 30" Self-Cleaning True Convection
CAPACITY (CU. FT.) 2.9 5.0 4.3 / 5.0 FLUSH INSTALL • • • WIDTH 24" 30" 27"/ 30" DETAILS CLEANING Self-Cleaning Self-Cleaning Self-Cleaning COOKING SYSTEM True Convection True Convection True Convection	5.0 • 30" Self-Cleaning
FLUSH INSTALL • • • • WIDTH 24" 30" 27"/30" DETAILS CLEANING Self-Cleaning Self-Cleaning True Convection True Convection True Convection	• 30" Self-Cleaning
WIDTH 24" 30" 27"/30" DETAILS CLEANING Self-Cleaning Self-Cleaning Self + Steam COOKING SYSTEM True Convection True Convection	30" Self-Cleaning
DETAILS CLEANING Self-Cleaning Self-Cleaning Self + Steam COOKING SYSTEM True Convection True Convection True Convection	Self-Cleaning
CLEANING Self-Cleaning Self-Cleaning Self + Steam COOKING SYSTEM True Convection True Convection True Convection	
COOKING SYSTEM True Convection True Convection True Convection	
	True Convection
CONTROLS Touchscreen Digital Full Color LCD & Knobs	
	Full Color LCD
FIT SYSTEM LIMITED GUARANTEE* • •	•
INTERIOR COLOR Grey Blue Blue	Black
TEMPERATURE PROBE • •	•
SATINGLIDE™ ROLL OUT EXTENSION • •	•
SELF-CLOSE/SOFT-CLOSE DOOR • •	•
INTERIOR LIGHT Halogen Halogen Halogen	Halogen
OVEN SETTINGS	
AIR FRY • •	
BAKE • • •	•
BROIL • • •	•
CANCEL/OFF • • •	•
CONTROL LOCK • • •	•
COOK TIME INDICATOR • • •	•
DELAY START • • •	•
EASYCONVECT™ CONVERSION •	
EVEN-HEAT™ TRUE CONVECTION • •	•
FRESH PIZZA MODE • •	
KEEP WARM/WARM HOLD • • •	•
LANGUAGE CONVERSION • • •	•
PROOFING • • •	•
SABBATH MODE • •	•
SLOW ROAST • •	
STEAM BAKE •	•
ACCESSORIES	
AIR FRY BASKET Optional (W11692811) Optional (W11692811)	
BAKING STONE	•
GRILL ATTACHMENT	•
STEAMER ATTACHMENT	•
STEAM RACK •	
DIMENSIONS	
HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE) 27-15/16" X 23-7/16" X 24-3/4" 28-3/4" X 29-3/4" X 26-15/16" 28-3/4" X 20" X 26-15/16" 28-3/4" X 27" X 26-15/16"	28-3/4" X 30" X 27-1/8"

*On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. **Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect.

KEY STEP-UP FEATURES



KODC504P

- + Wi-Fi Connectivity*
- True Convection Oven
- Smart Appliance*
- Five-Level Rack Support
- Flush Installation
- Touchscreen Controls
- Self-Close Doors
- Self Cleaning (upper only)



KOED730/27S

- Even-Heat™ True Convection
- Integrated Meat Thermometer
- SatinGlide™ Roll-Out Extension Rack
- Air Fry Mode
- Slow Roast
- Fresh Pizza Mode
- Wi-Fi Connectivity*
- + Backlit Knobs
- + Personalized
- FIT System Limited Guarantee**



KOED530S

- + Even-Heat™ True Convection
- + Integrated Meat Thermometer
- + SatinGlide™ Roll-Out Extension Rack
- + Air Fry Mode
- + Slow Roast
- + Fresh Pizza Mode
- Wi-Fi Connectivity*
- FIT System Limited Guarantee**



KODE900H

- Even-Heat™ True Convection
- Integrated Meat Thermometer
- SatinGlide™ Roll-Out Extension Rack
- Wi-Fi Connectivity*
- + Grill Attachment (included)
- + Steamer & Baking Stone Attachment (shipped separately)**
- + Recipe Guide Mode for Powered Attachments
- FIT System Limited Guarantee**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's built-in oven lineup.



K = KitchenAid®



O = Wall Oven



D = Double

E = Other Electric



C = True Convection

E = Even-Heat True Convection

D = Double Oven

KODE 900HSS

10-99 = The higher the number the more features available.



4 = 24"

7 = 27"

0 = 30"

KODE900HSS YEAR OF LAUNCH

H = 2018P = 2023 S = 2025

KOSE900HSS

WH = White SS = Stainless Steel
JP = Juniper BE = Black Ore

PS = Fingerprint Resistant Stainless

BS = Fingerprint Resistant Black

+ Indicates Step-Up Feature

*Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect. **On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. †Allow 10-15 days for delivery. Visit kitchenaid.com/redeem for full details.

®/TM © 2025 KitchenAid. All rights reserved.

PAGE 1 OF 1

DOUBLE BUILT-IN OVEN







52-9/16" X 29-3/4" X 26-15/16" 52-9/16" X 26-3/4" X 26-15/16"

51-1/4" X 30" X 27-1/8"



BUILT-IN OVENS MODELS	KODC504P	KOED530S	KOED730/27S	KODE900H
AVAILABLE COLORS	PS	PS	WH/PS/BE/JP	SS / BS
CAPACITY (CU. FT.)	5.2	10.0	10.0 / 8.6	10.0
FLUSH INSTALL	•	•	•	•
WIDTH	24"	30"	27" / 30"	30"
DETAILS				
CLEANING	Self-Cleaning (upper)	Self-Cleaning	Self-Cleaning	Self-Cleaning
COOKING SYSTEM	True Convection	True Convection	True Convection	True Convection
CONTROLS	Touchscreen	Digital	Full Color LCD & Knobs	Full Color LCD
IT SYSTEM LIMITED GUARANTEE*		•	•	•
NTERIOR COLOR	Gray	Blue	Blue	Black
FEMPERATURE PROBE			•	•
SATINGLIDE™ ROLL OUT EXTENSION		•	•	•
SELF-CLOSE/SOFT-CLOSE DOORS	•			•
NTERIOR LIGHT	Halogen	Halogen	Halogen	Halogen
OVEN SETTINGS				
AIR FRY		•	•	
BAKE	•	•	•	•
BROIL	•	•	•	•
CANCEL/OFF	•	•	•	•
CONTROL LOCK		•	•	•
COOK TIME INDICATOR	•	•	•	•
DELAY START	•	•	•	•
EASYCONVECT™ CONVERSION		•		
EVEN-HEAT™ TRUE CONVECTION		•	•	•
FRESH PIZZA MODE		•	•	
KEEP WARM/WARM HOLD	•	•	•	•
ANGUAGE CONVERSION	•	•	•	•
PROOFING	•		•	•
SABBATH MODE	•	•	•	•
SLOW ROAST		•	•	
STEAM BAKE				•
ACCESSORIES				
		O-ti (W11/02011)	Onting ()M11/02011)	
ARY FRY BASKET		Optional (W11692811)	Optional (W11692811)	•
BAKING STONE				•
GRILL ATTACHMENT				•
STEAMER ATTACHMENT STEAM RACK			•	•
DIMENSIONS			•	

*On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. **Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details

52-9/16" X 29-3/4" X 26-15/16"

50-1/4" X 23-7/16" X 22-1/2"

HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)

KEY STEP-UP FEATURES



KOEC530S

- Microwave Convection Cooking (upper)
- + Even-Heat™ True Convection
- + Integrated Meat Thermometer
- + SatinGlide™ Roll-Out Extension Rack
- + Air Fry Mode
- + Slow Roast
- + Fresh Pizza Mode
- + Wi-Fi Connectivity*
- FIT System Limited Guarantee**



KOCE900H

- Microwave Convection Cooking (upper)
- Wi-Fi Connectivity*
- + Grill Attachment (included)
- + Steamer & Baking Stone Attachment (shipped separately)**
- + Recipe Guide Mode for Powered Attachments
- FIT System Limited Guarantee**

+ Indicates Step-Up Feature

*Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect. **On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. †Allow 10-15 days for delivery. Visit kitchenaid.com/redeem for full details.

®/TM © 2025 KitchenAid. All rights reserved.



KOEC730/27S

- Microwave Convection Cooking (upper)
- Even-Heat™ True Convection
- Integrated Meat Thermometer
- SatinGlide™ Roll-Out Extension Rack
- Air Fry Mode
- Slow Roast
- Fresh Pizza Mode
- Wi-Fi Connectivity*
- + Assisted Cook Cycles
- + Innovative Cooking Modes
- + Backlit Knobs
- + Personalized
- FIT System Limited Guarantee**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's built-in oven lineup.



K = KitchenAid®



O = Wall Oven



C = Combination

E = Other Electric



E = Even-Heat True Convection

C = Combination Oven



10-99 = The higher the number the more features available.

KOCE900HSS

7 = 27"

0 = 30"

KOCE900HSS YEAR OF LAUNCH

H = 2018

S = 2025

KOSE900HSS

WH = White

SS = Stainless Steel

JP = Juniper

BE = Black Ore

PS = Fingerprint Resistant Stainless

BS = Fingerprint Resistant Black

Stainle

COMBINATION BUILT-IN OVEN









BUILT-IN OVENS MODELS	KOEC530S	KOEC730/27S	косе900н
AVAILABLE COLORS	PS	WH/PS/BE/JP	SS/BS
CAPACITY (CU. FT.)	6.4	5.7 / 6.4	6.4
WIDTH	30"	27"/ 30"	30"
DETAILS			
CLEANING	Self-Cleaning	Steam	Self-Cleaning
COOKING SYSTEM	True Convection	True Convection	True Convection
CONTROLS	Touchscreen	Full Color LCD & Knobs	Full Color LCD
FIT SYSTEM LIMITED GUARANTEE*	•	•	•
INTERIOR COLOR	Blue (lower)	Blue (lower)	Black
TEMPERATURE PROBE	•	•	•
SATINGLIDE™ ROLL OUT EXTENSION	•	•	•
INTERIOR LIGHT	Halogen	Halogen	Halogen
OVEN SETTINGS			
AIR FRY	•	•	
BAKE	•	•	•
BROIL	•	•	•
CANCEL/OFF	•	•	•
CONTROL LOCK	•	•	•
COOK TIME INDICATOR	•	•	•
DELAY START	•	•	•
EASYCONVECT™ CONVERSION	•		
EVEN-HEAT™ TRUE CONVECTION	•	•	•
FRESH PIZZA MODE	•	•	
KEEP WARM/WARM HOLD	•	•	•
LANGUAGE CONVERSION	•	•	•
PROOFING	•	•	•
SABBATH MODE	•	•	•
SLOW ROAST	•	•	
STEAM BAKE		•	•
MICROWAVE SETTINGS			
AIR FRY	•	•	
BROIL	•	•	•
CRISP	•	•	•
DEFROST	•	•	•
EASY CONVECT	•	•	•
POPCORN	•	•	•
REHEAT	•	•	•
SOFTEN/MELT	•	•	•
STEAM	•	•	•
ACCESSORIES			
ARY FRY BASKET	Optional (W11692811)	Optional (W11692811)	Optional (W11692811)
BAKING STONE	- p ,/	- p , /	•
GRILL ATTACHMENT			•
STEAMER ATTACHMENT			•
STEAM CONTAINER (MICROWAVE)	•	•	•
STEAM RACK		•	

42-3/4" X 30" X 26-15/16"

*On 27" and 30" single or double KitchenAid® Wall Ovens. Excludes new cabinet installations. Offer valid for qualified models of a compatible width and dates specified. Visit www.whirlpool.com/fit-guarantee.html for complete details. **Appliance must be set to remote enable. Wi-Fi & App required. Features subject to change. For details and privacy info, visit kitchenaid.com/connect.

42-3/4" X 30" X 26-15/16"

42-3/4" X 27" X 26-15/16"

42-1/2" X 30" X 27-1/8"

HEIGHT X WIDTH X DEPTH (INCLUDING HANDLE)