

KEY STEP-UP FEATURES



MFW2055FR

- 20 cu. ft. / 30" Wide
- BrightSeries™ LED Lighting*
- Humidity-Controlled FreshLock™ Crispers
- 10-Year Limited Parts Warranty** on the Compressor
- Exterior Water Dispenser
- Temperature-Controlled Wide-N-Fresh™ Deli Drawer



MFC2062FE

- **+ 20 cu. ft. / 36" Wide**
- Fingerprint Resistant Stainless Steel
- **+ PowerCold® Feature**
- BrightSeries™ LED Lighting*
- 10-Year Limited Parts Warranty** on the Compressor
- Designed, Engineered, and Assembled in the U.S.A.



MRFF4336T

- **+ 31 cu. ft. / 36" Wide**
- **+ XL Capacity**
- **+ XL Crisper**
- PowerCold® Feature
- EvenAir™ Cooling System
- **+ Arctic Blue Interior**



MFT2772HE

- **+ 27 cu. ft. / 36" Wide**
- PowerCold® Feature
- Store-N-Door® Ice Dispensing System
- BrightSeries™ LED Lighting*
- 10-Year Limited Parts Warranty** on the Compressor
- **+ Metal Slide-Out Shelf**

+ Indicates Step-Up Feature

*Long-lasting BrightSeries™ LED lighting casts a bright, white light and uses less energy than incandescent bulbs.**Per EIC Standards

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's refrigeration lineup.

MRFF4336TZ
BRAND

M = Maytag

MRFF4336TZ
PLATFORM

F = French door bottom freezer
R = Refrigerator

MRFF4336TZ
CONFIGURATION

F = 3-Door FDBM
M = 4-Door FDBM
W = External Water
T = Store-N-Door® Ice System
C = Counter Depth

MRFF4336TZ
PHYSICAL ATTRIBUTE

F = Full Depth

MRFF4336TZ
SERIES

1-9 = Higher series numbers are more highly featured

MRFF4336T
SERIES STEP-UP

0-8 = Higher step numbers are more highly featured

MRFF4336TZ
YEAR OF LAUNCH

36 = 36" Width

MRFF4336TZ
YEAR OF LAUNCH

H = 2018 F = 2016 T = 2026

MRFF4336TZ
COLOR

Z = Fingerprint Resistant Stainless Steel

KEY STEP-UP FEATURES



MRFF5336T

- 30 cu. ft. / 36" Wide
- XL Capacity
- XL Crisper
- PowerCold® Feature
- Arctic Blue Interior
- Exterior Ice + Water Dispenser**



MRMF5436T

- 29 cu. ft. / 36" Wide
- XL Capacity
- XL Crisper
- PowerCold® Feature
- Arctic Blue Interior
- Full-Width Snack + Deli Drawer**

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Maytag brand's refrigeration lineup.

M R FF 4 3 3 6 T Z
BRAND

M = Maytag

M R FF 4 3 3 6 T Z
PLATFORM

F = French door bottom freezer
R = Refrigerator

M R FF 4 3 3 6 T Z
CONFIGURATION

F = 3-Door FDBM
M = 4-Door FDBM
W = External Water
T = Store-N-Door® Ice System
C = Counter Depth

M R FF 4 3 3 6 T Z
PHYSICAL ATTRIBUTE

F = Full Depth

M R FF 4 3 3 6 T Z
SERIES

1-9 = Higher series numbers are more highly featured

M R FF 4 3 3 6 T
SERIES STEP-UP

0-8 = Higher step numbers are more highly featured

M R FF 4 3 3 6 T Z
YEAR OF LAUNCH

36 = 36" Width

M R FF 4 3 3 6 T Z
YEAR OF LAUNCH

H = 2018 F = 2016 T = 2026

M R FF 4 3 3 6 T Z
COLOR

Z = Fingerprint Resistant Stainless Steel

▪ Indicates Step-Up Feature

*Long-lasting BrightSeries™ LED lighting casts a bright, white light and uses less energy than incandescent bulbs.**Per EIC Standards

®/™ © 2026 Maytag. All rights reserved.



REFRIGERATION MODELS	MFW2055FR	MFC2062FE	MRFF4336T	MFT2772HE	MRFF5336T	MRMF5436T
AVAILABLE COLORS	Z	Z	Z	Z	Z	Z
ENERGY STAR® CERTIFIED	▪	▪	▪	▪	▪	▪
TOTAL VOLUME (CU. FT.)	20	20	31	27	30	29
COUNTER DEPTH	▪					
10-YEAR LIMITED PARTS WARRANTY ON THE COMPRESSOR*	▪	▪	▪	▪	▪	▪
FEATURES						
BRIGHTSERIES™ LED LIGHTING**	▪	▪		▪		
CONTROL LOCK	▪		▪	▪	▪	▪
DUAL COOL® EVAPORATORS						
ELECTRONIC CONTROLS	Exterior	Interior	Side Door	Exterior	Side Door	Side Door
FRAMELESS GLASS SHELVES						
FRESHFLOW™ PRODUCE PRESERVER	▪	▪		▪		
GALLON DOOR BINS	▪	▪	▪	▪	▪	▪
HIDDEN HINGE	▪	▪	▪	▪	▪	▪
HUMIDITY-CONTROLLED FRESHLOCK™ CRISPERS	▪	▪		▪		
FACTORY INSTALLED ICEMAKER	▪	▪	▪	▪	▪	▪
NIGHT LIGHT				▪		
POWERCOLD®		▪	▪	▪	▪	▪
SPILL-PROOF GLASS SHELVES	▪	▪				
STORE-N-DOOR® ICE DISPENSING SYSTEM				▪		
TEMPERATURE-CONTROLLED WIDE-N-FRESH™ DELI DRAWER	▪	▪	▪	▪	▪	▪
WATER DISPENSER	Exterior	Interior	▪	Exterior	▪	▪
WATER FILTER LOCATION	Interior	Interior	Interior	Interior	Interior	Interior
DIMENSIONS						
HEIGHT	68-3/8"	70"	70-1/16"	69-7/8"	70-1/16"	70-1/16"
WIDTH	30-1/8"	35-5/8"	35-15/16"	35-11/16"	35-15/16"	35-15/16"
DEPTH	34-3/8"	29-1/2"	36-13/16"	35-5/8"	36-13/16"	36-13/16"