



REFRIGERATION DEMO CODES



AMANA®□

WHIRLPOOL®□

MAYTAG®□

KITCHENAID®□

AMANA®

Whirlpool®

MAYTAG®

KitchenAid®

AMANA® REFRIGERATION

Below are the instructions to put each Amana refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Amana lineup.

1

Hold the **LIGHT** and **FAST COOL** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

AFI2539ER



MODELS

ABB1921BRM

ABB1924BRM

ABB2224BRM

1


Turn temperature indicator down using the minus sign all of the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.

AMANA® REFRIGERATION

Below are the instructions to put each Amana refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Amana lineup.



MODELS

ABB1921BRM
ABB1924BRM
ABB2224BRM

1

Turn temperature indicator down using the minus sign all of the way down.

2

Horizontal lines on temperature indicator will signal COOLING OFF.

1

Press **TEMP SETTING** until you reach **MAX**. Hold door switch close to simulate door close. Press and hold **TEMP SETTING** for **THREE** seconds.

2

Unit enters **Showroom mode** and the UI perform "Showroom Animation."

MODELS

ASI2175GR
ASI2575GR



AMANA® REFRIGERATION

Below are the instructions to put each Amana refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Amana lineup.



MODELS

ASI2275FR
ASI2575FR

1

Turn **REFRIGERATOR** control to the right so dial is pointed to 0 - OFF. Turn **FREEZER** control to left so dial is pointed at 1.

2

Cooling will turn off once **REFRIGERATOR** dial is set to 0 - OFF.



MODELS

ART308FFD
ART318FFD
ART348FFF

1

Hold **TEMPERATURE SETTING** button located on left of control panel for **FOUR** seconds.

2

Once all lights turn **ON** for **ONE** second, cooling will be turned off.

AMANA® REFRIGERATION

Below are the instructions to put each Amana refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Amana lineup.



MODELS

ART106TFD

1

Turn temperature indicator dial to the left until pointed at OFF '0'.

2

Cooling will be off once the dial is set to OFF '0'.

ADDITIONAL RESOURCES



LearnWhirlpool.com

Check out Learn Whirlpool for training materials, videos, games, and more!



Whirlpool Advantage App

This app will show you lineups of our models with each feature and spec. It updates too!



Your Whirlpool Rep

Keep up-to-date on products, store performance, and upcoming releases with your Whirlpool Sales Representative.

WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.

1

Hold the **LIGHT** and **LOCK** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

WRX735SDH	WRS970CID
WRS571CIH	WRS973CID
WRS588FIH	WRS975SID



1

Hold down the **LIGHT** and **LOCK** buttons at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

WRX986SIH	WRV986FDE
WRF997SDD	WRV996FDE
WRV976FDE	



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.

1

Hold the **LIGHT** and **FAST COOL** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

WRF555SDF
WRF555SDH



1

Hold the **FREEZER TEMP** and **FRIDGE TEMP** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

WRF560SEY



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.



MODELS

WRF992FIF
WRF993FIF

1

Press the **FRIDGE** and **FREEZER** buttons Located on the LED screen inside top console of refrigerator

2

Once control panel counts down from three seconds, model will be in demo mode.

1

Hold the **LIGHT** and **LOCK** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

WRF757SDE
WRF767SDE



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.

1

Hold the **DRAWER** and **°F/°C** buttons down at the same time for **THREE** seconds. Located within the door.

2

Once control panel counts down from three seconds, **'SHOWROOM'** will appear on control panel.

MODELS

WRF953CIH
WRF954CIH
WRF972SIH



1

Press and hold **COOLING ON/OFF** for **THREE** seconds.

2

LED will light up to indicate cooling is Off. Press the **COOLING ON/OFF** button again to turn on the cooling.

MODELS

WRF550CDH



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.

1

Hold the **FREEZER TEMP** and **REFRIGERATOR TEMP** buttons down at the same time for **FIVE** seconds.

2

Once temperature indicator lights blink sequentially, model is in demo mode.

(Note: unplug, wait for two minutes, and plug model back in if it does not turn into demo mode upon first try.)

MODELS

WRS331SDH	WRS315SDH
WRS335SDH	WRS321SDH
WRS555SIH	WRS325SDH



1

Hold the **LOCK** and **FILTER** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds and **COOLING off** appears on display screen, cooling will be off.

MODELS

WRS586FIE



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.



MODELS

WRT108FZD WRT348FME
 WRT138FZD WRT518SZF
 WRT318FZD WRT549SZD
 WRT318FMD WSZ57L18D
 WSR57R18D

1

Hold the **SETTING** temperature button for **FOUR** seconds located on left of control panel.

2

Once all lights are illuminated for **ONE** second, cooling will be turned off.

1

Press **TEMP SETTING** until you reach **MAX**. Hold door switch close to simulate door close. Press and hold **TEMP SETTING** for **THREE** seconds.

2

Unit enters **Showroom mode** and the UI perform **"Showroom Animation."**

MODELS

WRS312SNH
 WRS315SNH



WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.



MODELS


WRB119WFB	WRF532SMH
WRB322DMH	WRF535SMH
WRB322DMB	WRF535SWH
WRB329DMB	WRF540CWH

1

Turn either **FREEZER** or **REFRIGERATOR** buttons temperature buttons all the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.



1

Hold the **FAST COOL** and **MOISTURE** buttons down at the same time for **THREE** seconds.

2

Cooling will be turned off once buttons are held down for three seconds.

MODELS

WRF560SMH

WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.



MODELS


WRT134TFD WRT314TFD
WRT104TFD WRT316SFD
WRT106TFD WRT111SFD

1

Turn temperature indicator dial to the left until pointed at OFF '0'.

2

Cooling will be off once the dial is set to OFF '0'.



1

Turn dial to the right until the word OFF is in the center of the dial.

2

Cooling will be turned off once dial is set on the word OFF.

MODELS

WRT311FZD WRT541SZD
WRT511SZD WRT541SZH
WRT519SZD

WHIRLPOOL® REFRIGERATION

Below are the instructions to put each Whirlpool refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Whirlpool lineup.

DEMO CODES

ADDITIONAL RESOURCES



LearnWhirlpool.com

Check out Learn Whirlpool for training materials, videos, games, and more!



Whirlpool Advantage App

This app will show you lineups of our models with each feature and spec. It updates too!



Your Whirlpool Rep

Keep up-to-date on products, store performance, and upcoming releases with your Whirlpool Sales Representative.

MAYTAG[®] □ REFRIGERATION

Below are the instructions to put each Maytag refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Maytag lineup.

1

Hold the **LIGHT** and **POWER COLD** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

MFI2570FE



1

Hold **REFRIGERATOR COOLING OFF** button for three seconds located to left on control panel.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

MFI2269FR



MAYTAG® REFRIGERATION

Below are the instructions to put each Maytag refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Maytag lineup.

1


Hold the **OPTIONS** and **WATER FILTER** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

MFT2776FE
MFX2676FR
MSC21C6MF
MSS26C6MF



MODELS

MFF2258FE
MFF2558FE
MBF1958FE
MBF2258FE

1

Turn temperature indicator down using the minus sign all of the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.

DEMO CODES

MAYTAG[®] □ REFRIGERATION

Below are the instructions to put each Maytag refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Maytag lineup.



MODELS

MFC2062FE

1

Turn either **FREEZER** or **REFRIGERATOR** temperature buttons all the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.



MODELS

MFF2055FR

1

Hold the **POWER COLD** and **MOISTURE CONTROL** buttons down at the same time for **THREE** seconds.

2

COOLING OFF will light up above **POWER COLD** when in demo mode.

MAYTAG[®] □ REFRIGERATION

Below are the instructions to put each Maytag refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Maytag lineup.



MODELS

MRT711SM

1

Hold the TEMP button for for THREE seconds located on right of control panel.

2

All LEDs will turn on, only Power Cold LED will remain off



MODELS

MRT118FF

MRT311FF

1

Put the setting in MAX position (coldest)
Press and hold SW1 (tact switch) for 5 seconds.

2

All LEDs turns on one by one from left to right
and then right to left and keep cycling.

MAYTAG[®] □ REFRIGERATION

Below are the instructions to put each Maytag refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Maytag lineup.

1

Hold the **FRIDGE TEMP** and **FREEZER TEMP** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

MFW2055FR



ADDITIONAL RESOURCES



LearnWhirlpool.com

Check out Learn Whirlpool for training materials, videos, games, and more!



Whirlpool Advantage App

This app will show you lineups of our models with each feature and spec. It updates too!



Your Whirlpool Rep

Keep up-to-date on products, store performance, and upcoming releases with your Whirlpool Sales Representative.

KITCHENAID® REFRIGERATION

Below are the instructions to put each Kitchenaid refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Kitchenaid lineup.

1

Hold the LIGHT and LOCK buttons down at the same time for THREE seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

KRFF507E
KRFF707E
KRFS505E



1

Hold down the LIGHT and LOCK buttons at the same time for THREE seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

KRSC500E
KRSC503E



KITCHENAID® REFRIGERATION

Below are the instructions to put each Kitchenaid refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Kitchenaid lineup.

1

Hold the **LIGHT** and **LOCK** buttons down at the same time for **THREE** seconds.

2

Once control panel counts down from three seconds, model will be in demo mode.

MODELS

KRMF606E
KRMF706E



1

Hold the **DRAWER** and **F/ C** buttons down at the same time for **THREE** seconds. Located within the door.

2

Once control panel counts down from three seconds, 'SHOWROOM' will appear on control panel.

MODELS

KRFC604F
KRFC704F



KITCHENAID® REFRIGERATION

Below are the instructions to put each Kitchenaid refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Kitchenaid lineup.



MODELS


KRFC300E
KRFC302E
KRFF302E
KRFF305E

1

Turn either **FREEZER** or **REFRIGERATOR** temperature buttons all the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.



MODELS

KRFF300E

1

Hold **MOISTURE CONTROL** and **MAX COOL** buttons for three seconds

2

COOLING OFF will light up above **MAX COOL** when in demo mode.

KITCHENAID® REFRIGERATION

Below are the instructions to put each Kitchenaid refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Kitchenaid lineup.



MODELS

KRBR102E KRBX109E
KRBL102E KRBR109E
KRBL109E

1

Turn either **FREEZER** or **REFRIGERATOR** temperature buttons all the way down.

2

Horizontal lines on temperature indicator will signal **COOLING OFF**.



MODELS

KBBL206E KBFN402E
KBBR206E KBFN406E
KBBL306E KBFN502E
KBBR306E KBFN506E

1

Press the **FRIDGE** and **FREEZER** buttons Located on the LED screen inside top console of refrigerator

2

Once control panel counts down from three seconds, model will be in demo mode.

KITCHENAID® REFRIGERATION

Below are the instructions to put each Kitchenaid refrigeration model into demonstration mode on your floor. Categorized by images of each control panel layout in the Kitchenaid lineup.



MODELS

KBSN602E KBSD608E
KBSD602E KBSD612E
KBSD606E KBSD618E
KBSN608E

1

Find and locate the **COOLING ON/OFF** button on the left of the control panel.

2

Press **COOLING ON/OFF** button to turn cooling off.

ADDITIONAL RESOURCES



LearnWhirlpool.com

Check out Learn Whirlpool for training materials, videos, games, and more!



Whirlpool Advantage App

This app will show you lineups of our models with each feature and spec. It updates too!



Your Whirlpool Rep

Keep up-to-date on products, store performance, and upcoming releases with your Whirlpool Sales Representative.