KEY STEP-UP FEATURES

BEST SELLING SIDE BY SIDE BRAND* WITH LOWEST REPAIR RATE**



WRS311SDH

- 21.4 Cu. Ft.
- 33" x 66"
- LED Interior Lighting
- Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Hidden Hinges
- Frameless Glass Shelves
- + Contract Only



WRS315SNH

- + 25.1 Cu. Ft.
- 36" x 69"
- LED Interior Lighting
- Optional Icemaker W11510803
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Hidden Hinges
- Frameless Glass Shelves



WRS312SNH

- 21.7 Cu. Ft.
- 33" x 66"
- LED Interior Lighting
- Optional Icemaker W11510803
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Hidden Hinges
- Frameless Glass Shelves



WRS315SDH

- 25.1 Cu. Ft.
- 36" x 69"
- + Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- LED Interior Lighting
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Hidden Hinges
- Frameless Glass Shelves

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's refrigeration lineup.

WRS588FIHZ

W = Whirlpool

WRS588FIHZ PLATFORM

R = Refrigerator

WRS588FIHZ CONFIGURATION

S = Side-by-side

WRS588FIHZ

1-3 = Basic 5 = Medium 9/A = Premium

WRS588FIHZ

The higher the number the more features available

WRS588FIHZ

Ranges from 0-9 (add 10 or 20 to find cu. ft. capacity)

WRS588FIHZ KEY FEATURE

C = Counter depth S = SmoothF = Flat

WRS588FHZ

DISPENSING SYSTEM OR DERIVATIVE

D = Ice & water I = In-Door-Ice[®] system N = Non-dispensing

WRS588FIHZ YEAR OF LAUNCH

ш_

WRS588FIHZ

W = White B = Black M = Stainless Steel Z = FPR Stainless Steel V = FPR <u>Black Stainless</u>

+ Indicates Step-Up Feature

*Q1 2021 - Q4 2023, Traqline - The Stevenson Company, 2023. ***Claim compares Whirlpool branded refrigerators to GE, Frigidaire, Samsung and LG. Based on service required data, Q2 2022-Q4 2023, Traqline - The Stevenson Company.

KEY STEP-UP FEATURES

BEST SELLING SIDE BY SIDE BRAND* WITH LOWEST REPAIR RATE**



WRS321SDH

- 21.4 Cu. Ft.
- 33" x 66"
- + Can Caddy
- + Deli Drawer
- + ADA Compliant
- LED Interior Lighting
- Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Frameless Glass Shelves



WRS331SDH

- 21.4 Cu. Ft.
- 33" x 66"

+ Energy Star® Certified

- LED Interior Lighting
- Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Frameless Glass Shelves
- Hidden Hinges
- Tap Touch Controls
- ADA Compliant

+ Indicates Step-Up Feature





WRS325SDH

+ 24.5 Cu. Ft.

- 36" x 69"
- LED Interior Lighting
- Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Frameless Glass Shelves
- Can Caddy
- Deli Drawer
- ADA Compliant



WRS335SDH

- + 24.6 Cu. Ft.
- 36" x 69"
- LED Interior Lighting
- Exterior Ice and Water Dispenser with EveryDrop™ Water Filtration
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Adjustable Gallon Door Bins
- Frameless Glass Shelves
- Hidden Hinges
- Tap Touch Controls
- Energy Star® Certified
- ADA Compliant

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's refrigeration lineup.

WRS588FIHZ

W = Whirlpool

WRS588FIHZ PLATFORM

R = Refrigerator

WRS588FIHZ CONFIGURATION

S = Side-by-side

WRS588FIHZ

1-3 = Basic 5 = Medium 9/A = Premium

WRS588FIHZ

The higher the number the more features available

WRS588FIHZ

Ranges from 0-9 (add 10 or 20 to find cu. ft. capacity)

WRS588FIHZ KEY FEATURE

C = Counter depth S = Smooth F = Flat

WRS588FHZ

DISPENSING SYSTEM OR DERIVATIVE

D = Ice & water I = In-Door-Ice[®] system N = Non-dispensing

WRS588FIHZ

2015

WRS588FIHZ

W = White B = Black T = Biscuit M = Stainless Steel Z = FPR Stainless Steel V = FPR Black Stainless

KEY STEP-UP FEATURES

BEST SELLING SIDE BY SIDE BRAND* WITH LOWEST REPAIR RATE**



WRS555SIH

- 24.5 Cu. Ft.
- 36" x 69"
- LED Interior Lighting
- + In-Door-Ice® Storage
- + Infinity Slide Shelf
- + Pizza Pocket
- + Can Caddy
- Humidity-Controlled Crispers
- Electronic Temperature Controls
- Tap Touch Controls
- ADA Compliant



WRSF6536R

- + 28.4 Cu. Ft. (Family Size Capacity)
- 36" x 69"
- TruCool[™] Temperature Management System
- Improved LED lighting
- + Backlit LED Tower
- + Stainless Accents
- Measured Fill
- + Prep & Store Bins (Included)
- In-Door Ice & Water
- Fast Freeze Option
- Adjustable Glass Shelves
- Adjustable Gallon Door Bins
- ADA Compliant

+ Indicates Step-Up Feature



WRSF5536R

- + 28.4 Cu. Ft. (Family Size Capacity)
- 36" x 69"
- + Improved LED lighting
- + Measured Fill
- TruCool™ Temperature Management System
- In-Door Ice & Water
- Fast Freeze Option
- Adjustable Glass Shelves
- Adjustable Gallon Door Bins
- Prep & Store Bins (Sold Separately)
- ADA Compliant

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's refrigeration lineup.

WRSF6536RZ

W = Whirlpool

WRSF6536RZ

R = Refrigerator

WRSF6536RZ

S = Side-by-side

WRSF6536RZ

C = Counter Depth F = Full Depth5 = Medium

WRSF6536RZ

2023+ = 1st number = Series, 2nd number =Series Step-Up, last 2 numbers = width (36 = 36 in.)

WRSF6536RZ

R = 2024



Z = FPR Stainless Steel

BEST SELLING SIDE BY SIDE BRAND* WITH LOWEST REPAIR RATE**

COUNTER DEPTH DESIGNS



WRSC5536R

- 20.6 Cu. Ft.
- 36" x 69"
- + Counter Depth Design
- TruCool[™] Temperature Management System
- Improved LED lighting
- Measured Fill
- In-Door Ice & Water
- Fast Freeze Option
- Adjustable Glass Shelves
- Adjustable Gallon Door Bins
- Prep & Store Bins (Sold Separately)
- ADA Compliant



WRSC6536R

- 20.6 Cu. Ft.
- 35" x 69"
- Counter Depth Design
- TruCool[™] Temperature Management System
- Improved LED lighting
- + Backlit LED Tower
- + Stainless Accents
- Measured Fill
- In-Door Ice & Water
- Fast Freeze Option
- Adjustable Glass Shelves
- Adjustable Gallon Door Bins
- + Prep & Store Bins (Included)
- ADA Compliant

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for Whirlpool brand's refrigeration lineup.

WRSF6536RZ

W = Whirlpool

WRSF6536RZ

R = Refrigerator

WRSF6536RZ

S = Side-by-side

WRSF6536RZ

 $\begin{array}{ll} C = Counter \ Depth & F = Full \ Depth \\ 5 = Medium \end{array}$

WRSF6536RZ SERIES

2023+ = 1st number = Series, 2nd number =Series Step-Up, last 2 numbers = width (36 = 36 in.)

WRSF6536RZ

R = 2024

WRSF6536RZ

Z = FPR Stainless Steel

+ Indicates Step-Up Feature

				3
REFRIGERATOR MODEL	WRS311SDH	WRS312SNH	WRS315SNH	WRS315SDH
CAPACITY (CU. FT.)	21.4	21.7	25.1	25.1
AVAILABLE COLOR	В, М, Т	W, B, M	W, B, M	W, B, M, T
FEATURES				
HIDDEN HINGES	•			•
TEMPERATURE CONTROLS	Electronic Controls	Electronic Controls	Electronic Controls	Electronic Controls
ICE MAKER	Factory Installed	Optional - W11510803	Optional - W11510803	Factory Installed
DISPENSER	Exterior Dispenser with EveryDrop™ Water Filtration			Exterior Dispenser with EveryDrop™ Water Filtration
HUMIDITY-CONTROLLED CRISPERS	•	•	•	•
ADJUSTABLE GALLON DOOR BINS	•	•	•	•
GLASS SHELVES	Frameless	Frameless	Frameless	Frameless
LED INTERIOR LIGHTING	•	•	•	•
ADAPTIVE DEFROST	•			
DIMENSIONS				
HEIGHT INCLUDING HINGES	66-5/8"	66-5/8"	69-5/8"	69-5/8"
CABINET WIDTH	32-3/4"	32-3/4"	35-7/8"	35-7/8"
DEPTH INCLUDING HANDLES	33-5/8"	33-5/8"	33-5/8"	33-5/8"

REFRIGERATOR MODEL	WRS321SDH	WRS325SDH	WRS331SDH	WRS335SDH
CAPACITY (CU. FT.)	21.4	24.5	21.4	24.6
AVAILABLE COLOR	W, B, Z, V	W, B, Z, V	W, B, M	W, B, M
ENERGY STAR® CERTIFIED			•	•
FEATURES				
FINGERPRINT RESISTANT	•	•		
HIDDEN HINGES	•	•	•	•
TEMPERATURE CONTROLS	Tap Touch Controls	Tap Touch Controls	Tap Touch Controls	Tap Touch Controls
ICE MAKER	Factory Installed	Factory Installed	Factory Installed	Factory Installed
DISPENSER	Exterior Dispenser with EveryDrop™ Water Filtration			
HUMIDITY-CONTROLLED CRISPERS	•	•	•	•
ADJUSTABLE GALLON DOOR BINS	•	•	•	•
GLASS SHELVES	Frameless	Frameless	Frameless	Frameless
CAN CADDY	•	•		
LED INTERIOR LIGHTING	•	•	•	•
DELI DRAWER	•	•		
ADAPTIVE DEFROST	•	•	•	•
ADA COMPLIANT	Height, Side and Front Reach Compliant			
DIMENSIONS				
HEIGHT INCLUDING HINGES	66-5/8"	69-5/8"	66-5/8"	69-5/8"
CABINET WIDTH	32-3/4"	35-1/2"	32-3/4"	35-7/8"
DEPTH INCLUDING HANDLES	33-5/8"	33-5/8"	33-5/8"	33-5/8"

REFRIGERATOR MODEL	WRS555SIH	WRSF5536R	WRSF6536R
CAPACITY (CU. FT.)	24.5	28.4	28.4
AVAILABLE COLOR	W, B, Z, V	W, B, Z, V	Z
FEATURES			
INGERPRINT RESISTANT			•
IDDEN HINGES			•
EMPERATURE CONTROLS	Tap Touch Controls	Tap Touch Controls	Tap Touch Controls
CEMAKER	In-Door-Ice® Storage	In-Door-Ice® Storage	In-Door-Ice® Storage
ISPENSER	Exterior	Exterior	Exterior
REP & STORE BINS		Sold Seperately	Included
JMIDITY-CONTROLLED CRISPERS	•	•	
JUSTABLE GALLON DOOR BINS	•	•	•
ASS SHELVES	Frameless	Frameless	Frameless
ASURED FILL		•	•
N CADDY			
D INTERIOR LIGHTING		•	•
D BACKLIT TOWER			•
LI DRAWER	•		•
FINITY SLIDE SHELF	•		
EEZER PIZZA POCKET	•		
DAPTIVE DEFROST	•	•	•
A COMPLIANT	Height, Side and Front Reach Compliant	Height and Side Reach Compliant	Height and Side Reach Compliant
MENSIONS			
EIGHT INCLUDING HINGES	69-5/8"	69"	69"
BINET WIDTH	35-7/8"	36"	36"
PTH INCLUDING HANDLES	33-5/8"	34-7/8"	34-7/8"

REFRIGERATOR MODEL	WRSC5536R	WRSC6536R
CAPACITY (CU. FT.)	20.6	20.6
AVAILABLE COLOR	Z, W, V, B	Z
FEATURES		
COUNTER DEPTH DESIGN	•	•
FINGERPRINT RESISTANT	•	•
TEMPERATURE CONTROLS	Tap Touch Controls	Tap Touch Controls
ICE MAKER	In-Door-Ice® Storage	In-Door-Ice® Storage
DISPENSER	Exterior	Exterior
HUMIDITY-CONTROLLED CRISPERS	•	•
MEASURED FILL	•	•
ADJUSTABLE GALLON DOOR BINS	•	•
GLASS SHELVES	Frameless	Frameless
LED INTERIOR LIGHTING	•	•
LED BACKLIT TOWER	•	•
DELI DRAWER	•	•
ADAPTIVE DEFROST	•	•
ADA COMPLIANT	Height and Side Reach Compliant	Height and Side Reach Compliant
DIMENSIONS		
HEIGHT INCLUDING HINGES	68-7/8"	68-7/8"
CABINET WIDTH	35-1/2"	35"
DEPTH INCLUDING HANDLES	29-1/4"	29-3/4"