KEY STEP-UP FEATURES



KMBS104E

24" Built-In Microwave Oven

- 1.4 cu. ft.
- 1000 Watts
- Stainless Steel Cavity
- 27" & 30" Trim Kits Included



KMBD104G

24" Under-Counter Microwave Oven Drawer

- 1.2 cu. ft.
- 950 Watts
- + Sensor Functions
- + Auto Touch Open/Close
- + Drawer Design



KMBP107E

27" Built-In Microwave Oven with Convection Cooking

- 1.4 cu. ft.
- 900 Watts
- + Convection Cooking
- + EasyConvect™ Conversion System
- + 1600 Watt Broil Element
- + Crispwave™ Technology
- + Sensor Steam Cycle with Steamer Container



KMBP100E

30" Built-In Microwave Oven with Convection Cooking

- 1.4 cu. ft.
- 900 Watts
- Convection Cooking
- EasyConvect[™] Conversion System
- 1600 Watt Broil Element
- Crispwave[™] Technology
- Sensor Steam Cycle with Steamer Container

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In

KMBD104GSS

C = Sensor Cooking

D = Drawer

P = High-Speed Cooking



XX = The higher the number the more features available.



4 = 24 in.

0 = 30 in.

7 = 27 in.

KMBD104GSS YEAR OF LAUNCH

E = 2015

G = 2017

KMBD104GSS

BL = Black

SS = Stainless Steel

BS = Black Stainless Steel

MICROWAVE OVEN SPECIFICATIONS









AVAILABLE COLORS SS / BL SS SS / BS SS / BS CU. FT. 1.4 1.2 1.4 1.4 WATTS 1000 950 900 900 ADA COMPLIANT • • • FEATURES AUTO TOUCH OPEN/CLOSE • • • 1600 WATT BROIL ELEMENT • • • CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™ TECHNOLOGY • • • • CONVECTION COOKING • • • • DRAWER DESIGN • • • • SENSOR COOKING • • • SENSOR FUNCTIONS • • • TURNTABLE • • • ADD A MINUTE • • • • AUTO COOK • • • •
WATTS 1000 950 900 900 ADA COMPLIANT • • • EEATURES AUTO TOUCH OPEN/CLOSE • • • 1600 WATT BROIL ELEMENT • • • CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™TECHNOLOGY • • • • CONVECTION COOKING • • • • DRAWER DESIGN • • • • • SENSOR COOKING • • • • • SENSOR FUNCTIONS •
ADA COMPLIANT • • FEATURES AUTO TOUCH OPEN/CLOSE • • 1600 WATT BROIL ELEMENT • • CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™ TECHNOLOGY • • • • CNIVECTION COOKING • • • • • DRAWER DESIGN • <td< td=""></td<>
FEATURES AUTO TOUCH OPEN/CLOSE •
AUTO TOUCH OPEN/CLOSE • 1600 WATT BROIL ELEMENT • • CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™ TECHNOLOGY • • • • CONVECTION COOKING • • • • DRAWER DESIGN • • • • • EASYCONVECT™ CONVERSION SYSTEM •
1600 WATT BROIL ELEMENT • • • CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™TECHNOLOGY • • • • CONVECTION COOKING • • • • DRAWER DESIGN • • • • • EASYCONVECT™ CONVERSION SYSTEM •
CAVITY FINISH Stainless Powder Coat Stainless Stainless CRISPWAVE™ TECHNOLOGY • • • CONVECTION COOKING • • • DRAWER DESIGN • • • EASYCONVECT™ CONVERSION SYSTEM • • • • SENSOR COOKING • • • • • TURNTABLE •
CRISPWAVE™ TECHNOLOGY •
CONVECTION COOKING • • DRAWER DESIGN • • EASYCONVECT™ CONVERSION SYSTEM • • • SENSOR COOKING •
DRAWER DESIGN • EASYCONVECT™ CONVERSION SYSTEM • • SENSOR COOKING • • • SENSOR FUNCTIONS • • • • • TURNTABLE •
EASYCONVECT™ CONVERSION SYSTEM • • SENSOR COOKING • • • SENSOR FUNCTIONS • • • • TURNTABLE • • • • • SETTINGS * •
SENSOR COOKING • SENSOR FUNCTIONS • • • TURNTABLE • • • • SETTINGS * • • • • • • ADD A MINUTE •
SENSOR FUNCTIONS •
TURNTABLE SETTINGS ADD A MINUTE AUTO COOK
SETTINGS ADD A MINUTE AUTO COOK • • • • • • • • • • • • • • • • • •
ADD A MINUTE • • • • • AUTO COOK • • • • • • • • • • • • • • • • • •
AUTO COOK •
BEVERAGE •
CONTROLLOCK • • •
CONVECT • •
COOK POWER • • •
COOKTIME • • •
COOK/START • •
CRISP • •
DEFROST • • • • •
FRESH VEGETABLES •
FROZEN ENTREE/VEGETABLES •
KEEP WARM •
POPCORN • • • •
POTATO • •
REHEAT • • • •
SOFTEN/MELT • • •
SOUP •
SPEED COOK • •
STEAM • •
TIMER • • • •
ACCESSORIES
TRIM KITS 27" & 30" Included
CONVECTION RACK • •
CRISP/GRILL/DRIP PAN • •
STEAMER • •
DIMENSIONS
HEIGHT X WIDTH X DEPTH 17-7/8" X 23-7/8" X 21-1/4" 16" X 23-7/8" X 23-1/4" 18-1/2" X 26-3/4" X 25-1/8" 18-1/2" X 29-3/4" X 25

KEY STEP-UP FEATURES



KMCS122R

- 1.6 cu. ft.
- 1200 Watts
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS324R

- + 2.2 cu. ft.
- 1200 Watts
- + Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



KMCS522R

- 1.5 cu. ft.
- 1000 Watt
- + 1400 W Convection Element
- Sensor Cooking
- + Air Fry Mode
- + Dishwasher-safe Air Fry Basket
- + Convection Cooking Modes
- + 4 Oven Functions
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately



UMCS5022R

- 2.2 cu. ft.
- 1200 Watt
- Sensor Cooking
- Exposed Controls
- Steam Clean
- 27" or 30" Optional Trim Kit, purchased separately

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In C = Countertop



S = Standard

KMCS522PPS

X = The higher the number the more features available.



11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.



K = 2020

P = 2024

KMCS522PPS

SS = Stainless Steel

BS = Fingerprint Resistant Black Stainless

PS = Fingerprint Resistant Stainless

KEY STEP-UP FEATURES



KMBT5511K

- 1.1 cu. ft.
- 1000 Watts
- Sensor Cooking
- + Low Profile Design
- + Hidden Controls
- + Recessed Turntable
- Trim Kit Included



KMBT5011K

- 1.1 cu. ft.
- 1000 Watts
- Sensor Cooking
- Low Profile Design
- Hidden Controls
- Recessed Turntable
- Trim Kit Included

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.



K = KitchenAid®



M = Microwave



B = Built-In C = Countertop



S = Standard

KMCS522PPS

X = The higher the number the more features available.



11 = 1.1 cu. ft.

22 = 22 in24 = 24 in.



K = 2020

P = 2024

KMCS522PPS

SS = Stainless Steel BS = Fingerprint Resistant Black Stainless

PS = Fingerprint Resistant Stainless

MICROWAVE OVEN SPECIFICATIONS









MICROWAVE MODELS	KMCS122R	KMCS324R	KMCS522P	UMCS5022R
AVAILABLE COLORS	PS, BS	PS, BS	PS	Z
CU. FT.	1.6	2.2	1.5	2.2
WATTS	1200	1200	1000	1200
ADA COMPLIANT	•	•	•	•
FEATURES				
2-STEP DOOR OPENING	•	•	•	
AIR FRY MODE			•	
AUTO TOUCH OPEN/CLOSE				•
CAVITY FINISH	White Powder Coated	White Powder Coated	Stainless	White Powder Coated
1400 WATT CONVECTION ELEMENT			•	
CONTROLS	Exterior	Exterior	Exterior	Exterior
CONVECTION COOKING			•	
SENSOR COOKING	•	•	•	•
SENSOR FUNCTIONS	•	•	•	•
STEAM CLEAN	•	•	•	•
SETTINGS				
ADD A MINUTE	•	•	•	•
AIR FRY		<u> </u>	•	•
AUTO COOK	•	•	•	•
BEVERAGE	•	•	•	•
CONVECT			•	
COOK POWER	•	•	•	•
COOK TIME	•	•	•	•
COOK/START	•	•	•	•
DEFROST	•	•	•	•
DINNER PLATE	•	•	•	•
FRESH VEGETABLES	•	•	•	•
FROZEN ENTREE/VEGETABLES	•	•	•	•
GRILL			•	
KEEP WARM	•	•	•	•
OFF/CANCEL	•	•	•	•
PIZZA	•	•	•	•
POPCORN	•	•	•	•
POTATO (BAKED)	•	•	•	•
REHEAT	•	•	•	•
SOFTEN/MELT	•	•	•	•
SOUP	•	•	•	•
TIMER	•	•	•	•
ACCESSORIES				
BAKING PLATE				
DISHWASHER-SAFE AIR FRY BASKET			•	
DISTINADULEIV-SALE AIIV LIVI BASKET	27" or 20" Ontion - I	27" or 20" Ontion-1		27" or 20" Onti1
TRIM KIT	27" or 30" Optional MTK1627P MTK1630P	27" or 30" Optional MTK2227P MTK2230P	27" or 30" Optional MTK1527PZ MTK1530PZ	27" or 30" Optional MTK2227P MTK2230P
DIMENSIONS			· 	
HEIGHT X WIDTH X DEPTH	12-1/4" X 21-3/4" X 18-5/16"	14-3/16" X 24-3/4" X 19-1/4"	12-1/4" X 21-3/4" X 20-5/16"	14-3/16" X 24-3/4" X 19-1/4

MICROWAVE OVEN SPECIFICATIONS





MICROWAVE MODELS	KMBT5511K	KMBT5011K
AVAILABLE COLORS	SS	SS
CU. FT.	1.1	1.1
WATTS	1000	1000
ADA COMPLIANT		
LOW PROFILE DESIGN	•	•
FEATURES		
2-STEP DOOR OPENING		
AIR FRY MODE		
AUTO TOUCH OPEN/CLOSE	•	•
CAVITY FINISH	Non-Stick	Non-Stick
1400 WATT CONVECTION ELEMENT	Non Stick	TVOIT STICK
CONTROLS	Hidden	Hidden
CONVECTION COOKING	maden	maden
SENSOR COOKING	•	•
SENSOR FUNCTIONS	•	•
STEAM CLEAN		
RECESSED TURNTABLE	•	•
SETTINGS		
ADD A MINUTE		
AIR FRY		
AUTO COOK		
BEVERAGE		
CONTROL LOCK	•	•
CONVECT		
COOK POWER	•	•
COOK TIME	•	•
COOK/START	•	•
DEFROST	•	•
DINNER PLATE		
FRESH VEGETABLES		
FROZEN ENTREE/VEGETABLES		
GRILL		
KEEP WARM		
OFF/CANCEL		
PIZZA		
POPCORN	•	•
POTATO (BAKED)		
REHEAT	•	•
SOFTEN/MELT	•	•
SOUP		
TIMER	•	•
ACCESSORIES		
BAKING PLATE		
DISHWASHER-SAFE AIR FRY BASKET		
TRIM KIT	Included	Included
DIMENSIONS		

HEIGHT X WIDTH X DEPTH

19-1/8" X 29-3/4" X 18"

14" X 29-3/4" X 18"